


STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT ☐

APPLICATION FOR PERMIT TO DRILL						1. WELL NAME and NUMBER Coleman Tribal 3-18-4-2E				
2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/>						3. FIELD OR WILDCAT LELAND BENCH				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO						5. UNIT or COMMUNITIZATION AGREEMENT NAME				
6. NAME OF OPERATOR UTE ENERGY UPSTREAM HOLDINGS LLC						7. OPERATOR PHONE 720 420-3235				
8. ADDRESS OF OPERATOR 1875 Lawrence St Ste 200, Denver, CO, 80202						9. OPERATOR E-MAIL rgarrison@uteenergy.com				
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) EDA 14-20-H62-6288			11. MINERAL OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>			12. SURFACE OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>				
13. NAME OF SURFACE OWNER (if box 12 = 'fee') Coleman Bros. LTD						14. SURFACE OWNER PHONE (if box 12 = 'fee') 435-654-1666				
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 393 E. Center Street, ,						16. SURFACE OWNER E-MAIL (if box 12 = 'fee')				
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/>			19. SLANT VERTICAL <input checked="" type="checkbox"/> DIRECTIONAL <input type="checkbox"/> HORIZONTAL <input type="checkbox"/>				
20. LOCATION OF WELL	FOOTAGES		QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN			
LOCATION AT SURFACE	661 FNL 1974 FWL		NENW	18	4.0 S	2.0 E	U			
Top of Uppermost Producing Zone	661 FNL 1974 FWL		NENW	18	4.0 S	2.0 E	U			
At Total Depth	661 FNL 1974 FWL		NENW	18	4.0 S	2.0 E	U			
21. COUNTY UINTAH			22. DISTANCE TO NEAREST LEASE LINE (Feet) 661			23. NUMBER OF ACRES IN DRILLING UNIT 40				
			25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 920			26. PROPOSED DEPTH MD: 9413 TVD: 9413				
27. ELEVATION - GROUND LEVEL 5114			28. BOND NUMBER 687C300004-CD			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 438496				
Hole, Casing, and Cement Information										
String	Hole Size	Casing Size	Length	Weight	Grade & Thread	Max Mud Wt.	Cement	Sacks	Yield	Weight
Surf	12.25	8.625	0 - 941	24.0	J-55 ST&C	8.4	Light (Hibond)	331	1.35	14.8
Prod	7.875	5.5	0 - 9413	17.0	N-80 LT&C	9.2	Halliburton Light , Type Unknown	253	3.2	11.0
							50/50 Poz	601	1.46	13.5
ATTACHMENTS										
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES										
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN					
<input checked="" type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
<input type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP					
NAME Lori Browne				TITLE Regulatory Specialist				PHONE 720 420-3246		
SIGNATURE				DATE 09/14/2011				EMAIL lbrowne@uteenergy.com		
API NUMBER ASSIGNED 43047519980000				APPROVAL  Permit Manager						

RECEIVED: October 12, 2011

Ute Energy Upstream Holdings LLC

Coleman Tribal 3-18-4-2E

NE/NW of Section 18, T4S, R2E

SHL and BHL: 661' FNL & 1974' FWL

Uintah County, Utah

DRILLING PLAN1-2. Geologic Surface Formation and Estimated Tops of Important Geologic Markers

Formation	Depth - MD
Uinta	Surface
Upper Green River Marker	3,683
Mahogany	4,068
Gardner Gulch (TGR3)	5,110
Douglas	5,943
Black Shale	6,448
Castle Peak	6,624
Uteland	6,972
Wasatch	7,113
TD	9,413

3. Estimated Depths of Anticipated Water, Oil, Gas Or Minerals

Green River Formation (Oil) 3,683' – 7,113'

Wasatch Formation (Oil) 7,113' – 9,413'

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 350'. All usable (>10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected.

All water shows and water bearing geologic units will be reported to the geologic and engineering staff of the BLM Vernal Field Office prior to running the next string of casing or before plugging orders are requested. Usage of the State of Utah from *Report of Water Encountered* is acceptable, but not required. All water shows must be reported within one (1) business day after being encountered. Detected water flows shall be sampled, analyzed, and reported to the geologic and engineering staff at the Vernal Field Office. The BLM may request additional water samples for further analysis.

The following information is requested for water shows and samples where applicable:

Location & Sample Interval	Date Sampled
Flow Rate	Temperature
Hardness	pH
Water Classification (State of Utah)	Dissolved Calcium (Ca) (mg/l)
Dissolved Iron (Fe) (ug/l)	Dissolved Sodium (Na) (mg/l)
Dissolved Magnesium (Mg) (mg/l)	Dissolved Carbonate (CO ₃) (mg/l)
Dissolved Bicarbonate (NaHCO ₃) (mg/l)	Dissolved Chloride (Cl) (mg/l)
Dissolved Sulfate (SO ₄) (mg/l)	Dissolved Total Solids (TDS) (mg/l)

4. Proposed Casing & Cementing Program*Casing Design:*

Size	Interval		Weight	Grade	Coupling	Design Factors		
	Top	Bottom				Burst	Collapse	Tension
Surface casing 8-5/8"	0'	941'	24.0	J-55	STC	2,950	1,370	244,000
Hole Size 12-1/4"						9.85	4.57	10.80
Prod casing 5-1/2"	0'	9,413'	17.0	N-80	LTC	7,740	6,280	348,000
Hole Size 7-7/8"						2.58	2.10	2.17

Assumptions:

1. Surface casing max anticipated surface pressure (MASP) = Frac gradient – gas gradient
2. Production casing MASP (production mode) = Pore pressure – gas gradient
3. All collapse calculations assume fully evacuated casing w/gas gradient
4. All tension calculations assume air weight

Frac gradient at surface casing shoe = 13.0 ppg
 Pore pressure at surface casing shoe = 8.33 ppg
 Pore pressure at prod casing shoe = 8.33 ppg
 Gas gradient = 0.115 psi/ft

Safety Factors:

Burst = 1.100
 Collapse = 1.125
 Tension = 1.800

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

Cementing Design:

Job	Fill	Description	Sacks*	Weight (ppg)	Yield (ft ³ /sk)
			ft ³		
Surface casing	941'	HALCEM 2% Calcium Chloride	331 447	14.8	1.35
Prod casing Lead	4,069'	EXTENDACEM 3% KCL	253 811	11.0	3.20
Prod casing Tail	4,403'	ECONOCHEM 3% KCL	601 877	13.5	1.46

*Actual volume pumped will be 15% over the caliper log
 - Compressive strength of tail cement: 500 psi @ 72 hours

Waiting On Cement: A minimum of four (4) hours shall elapse prior to attempting any pressure testing of the BOP equipment which would subject the surface casing cement to pressure, and a minimum of six (6) hours shall elapse before drilling out of the wiper plug, cement, or shoe is begun. WOC time shall be recorded in the Driller's Log. Compressive strength shall be a minimum of 500 psi prior to drilling out.

The Vernal BLM office shall be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

The production casing cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals.

As a minimum, usable water zones shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of the usable water. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable pre-flush fluid, inner string cement method, etc., shall be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or to 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action shall be taken.

A Form 3160-5, "Sundry Notices and Reports on Wells" shall be filed with the Vernal Field Office within 30 days after the work is completed. This report must include the following information:

Setting of each string of casing showing the size, grade, weight of casing set, depth, amounts and type of cement used, whether cement circulated to the top of the cement behind the casing, depth of the cementing tools used, casing method and results, and the date of the work done. Spud date will be shown on the first reports submitted.

5. Drilling Fluids Program

From surface to ±941 feet will be drilled with air/mist system. The air rig is equipped with a 6 ½" blooie line that is straight run and securely anchored. The blooie line is used with a discharge 80 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the wellbore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 2000 CFM) has a safety shut-off valve which is located 15 feet from the air rig. A truck with 70 bbls of water will be on stand-by to be used as kill fluid, if necessary.

From ±941 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive; the reserve pit will be lined to address this additive. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 9.2 lbs/gal. If it is necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite.

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating characteristics of a hazardous waste will not be used in drilling, testing, or completion operations.

Ute Energy will visually monitor pit levels and flow from the well during drilling operations.

6. Minimum Specifications for Pressure Control

The operator's minimum specifications for pressure control equipment are as follows:

A Schematic Diagram of 5,000 PSI BOP Stack is included with this drilling plan. A Double Ram Blow Out Preventer (BOP) with a hydraulic closing, plus either an Annular Bag type BOP or a Rotating BOP will be used on this well.

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 5M system, and individual components shall be operable as designated.

A Function Test of the BOP equipment shall be made daily. All required BOP tests and/or drills shall be recorded in the Driller's Report.

Chart recorders will be used for all pressure tests. Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to BLM representatives upon request.

7. Auxiliary Safety Equipment

Auxiliary safety equipment will be a Kelly cock, bit float, and a TIW valve with drill pipe threads.

8. Testing, Logging and Coring Programs

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 941' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +/- . A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.

9. Anticipated Abnormal Pressures or Temperature

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous wells drilled to similar depths in this area.

Maximum anticipated bottomhole pressure will be approximately equal to total depth in feet multiplied by a 0.433 psi/foot gradient, and a maximum anticipated surface pressure will be approximately equal to the bottomhole pressure calculated minus the pressure of a partially evacuated hole calculated at a 0.22 psi/foot gradient.


10. Location and Type of Water Supply

Water for the drilling and completion of this well (approximately one acre feet) will be trucked from the Ouray Blue Tanks Water Well in Section 32, T4S, R3E (Water Permit # 43-8496).

11. Anticipated Starting Date and Duration of Operations

It is anticipated that drilling operations will commence in July, 2012, and take approximately twenty (20) days from spud to rig release and two weeks for completions.

T4S, R2E, U.S.B.&M.

**LEGEND:**

└─┘ = 90° SYMBOL

● = PROPOSED WELL HEAD.

▲ = SECTION CORNERS LOCATED.

(NAD 83)
 LATITUDE = 40°08'26.19" (40.140608)
 LONGITUDE = 109°48'51.89" (109.814414)
 (NAD 27)
 LATITUDE = 40°08'26.32" (40.140644)
 LONGITUDE = 109°48'49.38" (109.813717)

UTE ENERGY


Well location, COLEMAN TRIBAL #3-18-4-2E, located as shown in the NE 1/4 NW 1/4 of Section 18, T4S, R2E, U.S.B.&M., Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE NORTHEAST CORNER OF SECTION 30, T3S, R2E, U.S.B.&M. TAKEN FROM THE RANLETT QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4939 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

**CERTIFICATE**


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

ROBERT L. KAY
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 161319
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 10-21-10	DATE DRAWN: 10-26-10
PARTY C.R. F.Y. C.C.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE UTE ENERGY	

RECEIVED: September 14, 2011



LEGEND:

● PROPOSED LOCATION



UTE ENERGY

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

ACCESS ROAD
MAP

10 29 10
MONTH DAY YEAR


SCALE: 1:100,000

DRAWN BY: J.J.

REV: S.F. 09-01-11



B
TOPO



LEGEND:

- | | |
|-------------------|-------------------------|
| ⊗ DISPOSAL WELLS | ⊗ WATER WELLS |
| ● PRODUCING WELLS | ● ABANDONED WELLS |
| ● SHUT IN WELLS | ● TEMPORARILY ABANDONED |



UTE ENERGY

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL



Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP


10 29 10
 MONTH DAY YEAR

SCALE: 1" = 2000'

DRAWN BY: J.J.

REV: S.F. 09-01-11





APPROXIMATE TOTAL PIPELINE DISTANCE = 70' (4.2 RODS) +/-

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- PROPOSED PIPELINE

UTE ENERGY

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL



Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC
MAP

11 05 10
MONTH DAY YEAR

SCALE: 1" = 2000'

DRAWN BY: J.J.

REV: S.F. 09-01-11

D
TOPO

MEMORANDUM of SURFACE USE AGREEMENT

Todd Kalstrom is the Vice President of Land for Ute Energy LLC and Ute Energy Upstream Holdings LLC, authorized to do business in Utah (hereinafter referred to as "Ute Energy"). Ute Energy owns, operates and manages oil and gas interests In Uintah and Duchesne Counties, Utah.

WHEREAS, a certain Surface Use Agreement ("Agreement") dated effective October 25th, 2010 and recorded at Entry 2011000074 of the Uintah County records in the state of Utah and covering the N/2 of Section 7 and the N/2 of Section 8 of Township 4 South, Range 2 East, USM, has been entered into by and between Coleman Bros. LTD, whose address is c/o Joseph Coleman, 393 E. Center Street, Heber City, UT 84032 ("Owner") and Ute Energy, whose address is 1875 Lawrence Street, Suite 200, Denver, CO 80202 ("Operator")

WHEREAS, a second certain Surface Use Agreement ("Second Agreement") dated effective October 25th, 2010 and recorded at Entry 2011000075 of the Uintah County records in the state of Utah and covering all of Section 18 of Township 4 South, Range 2 East, USM, has been entered into by and between Coleman Bros. LTD, whose address is c/o Joseph Coleman, 393 E. Center Street, Heber City, UT 84032 ("Owner") and Ute Energy, whose address is 1875 Lawrence Street, Suite 200, Denver, CO 80202 ("Operator"),

WHEREAS, Owner and Operator wish to replace that certain Agreement and Second Agreement with a new Surface Use Agreement and Grant of Easements ("New Agreement") dated effective October 25th, 2010 and covering all of the following lands (the "Property") situated in Uintah County, Utah:

<u>Township 4 South, Range 2 East, USM</u>	Entry 2011003009
Section 7: N/2	BOOK 1231 Page 4-5 \$14.00
Section 8: N/2	26-APR-11 03:54
Section 17: S/2	RANDY SIMMONS
Section 18: All	RECORDER, UINTAH COUNTY, UTAH
	UTE ENERGY LLC ATTN FELICIA GATES-M
<u>Township 3 South, Range 1 East, USM</u>	UT 789 FT DUCHESNE, UT 84026
Section 33: All	Rec By: DEBRA ROOKS , DEPUTY

WHEREAS, under the New Agreement and for an agreed upon monetary consideration, Ute Energy may construct the necessary well site pads for drilling, completion, re-completion, reworking, re-entry, production, maintenance and operation of wells ("Well Pads") on the Property. Ute Energy, its agents, employees, assigns, contractors and subcontractors, may enter upon and use the Well Pads for the purposes of drilling, completing, producing, maintaining, and operating Wells to produce oil, gas and associated hydrocarbons produced from the Property, including the construction and use of frac pits, tank batteries, water disposal pits, production equipment, compressor sites and other facilities used to produce and market the oil, gas and associated hydrocarbons.

WHEREAS, under the New Agreement Ute Energy has the right to non-exclusive access easements ("Road Easements") on the Property for ingress and egress by Ute Energy and its employees, contractors, sub-contractors, agents, and business invitees as needed to conduct oil and gas operations.

WHEREAS, under the New Agreement Owner grants to Ute Energy, its employees, contractors, sub-contractors, agents and business invitees non-exclusive pipeline easements to construct, maintain, inspect, operate and repair a pipeline or pipelines, pigging facilities and related appurtenances for the transportation of oil, gas, petroleum products, water and any other substances recovered during oil and gas production.

WHEREAS, this New Agreement shall run with the land and be binding upon and inure to the benefit of the parties and their respective heirs, successors and assigns.

THEREFORE, Ute Energy is granted access to the surface estate and the New Agreement constitutes a valid and binding surface use agreement as required under Utah Admin. Code Rule R649-3-34(7).

This Memorandum is executed this 25th day of April, 2011.




Todd Kalstrom
Vice President of Land

Entry 2011003009
Book 1231 Page 5

ACKNOWLEDGMENT

STATE OF COLORADO) } ss
COUNTY OF DENVER)

The foregoing instrument was acknowledged before me by Todd Kalstrom, Vice President of Land for Ute Energy LLC and Ute Energy Upstream Holdings LLC this 25th day of April, 2011.




Notary Public
H. Margaret Sillstrop
Notary

Ute Energy Upstream Holdings LLC

Coleman Tribal 3-18-4-2E

NE/NW of Section 18, T4S, R2E

SHL and BHL: 661' FNL & 1974' FWL

Uintah County, Utah

SURFACE USE PLAN

The well site, proposed access road and surface pipeline corridor will be located entirely on private surface (Coleman Bros. LTD) and Tribal minerals.

An onsite is scheduled for this location on Tuesday, October 4, 2011.

The following will be in attendance: Ted Smith (Utah DOGM), Brian Barnett and Chuck Macdonald (BLM Vernal Field Office), Allan Smith of Deep Creek Investments (representing absent Coleman surface owner), Rachel Garrison, Mike Maser, and Justin Jepperson (Ute Energy), Brian Bowthorpe (Uintah Engineering & Land Surveying), Don Hamilton (Star Point Enterprises, Inc.), Jackie Larose (LaRose Construction), Phillip Kaufusi (Kaufusi Construction) and Larry Rowell (Ponderosa Oilfield Services, Inc).

1. Existing Roads

The proposed well site is located approximately 11.3 miles south of Fort Duchesne, Utah. Maps and directions reflecting the route to the proposed well site is included (see Topographic maps A and B).

The dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area and range from clays to a sandy-clay shale material. The existing road in Section 18 (T4S, R2E) that provides access to this well site was upgraded by Newfield Production Company in December, 2010 to a 20' road with 3-inch minus gravel and drainage ditches on both sides of the road. Therefore, Ute Energy anticipates no further road improvements to the existing roads for this well site.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal.

2. Planned Access Road

Approximately 92' of new construction disturbance, with a ROW width of 30 feet, will be required for the construction of an access road to the Coleman Tribal 3-18-4-2E, all on private surface. See attached Topographic map B.

The proposed access road will be crowned, ditched, and constructed with an 18' running surface (9' either side of the centerline). Surfacing material (3-inch minus) will be applied to the access road.

No turnouts, culverts, gates or cattle guards are anticipated in the construction of this road.

All construction material for this access road will be borrowed material accumulated during the construction of the access road.

Surface disturbance and vehicular travel will be limited to the approved location access road.

3. Location of Existing Wells

Refer to Topographic map C for the location and type of existing wells within a one-mile radius of the proposed well site.

4. Location of Existing and/or Proposed Facilities

It is anticipated that this well will be a producing oil well with limited to no gas production.

Surface facilities will be located on a proposed 350' x 150' pad. Facilities will consist of a wellhead, separator, gas meter, (1) 400 gal methanol tank, (1) 400 glycol tank, (2) 400 bbl oil tanks, (1) 400 bbl water tank, (1) 400 bbl test tank, (1) 1000 gal propane tank (only if needed), a pumping unit with natural gas fired motor, solar panels, solar chemical and methanol pumps and one trace pump.

All wells will be fitted with a pump jack to assist with liquid production if liquid volumes and/or low formation pressures require it. Plunger lift systems do not require any outside source of energy. The prime mover for pump jacks would be a small (60 horsepower or less), natural gas-fired internal combustion engine.

The tank battery will be surrounded by a secondary containment berm of sufficient capacity to contain 1.5 times the entire capacity of the largest single tank and sufficient freeboard to contain precipitation. All loading lines and valves will be placed inside the berm surrounding the tank battery or will utilize catchment basins to contain spills. All liquid hydrocarbon production and measurement will conform to the provisions of 43 CFR 3162.7-2 and Onshore Oil and Gas Order No. 4 for the measurement of oil.

All permanent (on site for six (6) months or longer) above-ground structures, constructed or installed (including pumping units), will be painted a flat, non-reflective, earth tone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within six months of installation.

If gas production is greater than amounts that can be utilized on location for heating of tanks or equipment operation, or flared under the provisions of Section III. Authorized Venting and Flaring of Gas (NTL-4A), Ute Energy proposes a polyethylene gas pipeline on the surface to transport gas to an existing connection with Newfield in Section 10 of T4S, R1E.

Approximately 70' (see Topographic map D) of pipeline corridor, containing up to an 8" diameter polyethylene gas pipeline, is proposed to tie the Coleman Tribal 3-18-4-2E into an existing 8" surface pipeline in Section 18 which connects to the Newfield gathering system. The new pipeline would be a surface laid line within a 30 foot wide pipeline corridor, adjacent to the proposed access road corridor.

5. Location and Type of Water Supply

No water supply pipelines will be laid for this well.

Water for the drilling and completion of this well will be transported by truck from the following water source:

Ouray Blue Tanks Water Well in Section 32, T4S, R3E
Water Right: 43-8496

Water use will vary in accordance with the formations to be drilled, but is expected to be approximately one acre foot for drilling and completions operations in the Green River Formation.

No water well is proposed for this location.

6. Source of Construction Materials

All construction materials for this location shall be borrowed material accumulated during construction of the location site and access road.

If any additional gravel is required, it will be obtained from a local supplier having a permitted source of materials within the general area.

7. Methods of Handling Waste Disposal

A small reserve pit (80' x 40' x 8' deep) will be constructed from native soil and clay materials to handle the drilling fluids. The reserve pit will receive the processed drill cuttings (wet sand, shale and rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in the pit. The reserve pit will be lined with a 12 mil (minimum) thickness polyethylene reinforced liner. This liner will be underlain by a felt sub-liner if rock is encountered during excavation. A minimum of two feet of free board will be maintained between the maximum fluid level and the top of the reserve pit at all times.

Immediately upon first production, all produced water will be confined to a steel test tank on location. The produced water will then be transported by truck to a State of Utah approved disposal facility near Ute Energy's operations (ACE, Wonsit, Bluebell, Chapita, Glen Bench, or Seep Ridge).

Portable self-contained chemical toilets will be used for human waste disposal. As required, the toilet holdings will be pumped and the contents thereof disposed of in an approved sewage disposal facility.

Garbage and non-flammable solid waste materials will be contained in a portable trash cage. No trash will be placed in the reserve pit. As needed, the accumulated trash will be hauled off to an authorized disposal site. No potentially adverse materials or substances will be left on location.

Ute Energy Upstream Holdings LLC guarantees that no chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing or completing of this well. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing or completing of this well.

8. Ancillary Facilities

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. Well Site Layout

The well would be properly identified in accordance with 43 CFR 3162.6.

The pad layout, cross section diagrams and rig layout are included with this application (see Figures 1-3).

The pad has been staked at its maximum size of 300' x 150' with an outboard reserve pit of 80' x 40' x 8' deep, and a small outboard flare pit.

To meet fencing requirements for the reserve pit, Ute Energy proposes to install a feedlot (typically used for livestock) steel panel fencing system. The panels are 12' long x 4' high and employ 5" posts on 8' centers. The panels use a latching system to connect the joints together, including the corner posts. The corner posts will be installed in such a manner to keep the panel system tight at all times.

The reserve pit panel fencing system will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. The reserve pit panel fencing system will be maintained until reclamation of the reserve pit.

Fill from the pit excavation will be stockpiled along the edge of the reserve pit and the adjacent edge of the pad.

Use of erosion control measures, including proper grading to minimize slopes, diversion terraces and ditches, mulching, terracing, riprap, fiber matting, temporary sediment traps, and broad-based drainage dips or low water crossings will be employed by Ute Energy as necessary and appropriate to minimize erosion and surface run-off during well pad construction and operation. Cut and fill slopes will be constructed such that stability will be maintained for the life of the operation.

Diversion ditches will be constructed, if necessary, around the well site to prevent surface waters from entering the well site area.

10. Plans for Restoration of the Surface

Site reclamation would be accomplished for portions of the well pad not required for the continued operation of the well on this pad within six months of completion, weather permitting.

The operator would control noxious weeds along access road use authorizations and well site by spraying or mechanical removal.

Rat and mouse holes would be filled and compacted from bottom to top immediately upon release of the drilling rig from location. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. The reserve pit would be allowed to dry prior to the commencement of backfilling work. No attempts would be made to backfill the reserve pit until it is free of standing water. Once dry, the liner would be torn and perforated before backfilling.

The reserve pit, flare pit and that portion of the location not needed for production facilities/operations would be re-contoured to the approximate natural contours. Areas not used for production purposes would be backfilled and blended into the surrounding terrain, reseeded and erosion control measures installed. Mulching, erosion control measures and fertilization may be required to achieve acceptable stabilization. Back slopes and fore slopes would be reduced as practical and scarified with the contour. The reserved topsoil would be evenly distributed over the slopes and scarified along the contour. Slopes would be seeded with the BLM specified seed mix and method. However, Ute Energy proposes the seed mix in the table below for BLM consideration for Ute Energy operations within the Randlett EDA area:

The following seed mix is recommended for rangeland drill application for both interim and final reclamation based on soil characteristics, topographic features, and surrounding native vegetation composition. This seed mix will create a diverse vegetation cover while maximizing the benefits to both wildlife and domestic livestock, while ensuring compatibility with the surrounding landscape.

Recommended Seed Mix for the Randlett EDA Area

Common Name, Cultivar	Scientific Name	Application Rate (Pounds Per Live Seed/Acre)*
Crested Wheatgrass, Ephraim	<i>Agropyron cristatum</i> , var Ephraim	1
Needle-and-thread grass	<i>Stipa comata</i>	4
Indian ricegrass	<i>Oryzopsis hymenoides</i>	2
Bottlebrush squirrel	<i>Sitanion hystrix</i>	4
Shadscale	<i>Atriplex confertifolia</i>	2
Winterfat	<i>Eurotia lanata</i>	1
Globemallow	<i>Sphaeralcea coccinea</i>	1
Total		15

*Double this rate if broadcast seeding is planned; preferred method is drill seeding.

It must be noted that individual surface use agreements negotiated with private landowners may replace these seed mixes with crop seed, such as alfalfa, corn, wheat or sorghum.

Topsoil salvaged from the drill site and stored for more than one year would be placed at the location indicated on the well site layout drawing and graded to a depth optimum to maintain topsoil viability, seeded with the proposed seed mixture and covered with mulch for protection from wind and water erosion and to discourage the invasion of weeds.

11. Surface and Mineral Ownership

Surface: Coleman Bros. LTD
Joseph Coleman
393 E. Center Street
Heber City, UT 84032
See attached Memorandum of Surface Use Agreement

Minerals: Ute Tribe
988 South 7500 East (Annex Building)
Fort Duchesne, UT 84026
435-725-4950

12. Additional Information

Western Archaeological Services conducted a Class III Cultural Resource Inventory of this well site and associated access road and pipeline corridor in November, 2010. A copy of the report, recommending clearance for the project, was submitted under separate cover to the appropriate agencies by Western as report 10-WAS-445, dated November 18, 2010.

Uinta Paleontological Associates, Inc. conducted a paleontological survey of this well site and associated access road and pipeline corridor in November, 2010. A copy of the report, recommending clearance for the project, was submitted under separate cover to the appropriate agencies by Uinta on November 18, 2010.

Kleinfelder/Buys conducted a threatened and endangered plant survey of this well site and associated access road and pipeline corridor in August, 2011 given the location fell within the USFWS-defined habit for the Uinta Basin Hookless Cactus (*Sclerocactus wetlandicus*). A copy of the report, indicating no *Sclerocactus* plants were documented during the survey, was submitted under separate cover to the appropriate agencies by Kleinfelder/Buys on September 14, 2011.

Ute Energy Upstream Holdings LLC is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Ute Energy is to immediately stop work that might further disturb such materials and contact the Authorized Officer.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance. A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling and completion activities.

13. Lessee's or Operator's Representative and Certification

Representative: Mike Maser, Area Superintendent
Ute Energy Upstream Holdings LLC
7074 East 900 South
Fort Duchesne, UT 84026
(435) 722-0024

Certification:

Please be advised that Ute Energy Upstream Holdings LLC is considered to be the operator of the Coleman Tribal 3-18-4-2E in the NE/NW of Section 18, T4S, R2E, Uintah County, Utah and is responsible under the terms and conditions of the Randlett Exploration and Development Agreement (EDA) No. 14-20-H62-6288 (approved by the BIA on December 27, 2010) for the operations conducted upon the leased lands. Bond coverage is provided by BIA Bond No. 687C300004-CD.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Ute Energy Upstream Holdings LLC and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

September 14, 2011


Date

Rachel E. Garrison

Rachel Garrison
Regulatory Manager
Ute Energy Upstream Holdings LLC


11" 5000#

Top configuration



Capstan

CHOKE MANIFOLD CONFIGURATION
W/ 5,000 PSI WP VALVES



UTE ENERGY

LOCATION LAYOUT FOR

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL



FIGURE #1

SCALE: 1" = 50'

DATE: 10-26-10

DRAWN BY: C.C.

REV.: 08-31-11 M.D.



Total Pit Capacity
W/2' of Freeboard
= 2,170 Bbls.±
Total Pit Volume
= 660 Cu. Yds

Elev. Ungraded Ground At Loc. Stake = 5113.9'
FINISHED GRADE ELEV. AT LOC. STAKE = 5113.9'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017


RECEIVED: September 14, 2011

UTE ENERGY

TYPICAL CROSS SECTIONS FOR
COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL

FIGURE #2

1" = 20'
X-Section
Scale
1" = 50'
DATE: 10-26-10
DRAWN BY: C.C.
REV.: 08-31-11 M.D.



NOTE:

Topsoil should not be
Stripped Below Finished
Grade on Substructure Area.

APPROXIMATE ACREAGES

WELL SITE DISTURBANCE = ± 1.302 ACRES
ACCESS ROAD DISTURBANCE = ± 0.063 ACRES
TOTAL = ± 1.365 ACRES

* NOTE:
FILL QUANTITY INCLUDES
5% FOR COMPACTION

APPROXIMATE YARDAGES

(6") Topsoil Stripping = 960 Cu. Yds.
Remaining Location = 700 Cu. Yds.
TOTAL CUT = 1,660 CU.YDS.
FILL = 370 CU.YDS.

EXCESS MATERIAL = 1,290 Cu. Yds.
Topsoil & Pit Backfill = 1,290 Cu. Yds.
(1/2 Pit Vol.)
EXCESS UNBALANCE = 0 Cu. Yds.
(After Interim Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

RECEIVED: September 14, 2011

UTE ENERGY

TYPICAL RIG LAYOUT FOR

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL

FIGURE #3

SCALE: 1" = 50'

DATE: 10-26-10



DRAWN BY: C.C.

REV.: 08-31-11 M.D.



Proposed
Access Road

Proposed
Access for the
#8-18-4-2E



Total Pit Capacity
W/2' of Freeboard
= 2,170 Bbls.±
Total Pit Volume
= 660 Cu. Yds

UINTAH ENGINEERING & LAND SURVEYING

85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

RECEIVED: September 14, 2011

ON-SITE PREDRILL EVALUATION

Utah Division of Oil, Gas and Mining

Operator	UTE ENERGY UPSTREAM HOLDINGS LLC						
Well Name	Coleman Tribal 3-18-4-2E						
API Number	43047519980000	APD No	4643	Field/Unit	LELAND BENCH		
Location: 1/4,1/4	NENW	Sec	18	Tw	4.0S	Rng	2.0E 661 FNL 1974 FWL
GPS Coord (UTM)	601058	4443832	Surface Owner	Coleman Bros. LTD			

Participants

Ted Smith (DOGM), Rachel Garrison, Mike Maser, Lori Browne and Justin Jepperson (Ute Energy), Chuck MacDonald (BLM), Don Hamilton (Star Point Enterprises), Allen Smith (Deep Creek) 5 Dirt Contractors

Regional/Local Setting & Topography

The general area is on Leland Bench, which is located about 12 miles south of Fort Duchesne, Uintah County, Utah. Broad flats with low growing desert shrub type vegetation characterize the area. A few rolling hills and slopes leading to higher flats occur. The Uinta formation dominates the surface. Soils are dominated by deep sandy clay loams with erosion pavement common on slopes. No springs, seeps or flowing streams are known to occur in the area. The Duchesne River is approximately 4 miles to the northeast and is the nearest source of flowing water. All lands in the immediate area are privately owned. Solid blocks or scattered Ute Tribal lands surround the area.

Access to the proposed well site is by State of Utah or Uintah County roads and existing or proposed oilfield development roads. Distance from Randlett, Utah is approximately 12 miles. Approximately 92 feet of new road will be constructed to reach this location.

The proposed pad for the Coleman Tribal 3-18-4-2E oil well is laid out in a north to south direction. Maximum cut is 1.2 feet at Location Corner 8. The location is within the normal drilling window and appears to be a good site for constructing a pad, drilling and operating a well.

Coleman Brothers LLC. own the surface. Allen Smith represented the Colman Brothers and had no problems with the site.

The minerals are owned by the United States Government and held in trust for the Ute Indian Tribe.

Surface Use Plan

Current Surface Use

Grazing
Wildlfe Habitat

New Road Miles	Well Pad	Src Const Material	Surface Formation
0.01	Width 157 Length 300	Onsite	UNTA

Ancillary Facilities N

Waste Management Plan Adequate?

Environmental Parameters

Affected Floodplains and/or Wetlands N

Flora / Fauna

Overall vegetation at this site is fair. The vegetation on Leland Bench is a desert shrub/forb type. Similar species are common throughout the area. Principal species are shadscale, bud sage, winter fat, horsebrush, broom snakeweed, Indian ricegrass, needle and thread grass, curly mesquite grass, scarlet globe mallow, matt and Gardiner saltbrush, hordeum jabutum and annual mustards. A few occurrences of cheat grass, rabbit brush, buckwheat, Mormon tea and other species occur but are not common. Impacts from past and current grazing do not exist.

Because of the lack of water and cover the area is not rich in fauna. Species include antelope, coyotes and small mammals and rodents. Some shrub dependent birds may occur but were not observed. Historically, but not currently, sheep and wild horses grazed the area. Light winter cattle grazing currently exist.

Soil Type and Characteristics

Soils are a moderately deep sandy loam

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diversion Required? N

Berm Required? N

Erosion Sedimentation Control Required? N

Paleo Survey Run? Y **Paleo Potential Observed?** N **Cultural Survey Run?** Y **Cultural Resources?** N

Reserve Pit

Site-Specific Factors		Site Ranking	
Distance to Groundwater (feet)	100 to 200	5	
Distance to Surface Water (feet)	>1000	0	
Dist. Nearest Municipal Well (ft)	>5280	0	
Distance to Other Wells (feet)	>1320	0	
Native Soil Type	Mod permeability	10	
Fluid Type	Fresh Water	5	
Drill Cuttings	Normal Rock	0	
Annual Precipitation (inches)		0	
Affected Populations			
Presence Nearby Utility Conduits	Unknown	10	
	Final Score	30	3 Sensitivity Level

Characteristics / Requirements

A 40' x 80' x 8' deep reserve pit is planned in a cut on the south corner of the location. A liner with a minimum thickness of 16-mils is required. A sub-liner may not be needed because of the lack of rock in the area. Operator says they will lay a subliner. Flare pit will be constructed 15' x 30' x 5'

Closed Loop Mud Required? N **Liner Required?** Y **Liner Thickness** 16 **Pit Underlayment Required?** N

Other Observations / Comments

Coleman Brothers LLC. own the surface. Both Joe and Mary Joe Coleman were notified of and invited to attend the site visit by the BLM. Neither desired to attend. A signed surface use agreement has been completed. Allen Smith represented the Colman Brothers and had no problems with the site.

Ted Smith
Evaluator

10/4/2011
Date / Time

Application for Permit to Drill

Statement of Basis

10/12/2011

Utah Division of Oil, Gas and Mining

Page 1

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
4643	43047519980000	LOCKED	OW	P	No
Operator	UTE ENERGY UPSTREAM HOLDINGS LLC		Surface Owner-APD	Coleman Bros. LTD	
Well Name	Coleman Tribal 3-18-4-2E		Unit		
Field	LELAND BENCH		Type of Work	DRILL	
Location	NENW 18 4S 2E U 661 FNL 1974 FWL GPS Coord (UTM) 601059E 4443831N				

Geologic Statement of Basis

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill
APD Evaluator

10/5/2011
Date / Time

Surface Statement of Basis

The general area is on Leland Bench, which is located about 10 miles south of Fort Duchesne, Uintah County, Utah. Broad flats with low growing desert shrub type vegetation characterize the area. A few rolling hills and slopes leading to higher flats occur. The Uinta formation dominates the surface. Soils are dominated by deep sandy clay loams with erosion pavement common on slopes. No springs, seeps or flowing streams are known to occur in the area. The Duchesne River is approximately 4 miles to the northeast and is the nearest source of flowing water. All lands in the immediate area are privately owned. Solid blocks or scattered Ute Tribal lands surround the area.

Access to the proposed well site is by State of Utah or Uintah County roads and existing or proposed oilfield development roads. Distance from Randlett, Utah is approximately 12 miles. Approximately 92 feet of new road will be constructed to reach this location. A 24" culvert will be used to allow pipelines through and a 12" culvert at the road access.

The proposed pad for the Coleman Tribal 3-18-4-2E oil well is laid out in a north to south direction across a flat with a slight slope to the northwest. Maximum cut is 1.2 foot at Location Corner 8. No drainages intersect the locations that require diversions. The location is within the normal drilling window and appears to be a good site for constructing a pad, drilling and operating a well.

Coleman Brothers LLC. own the surface. Both Joe and Mary Joe Coleman were notified of and invited to attend the site visit by the BLM. Neither desired to attend. A signed surface use agreement has been completed. Allen Smith represented the Colman Brothers and had no problems with the site.

The minerals are owned by the United States Government and held in trust for the Ute Indian Tribe.

Uintah County has recently passed a new ordinance to regulate extraction industries. This ordinance requires

Ted Smith
Onsite Evaluator

10/4/2011
Date / Time


Conditions of Approval / Application for Permit to Drill

Category	Condition
Pits	A synthetic liner with a minimum thickness of 16 mils shall be properly installed and maintained in the reserve pit.
Surface	The reserve pit shall be fenced upon completion of drilling operations.

RECEIVED: October 12, 2011

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 9/14/2011**API NO. ASSIGNED:** 43047519980000**WELL NAME:** Coleman Tribal 3-18-4-2E**OPERATOR:** UTE ENERGY UPSTREAM HOLDINGS LLC (N3730)**PHONE NUMBER:** 720 420-3246**CONTACT:** Lori Browne**PROPOSED LOCATION:** NENW 18 040S 020E**Permit Tech Review:** ☒**SURFACE:** 0661 FNL 1974 FWL**Engineering Review:** ☐**BOTTOM:** 0661 FNL 1974 FWL**Geology Review:** ☒**COUNTY:** UINTAH**LATITUDE:** 40.14064**LONGITUDE:** -109.81369**UTM SURF EASTINGS:** 601059.00**NORTHINGS:** 4443831.00**FIELD NAME:** LELAND BENCH**LEASE TYPE:** 2 - Indian**LEASE NUMBER:** EDA 14-20-H62-6288**PROPOSED PRODUCING FORMATION(S):** WASATCH**SURFACE OWNER:** 4 - Fee**COALBED METHANE:** NO**RECEIVED AND/OR REVIEWED:**☒ **PLAT**☒ **Bond:** INDIAN - 687C300004-CD☐ **Potash**☐ **Oil Shale 190-5**☐ **Oil Shale 190-3**☐ **Oil Shale 190-13**☒ **Water Permit:** 438496☐ **RDCC Review:**☒ **Fee Surface Agreement**☐ **Intent to Commingle****Commingle Approved****LOCATION AND SITING:**☐ **R649-2-3.****Unit:**☐ **R649-3-2. General**☐ **R649-3-3. Exception**☒ **Drilling Unit****Board Cause No:** R649-3-2**Effective Date:****Siting:**☐ **R649-3-11. Directional Drill****Comments:** Presite Completed**Stipulations:** 4 - Federal Approval - dmason
5 - Statement of Basis - bhll
23 - Spacing - dmason**RECEIVED: October 12, 2011**



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Coleman Tribal 3-18-4-2E

API Well Number: 43047519980000

Lease Number: EDA 14-20-H62-6288

Surface Owner: FEE (PRIVATE)

Approval Date: 10/12/2011

Issued to:

UTE ENERGY UPSTREAM HOLDINGS LLC, 1875 Lawrence St Ste 200, Denver, CO 80202

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-2. The expected producing formation or pool is the WASATCH Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during

drilling of this well:

- Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at <http://oilgas.ogm.utah.gov>

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) – due within 5 days of spudding the well
- Monthly Status Report (Form 9) – due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) – due prior to implementation
- Written Notice of Emergency Changes (Form 9) – due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) – due prior to implementation
- Report of Water Encountered (Form 7) – due within 30 days after completion
- Well Completion Report (Form 8) – due within 30 days after completion or plugging

Approved By:

A handwritten signature in black ink, appearing to read "John Rogers", written over a horizontal line.

For John Rogers
Associate Director, Oil & Gas

Rachel Medina - RE: confidential well data

From: Rachel Garrison <rgarrison@uteenergy.com>
To: "Rachel Medina" <rachelmedina@utah.gov>
Date: 2/7/2012 8:19 AM
Subject: RE: confidential well data
CC: Lori Browne <LBrowne@uteenergy.com>, Jenn Mendoza <JMendoza@uteenergy.com>

*UTE ENERGY request for
Confidentiality*

Hi Rachel,

Our Engineering team would like to make all 174 permits we have submitted since December, 2010 confidential – is this possible? Is it easy to apply a “blanket confidentiality” to all Ute Energy Upstream Holdings LLC permits?

Lori Browne and Jenn Mendoza (our Regulatory Specialists) will click confidential on all permits we submit going forward.

Thanks!

Rachel Garrison
Regulatory Manager
Ute Energy, LLC
1875 Lawrence Street, Suite 200
Denver, CO 80202
(720) 420-3235 (direct)
(720) 940-7259 (cell)

From: Rachel Medina [mailto:rachelmedina@utah.gov]
Sent: Wednesday, December 21, 2011 9:05 AM
To: Rachel Garrison
Subject: Fwd: confidential well data

What are the well's your looking at and I'll go see what we have marked.

A confidential well will stay confidential until 13 months after the completion date. The only information that the public can request is the APD and APD letter. However, when a well is confidential there will be nothing on the live data search on our website because there isn't a ways to break the file up so they can only see the APD.

>>> Diana Mason 12/21/2011 7:37 AM >>>
Can you help Rachel on this? Thank you

>>> Rachel Garrison <rgarrison@uteenergy.com> 12/19/2011 11:04 AM >>>
Diana,

Our Engineering team is requesting that well completion reports and well logs be kept confidential on the DOGM

website. Lori Browne (Regulatory Specialist) and I noticed a check box on the online permit system where one can click confidential, but does this make all information related to the well confidential (permit, sundries, completion reports, production reports and logs)?

If this step does make all the information confidential, how long does the information stay confidential?

Thank you for your assistance.

Rachel Garrison
Regulatory Manager
Ute Energy, LLC
1875 Lawrence Street, Suite 200
Denver, CO 80202
(720) 420-3235 (direct)
(720) 940-7259 (cell)

This email communication and any files transmitted with it may contain confidential and or proprietary information and is provided for the use of the intended recipient only. Any review, retransmission or dissemination of this information by anyone other than the intended recipient is prohibited. If you receive this email in error, please contact the sender and delete this communication and any copies immediately. Thank you. Ute Energy, LLC. <http://www.uteenergy.com>

RECEIVED CONFIDENTIAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NOV 16 2011
OCT 13

BLM VERNAL, UTAH

APPLICATION FOR PERMIT TO DRILL OR REENTER


FORM APPROVED
OMB No. 1004-0137
Expires July 31, 2010

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. BIA 14-20-H62-6406
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name Ute Tribe
2. Name of Operator Ute Energy Upstream Holdings LLC		7. If Unit or CA Agreement, Name and No. NA
3a. Address 1875 Lawrence Street, Suite 200 Denver, CO 80202		8. Lease Name and Well No. Coleman Tribal 3-18-4-2E
3b. Phone No. (include area code) 720-420-3235		9. API Well No. 43-047-51998
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface NE/NW 661' FNL and 1974' FWL (Lat: 40.140608 Long: 109.814414 - NAD 83) At proposed prod. zone NE/NW 661' FNL and 1974' FWL		10. Field and Pool, or Exploratory Undesignated
14. Distance in miles and direction from nearest town or post office* Approximately 11.3 miles south of Fort Duchesne, UT		11. Sec., T. R. M. or Blk. and Survey or Area Section 18, T4S, R2E
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 661'	16. No. of acres in lease 640	17. Spacing Unit dedicated to this well 40
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1320'	19. Proposed Depth 9,413 TD	20. BLM/BIA Bond No. on file BIA Bond No. 687C300004-CD
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5113.9' GL	22. Approximate date work will start* 04/14/2012	23. Estimated duration (11) days from spud to rig release


24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

1. Well plat certified by a registered surveyor.
2. A Drilling Plan.
3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).
4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Operator certification
6. Such other site specific information and/or plans as may be required by the BLM.

25. Signature 	Name (Printed/Typed) Rachel E. Garrison	Date 10/12/2011
--	--	--------------------

Title
Regulatory Manager

Approved by (Signature) 	Name (Printed/Typed) Jerry Kenczka	Date FEB 07 2012
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

NOTICE OF APPROVAL

RECEIVED


FEB 09 2012

UDOGM

DIV. OF OIL, GAS & MINING

11/6/2011

11/6/2011



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	Ute Energy Upstream Holdings, LLC	Location:	NENW, Sec. 18, T4S, R2E
Well No:	Coleman Tribal 3-18-4-2E	Lease No:	14-20-H62-6406
API No:	43-047-51998	Agreement:	N/A

OFFICE NUMBER: (435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov .
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

***SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)***

- Paint all production facilities and equipment, not otherwise regulated (OSHA, etc.), Covert Green.
- All areas of disturbance (including surface pipelines) must have appropriate surface use agreements or approvals in place with the proper owner and/or agency before such action is started.
- The conditions of approval, as set forth by those owners and/or agencies, shall be adhered to.

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- A gamma-ray log will be run from TD to the surface.
- Cement for the surface casing will be circulated to the surface, if not, top jobs will be done to adequately complete the cement job. Cement for the production casing will be brought to a minimum of 200 feet above the surface casing shoe.
- Variances shall be granted for the air drilling of the surface hole from Onshore Order 2, Section III, and for the FIT test, as requested in the Drilling Plan of the APD.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**

- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to BLM_UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: UTE ENERGY UPSTREAM HOLDINGS LLC		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 1875 Lawrence St Ste 200 , Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000
PHONE NUMBER: 720 420-3235 Ext		9. FIELD and POOL or WILDCAT: LELAND BENCH
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> ALTER CASING	
<input checked="" type="checkbox"/> SPUD REPORT Date of Spud: 2/23/2012	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> CHANGE WELL NAME	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> CONVERT WELL TYPE	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Ute Energy Upstream Holdings LLC spud the Coleman Tribal 3-18-4-2E with ProPetro #8 on Thursday, February 23, 2012 at 1:00pm. ProPetro #8 will drill the depth for the surface casing only, to be followed by Capstar #316 drilling production to TD.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 01, 2012		
NAME (PLEASE PRINT) Lori Browne	PHONE NUMBER 720 420-3246	TITLE Regulatory Specialist
SIGNATURE N/A	DATE 2/23/2012	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: Ute Energy Upstream Holdings LLC Operator Account Number: N 3730
Address: 1875 Lawrence Street, Suite 200
city Denver
state CO zip 80202 Phone Number: (720) 420-3200

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304752001	Coleman Tribal 1-18-4-2E		NENE	18	4S	2E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	18435	2/20/2012			2/29/2012	
Comments: WSTC							CONFIDENTIAL

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304752002	Coleman Tribal 3-7-4-2E		NENW	7	4S	2E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	18436	2/21/2012			2/29/2012	
Comments: WSTC							CONFIDENTIAL

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304751998	Coleman Tribal 3-18-4-2E		NENW	18	4S	2E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	18438	2/23/2012			3/5/2012	
Comments: WSTC							CONFIDENTIAL

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Jenn Mendoza

Name (Please Print)

Signature

Regulatory Specialist

Title

2/24/2012

Date

RECEIVED

FEB 27 2012

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: UTE ENERGY UPSTREAM HOLDINGS LLC		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 1875 Lawrence St Ste 200 , Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000
PHONE NUMBER: 720 420-3235 Ext		9. FIELD and POOL or WILDCAT: LELAND BENCH
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input checked="" type="checkbox"/> DRILLING REPORT Report Date: 3/5/2012	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 33%;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </div> <div style="width: 33%;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </div> <div style="width: 33%;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100%;" type="text"/> </div> </div>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Please find attached the Summary Drilling Report for the Coleman Tribal 3-18-4-2E encompassing all construction and drilling operations to date (02/14/2012 through 03/5/2012).		
NAME (PLEASE PRINT) Jenn Mendoza		PHONE NUMBER 720 420-3229
SIGNATURE N/A		TITLE Regulatory Specialist
DATE 3/8/2012		<div style="text-align: right;"> Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 14, 2012 </div>

Well Name:	Coleman Tribal 3-18-4-2E
Start Loc Build:	2/14/2012
Finish Loc Build:	2/18/2012

AFE No: 0
Cum. Cost: _____

Location Build Hrs:	44.00 Hrs
----------------------------	------------------

[illegible]

This location has only 40' of road to build into location.

Ops @ 6am: W.O.Rig

Depth (MD):	1152' KB	PTD (MD):	8,200'	Daily Footage:	1152' KB	Avg ROP:	
Depth (TVD):	.	PTD (TVD):	8,200'	Drilling Hours:	.	Exp TD Date:	.
				7 7/8" Hours:	.		
				Cum 7 7/8" Hours:	.		

[illegible]

Activity Summary (6:00am - 6:00am)					0.00	HRS
From	To	Hours	P / U	Summary		
6:00				2/20/12 MI&RU Pete Martin Drilling - Drill 60' GL of 24" Hole & Set 44' 16" Conductor - ReadyMix Cmt. T/Surf.		
				2/23/12 MI&RU ProPetro - Drilled 1140'GL 12 1/4" Hole - Ran 1104' of 24# J-55 ST&C Set @ 1104' GL		
				2/24/12 Cmt.W/ProPetro Cmt. - Pumped 70 bbl Gel Water Ahead of 675sk Prem. Wt.15.8 Yld. 1.15 137 bbl		
				Dropped Plug & Disp. W/67 bbl Water - Plug Bumped Floats Held - 38 bbl Cmt. To Surf.		
				Spud @ 1:00 PM 2/23/2012 With ProPetro Rig 8		

Safety		BOP Drill?		Weather		Fuel	
Last BOP Test:	.	Function Test?	.	High / Low	.	Diesel Used:	.
BOP Test Press:	.	Incident	.	Conditions:	.	Diesel Recvd:	.
				Wind:	.	Diesel on Loc:	.

Well Name:	COLEMAN TRIBAL 3-18-4-2E
Report Date:	3/2/2012
Ops @ 6am:	TOH F/SURVEY TOOL

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	2
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	3/1/2012
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	

Depth (MD):	1,401'	PTD (MD):	8,200'	Daily Footage:	261'	Avg ROP:	
Depth (TVD):	1,401'	PTD (TVD):	8,200'	Drilling Hours:	1.5	Exp TD Date:	.
				7 7/8" Hours:	1.5		
				Cum 7 7/8" Hours:	1.5		

Casing Data: DATA ENTRY							
Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

Mud Properties:	
Type:	DAP
Weight:	8.4
Vis:	26
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	7.5
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/100
ES:	.
MBT:	.
Pm:	.
Pf/Mf:	.
% Solids:	.
% LGS:	.
% Sand:	.
LCM (ppb):	.
Calcium:	.
Chlorides:	.
DAPP:	.
	.
	.

[illegible]

BHA:			
Component	Length	ID	OD
HUGHES Q506 BIT	1.00'		7 7/8"
DOG SUB	1.00'		7 1/2"
NOV .17 RPG MM	29.33'		6 1/2"
IBS	7.55'		7 7/8"
TELEDRIFT TOOL	8.03'		6 1/2"
1-DC	29.44'		6 1/4"
IBS	7.52'		7 7/8"
6-DCS	178.76'		6 1/4"
10-HWDP	312.21'		4 1/2"
Total Length:	574.84		

Hydraulics:	
PP:	750
GPM:	392
TFA:	1.178
HHP/in ² :	.
%P @ bit:	.
Jet Vel:	.
AV DP/DC:	.
SPR #1:	.
SPR #2:	.

Drilling Parameters:	
WOB:	15K/18K
Tot RPM:	132
Torque:	8000
P/U Wt:	55
Rot Wt:	53
S/O Wt:	53
Max Pull:	55
Avg Gas:	.
Max Gas:	.
Cnx Gas:	.
Trip Gas:	.

[illegible]

Activity Summary (6:00am - 6:00am)					24.00	HRS
From	To	Hours	P / U	Summary		
6:00	9:30	3:30		FINISH RIG DOWN,MOVE RIG IN OFF THE COLEMAN TRIBAL 1-18-4-2(1MILE RIG MOVE)		
9:30	11:30	2:00		SET RIG IN,RIG UP		
11:30	15:30	4:00		NIPPLE UP BOPE		
15:30	15:30	0:00		HOLD SAFTEY MEETING,PRESS TEST PIPE RAMS,BLIND RAMS,CHOKE & KILL LINE VALVES,		
15:30	15:30	0:00		CHOKE MANNIFOLD & FLOOR SAFTEY VALVES T/3000 PSI,PRESS TEST ANNULAR T/1500 PSI		
15:30	20:00	4:30		PRESS TEST 8 5/8" 24# SURF CGS T/1500 PSI 30 MIN(ALL TEST OK)		
20:00	21:00	1:00		LAY OUT BHA ON RACKS,STRAP & CALIPER		
21:00	23:30	2:30		P/U NOV .17 RPG MM,M/U Q 506 77/8" BIT,P/U BHA & TIH,TAG CEMENT @ 1054',INSTALL ROT. HEAD		
23:30	3:00	3:30		DRILL OUT CEMENT & SHOE TRACK & RATHOLE T/1140'		
3:00	4:30	1:30		DRILL 77/8" PROD HOLE F/1140' T/1401' (261' @174 FPH)		
4:30	5:00	0:30		WIRELINE SURVEY @1346',WIRELINE PARTED,DROPPED SURVEY TOOL		
5:00	6:00	1:00		TOH F/SURVEY TOOL		
6:00						

MOVE RIG IN OFF THE COLEMAN TRIBAL 1-18-4-2E,RIG UP,NIPPLE BOPE,PRESS TEST BOPE,P/U MM,M/U 77/8" BIT,TH,DRILL OUT SHOE TRACK T/1140',DRILL 77/8" HOLE F/1140' T/1401',WIRELINE SURVEY @ 1346',WIRELINE PARTED,TOH F/SURVEY TOOL @ 06:00

FINISH TOH F/SURVEY TOOL,RETRIEVE TOOL,TIH,DRILL 77/8" PROD HOLE
--

Safety	
Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?	NO
Function Test?	YES
Incident	NO

Weather	
High / Low	32/19
Conditions:	COLD
Wind:	BREEZY

Fuel	
Diesel Used:	890
Diesel Recvd:	2,450
Diesel on Loc:	1,560

Ops @ 6am: DRILLING 77/8" HOLE @3840'

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	3
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	3/1/2012
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	

Depth (MD):	<u>3,840'</u>	PTD (MD):	<u>8,200'</u>	Daily Footage:	<u>2,439'</u>	Avg ROP:	<u> </u>
Depth (TVD):	<u>3,840'</u>	PTD (TVD):	<u>8,200'</u>	Drilling Hours:	<u>20.0</u>	Exp TD Date:	<u> </u>
				7 7/8" Hours:	<u>21.5</u>		
				Cum 7 7/8" Hours:	<u>21.5</u>		

Casing Data: DATA ENTRY							
Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

BHA:

Type:	DAP
Weight:	8.4
Vis:	26
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	8.0
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/98
ES:	.
MBT:	.
Pm:	0.1
Pf/Mf:	0.1/0.2
% Solids:	2.00
% LGS:	3.35
% Sand:	TR
LCM (ppb):	.
Calcium:	40
Chlorides:	3,000
DAPP:	1.75
	.
	.

[illegible]

Component	Length	ID	OD
HUGHES Q506 BIT	1.00'		7 7/8"
DOG SUB	1.00'		7 1/2"
NOV .17 RPG MM	29.33'		6 1/2"
IBS	7.55'		7 7/8"
TELEDRIIFT TOOL	8.03'		6 1/2"
1-DC	29.44'		6 1/4"
IBS	7.52'		7 7/8"
6-DCS	178.76'		6 1/4"
10-HWDP	312.21'		4 1/2"
Total Length:	574.84		

Hydraulics:	
PP:	1000
GPM:	414
TFA:	1.178
HHP/in ² :	0.47
%P @ bit:	10
Jet Vel:	202
AV DP/DC:	242/390
SPR #1:	Y
SPR #2:	Y

Drilling Parameters:	
WOB:	18KT/20K
Tot RPM:	135
Torque:	3000
P/U Wt:	88
Rot Wt:	86
S/O Wt:	84
Max Pull:	90
Avg Gas:	400
Max Gas:	640
Cnx Gas:	640
Trip Gas:	.

Bit Info:

[illegible]

Activity Summary (6:00am - 6:00am)

[illegible]

24 Hour Activity Summary:

CONT T/TOH,RETRIEVE SURVEY TOOL,TH,SERVICE RIG,WIRELINE SURVEY @1276'.70 DEGREES,DRILL 77/8" HOLE F/1401'
T/2366',TELEDRIGHT SURVEY @2313.1 DEGREE,DRILL 77/8" HOLE F/2366' T/3340',TELEDRIFT SURVEY @3300',2 DEGREES,DRILL 77/8"
HOLE F/3340' T/3840' @ 06:00(TOTAL DRILLED 2439' @122 FPH)

24 Hour Plan Forward:

DRILL 77/8" PROD HOLE

Safety

Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?

BOP Drill?	NO
Function Test?	YES
Incident	NO

Weather

High / Low	35/13
Conditions:	COLD
Wind:	BREEZY

Fuel

Diesel Used:	1,560
Diesel Recvd:	3,500
Diesel on Loc:	3,240

Ops @ 6am: DRILL 77/8" HOLE @5965'

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	4
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	3/1/2012
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	

Depth (MD):	<u>5,965'</u>	PTD (MD):	<u>8,200'</u>	Daily Footage:	<u>2,125'</u>	Avg ROP:	<u> </u>
Depth (TVD):	<u>5,965'</u>	PTD (TVD):	<u>8,200'</u>	Drilling Hours:	<u>22.5</u>	Exp TD Date:	<u> </u>
				7 7/8" Hours:	<u>44.0</u>		
				Cum 7 7/8" Hours:	<u>44.0</u>		

Casing Data: DATA ENTRY							
Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

Mud Properties:	
Type:	DAP
Weight:	8.6
Vis:	26
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	8.0
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/96
ES:	.
MBT:	.
Pm:	0.1
Pf/Mf:	0.1/0.2
% Solids:	4.00
% LGS:	5.61
% Sand:	0.25
LCM (ppb):	.
Calcium:	40
Chlorides:	8,000
DAPP:	2
	.
	.

[illegible]

BHA:			
Component	Length	ID	OD
HUGHES Q 506 BIT	1.00'		7 7/8"
DOG SUB	1.00'		7 1/2"
NOV .17 RPG MM	29.33'		6 1/2"
IBS	7.55'		7 7/8"
TELEDRIFT TOOL	8.03'		6 1/2"
1-DC	29.44'		6 1/4"
IBS	7.52'		7 7/8"
6-DCS	178.76'		6 1/4"
10-HWDP	312.21'		4 1/2"
Total Length:	574.84		

Hydraulics:	
PP:	1200
GPM:	414
TFA:	1.178
HHP/in ² :	0.48
%P @ bit:	9
Jet Vel:	207
AV DP/DC:	242/390
SPR #1:	YES
SPR #2:	NO

Drilling Parameters:	
WOB:	18K/20K
Tot RPM:	135
Torque:	3000
P/U Wt:	148K
Rot Wt:	123K
S/O Wt:	132K
Max Pull:	150K
Avg Gas:	300
Max Gas:	1,476
Cnx Gas:	800
Trip Gas:	.

Bit Info:

[illegible]

Activity Summary (6:00am - 6:00am)	24.00	HRS
------------------------------------	-------	-----

[illegible]

24 Hour Activity Summary:

DRILL 77/8" HOLE F/3840' T/4348'.TELEDRIFT SURVEY @4295',1 DEGREE,DRILL 77/8" HOLE F/4348' T/4729',SERVICE RIG,DRILL 77/8" HOLE F/4729' T/5326',TELEDRIFT SURVEY @5289',1 DEGREE,DRILL 77/8" HOLE F/5326' T/5965' @ 06:00(TOTAL DRILLED 2125' @94 FPH)

24 Hour Plan Forward:

DRILL 77/8" PROD HOLE

Safety	
Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?	YES
Function Test?	YES
Incident	NO

Weather	
High / Low	37/20
Conditions:	CALM
Wind:	COLD

Fuel	
Diesel Used:	1,200
Diesel Recvd:	.
Diesel on Loc:	2,040

Ops @ 6am: DRILLING 77/8" HOLE @7630'

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	5
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	3/1/2012
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	

Depth (MD):	<u>7,630'</u>	PTD (MD):	<u>8,200'</u>	Daily Footage:	<u>1,665'</u>	Avg ROP:	<u> </u>
Depth (TVD):	<u>7,630'</u>	PTD (TVD):	<u>8,200'</u>	Drilling Hours:	<u>23.0</u>	Exp TD Date:	<u> </u>
				7 7/8" Hours:	<u>67.0</u>		
				Cum 7 7/8" Hours:	<u>67.0</u>		

Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

Type:	DAP
Weight:	9.1
Vis:	28
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	8.5
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/92
ES:	.
MBT:	.
Pm:	.
Pf/Mf:	.
% Solids:	.
% LGS:	7.01
% Sand:	0.25
LCM (ppb):	.
Calcium:	60
Chlorides:	58,000
DAPP:	2
	.

[illegible]

Component	Length	ID	OD
HUGHES Q506 BIT	1.00'		7 7/8"
DOG SUB	1.00'		7 1/2"
NOV .17 RPG MM	29.33'		6 1/2"
IBS	7.55'		7 7/8"
TELEDRIFT TOOL	8.03'		6 1/2"
1-DC	29.44'		6 1/4"
IBS	7.52'		7 7/8"
6-DCS	178.76'		6 1/4"
10-HWDP	312.21'		4 1/2"
Total Length:	574.84		

PP:	1450
GPM:	367
TFA:	1.178
HHP/in²:	0.36
%P @ bit:	7
Jet Vel:	173
AV DP/DC:	215/345
SPR #1:	YES
SPR #2:	YES

WOB:	18K/22K
Tot RPM:	127
Torque:	4000
P/U Wt:	150
Rot Wt:	149
S/O Wt:	148
Max Pull:	155
Avg Gas:	125
Max Gas:	1,430
Cnx Gas:	550
Trip Gas:	.

[illegible]

24.00	HRS
-------	-----

From	To	Hours	P / U	Summary
6:00	11:00	5:00		DRILL 77/8" PROD HOLE F/5965' T/6376' (411' @82 FPH)
11:00	11:30	0:30		TELEDRIFT SURVEY @6323' 1 DEGREE
11:30	13:00	1:30		DRILL 77/8" PROD HOLE F/6376' T/6497'
13:00	13:30	0:30		WIRELINE SURVEY @6414' 1.7 DEGREES
13:30	6:00	16:30		DRILL 77/8" PROD HOLE F/6497' T/7630 (1133' @69 FPH)
6:00				
				NOTE:LOST APPROX. 400 BBLs MUD(SEE PAGE)

DRILL 77/8" HOLE F/5965' T/6376',TELEDRIFT SURVEY @6323' 1 DEGREE,DRILL 77/8" HOLE F/6376' T/6497',WIRELINE SURVEY @6414' 1.7 DEGREES,DRILL 77/8" HOLE F/6497' T/7630' @ 06:00(TOTAL DRILLED 1665' @ 72 FPH)

DRILL 77/8" PROD HOLE T/TD,C&C HOLE,SPOT KILL & HI VIS PILLS ON BOTTEM,TOH,LOG WELL

Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?	NO
Function Test?	YES
Incident	NO

High / Low	45/22
Conditions:	COOL
Wind:	CALM

Diesel Used:	960
Diesel Recvd:	.
Diesel on Loc:	1,080

Ops @ 6am: LOGGING WELL W/HALLIBURTON

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	6
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	3/1/2012
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	

Casing Data: DATA ENTRY							
Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

Mud Properties:	
Type:	DAP
Weight:	9.1
Vis:	26
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	.
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/92
ES:	.
MBT:	.
Pm:	0.1
Pf/Mf:	0.1/0.2
% Solids:	8.00
% LGS:	7.28
% Sand:	0.25
LCM (ppb):	.
Calcium:	60
Chlorides:	60,000
DAPP:	2
	.
	.

[illegible]

BHA:			
Component	Length	ID	OD
HUGHES Q506 BIT	1.00'		7 7/8"
DOG SUB	1.00'		7 1/2"
NOV .17 RPG MM	29.33'		6 1/2"
IBS	7.55'		7 7/8"
TELEDRIFT TOOL	8.03'		6 1/2"
1-DC	29.44'		6 1/4"
IBS	7.52'		7 7/8"
6-DCS	178.76'		6 1/4"
10-HWDP	312.21'		4 1/2"
Total Length:	574.84		

Hydraulics:	
PP:	1500
GPM:	367
TFA:	1.178
HHP/in ² :	0.36
%P @ bit:	8
Jet Vel:	172
AV DP/DC:	215/345
SPR #1:	YES
SPR #2:	NO

Drilling Parameters:	
WOB:	18/20
Tot RPM:	127
Torque:	4000
P/U Wt:	159
Rot Wt:	159
S/O Wt:	150
Max Pull:	162
Avg Gas:	.
Max Gas:	.
Cnx Gas:	.
Trip Gas:	.

[illegible]

Activity Summary (6:00am - 6:00am)					24.00	HRS
From	To	Hours	P / U	Summary		
6:00	9:30	3:30		DRILL 77/8" PROD HOLE F/7630' T/7926' (296' @85 FPH)		
9:30	10:00	0:30		SERVICE RIG		
10:00	14:00	4:00		DRILL 77/8" PROD HOLE F/7926' T/8200'(274' @69 FPH)TD 77/8"PROD HOLE @14:00,3/5/2012		
14:00	15:30	1:30		PUMP 80 BBL SWEEP CIRC HOLE CLEAN		
15:30	16:30	1:00		SPOT 100 BBL 10.0 PPG KILL PILL TOP @ 4000' & 70 BBL HI VIS PILL ON BOTTEM		
16:30	17:00	0:30		MIX & PUMP 40 BBL 12.0 PPG DRY JOB		
17:00	1:00	8:00		DROP SURVEY TOH F/LOGS,L/D BHA,MM & BIT		
1:00	3:30	2:30		HOLD SAFTEY MEETING W/HALLIBURTON WIRELINE,R/U,P/U LOGGING TOOLS		
3:30	6:00	2:30		RIH W/ TRIPLE COMBO SUITE,CALIPER & IDT LOOGING TOOLS,LOGGERS TD 8185',DRILLERS TD		
6:00				8200',LOGGING UP W/HALLIBURTON @7400' @06:00		

DRILL 77/8" HOLE F/7630' T/7926',SERVICE RIG,DRILL 77/8" HOLE F/7826' T/8200',TD 77/8" PROD HOLE @ 14:00 3/5/2012,PUMP SWEEP
CIRC HOLE CLEAN,SPOT KILL PILL & HI VIS PILL,PUMP DRY JOB,DROP SURVEY,TOH F/LOGS,L/BHA,MM & BIT,HOLD SAFTEY
MEETING,R/U HALLIBURTON WIRELINE,RIH W/LOGGING TOOLS T/8185',LOGGERS TD,DRILLERS TD 8200',LOGGING UP
W/HALLIBURTON @ 7400' @ 06:00

FINISH OPEN HOLE LOGS,R/D HALLIBURTON,R/U & RUN 5 1/2" PROD CSG,CEMENT 5 1/2" PROD CSG,NIPPLE DOWN,CLEAN MUD TANKS,RELEASE RIG

Safety	
Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?	YES
Function Test?	YES
Incident	NO

Weather	
High / Low	50/25
Conditions:	COOL
Wind:	CALM

Fuel	
Diesel Used:	820
Diesel Recvd:	2,800
Diesel on Loc:	3,060

Well Name:	COLEMAN TRIBAL 3-18-4-2E
Report Date:	3/7/2012
Ops @ 6am:	RIGGING DOWN

Field:	Randlett	Rig Name:	Capstar #316	Report No:	1
Location:	COLEMAN TRIBAL 3-18-4-2E	KB:	12	Since Spud:	7
County:	Uintah	Supervisor:	FLOYD MITCHELL	Spud Date:	2/23/2012
State:	Utah	Supervisor 2:		Rig Start Date:	
Elevation:	5114' GL	Rig Phone:	435-828-1130	AFE No:	50729
Formation:	WASATCH	Rig Email:	drilling@uteenergy.com	Daily Cost:	
				Cum. Cost:	
				Rig Release Date:	03/07/12

Depth (MD):	8,200'	PTD (MD):	8,200'	Daily Footage:	0'	Avg ROP:	
Depth (TVD):	8,200'	PTD (TVD):	8,200'	Drilling Hours:	0.0	Exp TD Date:	3/5/2012
				7 7/8" Hours:	74.5		
				Cum 7 7/8" Hours:	74.5		

Casing Data: DATA ENTRY							
Type	Size	Weight	Grade	Connection	Top	Bottom	Shoe Test
Conductor	16"	1/4 wall	Line Pipe	Welded	0'	42' KB	
Surface	8 5/8"	24#	J-55	ST&C	0'	1116' KB	
Production	5 1/2"	17#	E-80	LT&C	0'		

Mud Properties:	
Type:	DAP
Weight:	9.1
Vis:	28
PV:	1
YP:	1
10s Gels:	1
10m Gels:	1
pH:	8.5
API Filtrate:	.
HPHT Filtrate:	.
Cake:	.
Oil/H ₂ O Ratio:	0/92
ES:	.
MBT:	.
Pm:	0.1
Pf/Mf:	0.1/0.2
% Solids:	8.00
% LGS:	7.28
% Sand:	0.25
LCM (ppb):	.
Calcium:	20
Chlorides:	60,000
DAPP:	2
	.
	.

[illegible][illegible]

Hydraulics:	
PP:	.
GPM:	.
TFA:	.
HHP/in ² :	.
%P @ bit:	.
Jet Vel:	.
AV DP/DC:	.
SPR #1:	.
SPR #2:	.

Drilling Parameters:	
WOB:	.
Tot RPM:	.
Torque:	.
P/U Wt:	.
Rot Wt:	.
S/O Wt:	.
Max Pull:	.
Avg Gas:	.
Max Gas:	.
Cnx Gas:	.
Trip Gas:	.

[illegible]

Activity Summary (6:00am - 6:00am)	24.00	HRS
------------------------------------	-------	-----

From	To	Hours	P / U	Summary
6:00	9:00	3:00		CONT T/LOG UP W/TRIPLE COMBO SUITE,CALIPER & IDT OPEN HOLE LOGS T/CSG SHOE
9:00	10:30	1:30		L/D LOGGING TOOLS,R/D HALLIBURTON WIRELINE
10:30	10:30	0:00		HOLD SAFTEY MEETING,R/U & RUN FLOAT SHOE,SHOE JNT,FLOAT COLLAR & 174 JNTS 5 1/2" E-80
10:30	10:30	0:00		17# PROD CSG W/THE SHOE SET @ 7697' & THE FLOAT COLLAR @7650',FILL PIPE @900' & 2100'
10:30	18:00	7:30		FILL PIPE & CIRC BOTTEMS UP @5000',W/FULL RETURNS
18:00	20:00	2:00		FILL PIPE CIRC & COND HOLE F/CEMENT W/FULL RETURNS,LAND CSG W/115 K ON HANGER
20:00	20:00	0:00		HOLD SAFTEY MEETING W/RIG CREW & HALLIBURTON CEMENTERS,INSTALL CEMENT HEAD
20:00	20:00	0:00		PRESS TEST LINES T/ 5000 PSI.PUMP 10 BBLS FRESH WATER,20 BBLS 10.0 PPG SUPEFLUSH,
20:00	20:00	0:00		20 BBLS FRESH WATER,270 SKS(176 BBLS)10.5 PPG 3.66 CUFT/SK YIELD 1ST LEAD CEMENT
20:00	20:00	0:00		150 SKS(78 BBLS) 11.0 PPG 2.97 CUFT/SK YIELD 2ND LEAD CEMENT,380 SKS(111 BBLS) 13.0 PPG
20:00	20:00	0:00		1.64 CUFT/SK TAIL CEMENT,WASH UP LINES TO PIT,DROP PLUG,DISPLACE W/178 BBLS FRESH
20:00	20:00	0:00		WATER,BUMP PLUG T/2100 PSI,FINAL LIFT PRESS 1600 PSI,FULLL RETURNS WHILE PUMPING
20:00	23:00	3:00		CEMENT,PARTIAL RETURNS THRU OUT DISPLACEMENT,NO CEMENT TO SURF,R/D
23:00	3:00	4:00		NIPPLE DOWN BOPE,CLEAN MUD TANKS,RELEASE RIG @ 03:00 3/7/2012
3:00	6:00	3:00		

FINISH LOGGING WELL W/HALLIBURTON WIRELINE,HOLD SAFTEY MEETING,R/U & RUN 5 1/2" 17# PROD CSG W/THE SHOE SET@7697' & THE FLOAT COLLAR @7650',C&C HOLE,R/U HALLIBURTON CEMENTERS,CEMENT 5 1/2" CSG AS PER PROGRAM,R/D CEMENTERS,NIPPLE DOWN BOPE,CLEAN MUD TANKS,RIG RELEASED @ 03:00 3/7/2012

FINISH RIG DOWN,MOVE RIG T/THE COLEMAN TRIBAL 4-18-4-2E,R/U,NIPPLE BOPE,PRESS TEST BOPE,P/U MM,M/U BIT,P/U BHA & TIH,DRILL OUT SHOE TRACK,DRILL 77/8" PROD HOLE

Safety	
Last BOP Test:	3/1/2012
BOP Test Press:	3000

BOP Drill?	NO
Function Test?	YES
Incident	NO

Weather	
High / Low	51/31
Conditions:	COOL
Wind:	CALM

Fuel	
Diesel Used:	500
Diesel Recvd:	.
Diesel on Loc:	2,560

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: UTE ENERGY UPSTREAM HOLDINGS LLC		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 1875 Lawrence St Ste 200 , Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000
PHONE NUMBER: 720 420-3235 Ext		9. FIELD and POOL or WILDCAT: LELAND BENCH
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 3/27/2012	<input type="checkbox"/> ALTER CASING	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> CHANGE TUBING	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> CONVERT WELL TYPE	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PLUG BACK	
	<input checked="" type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Ute Energy Upstream Holdings LLC reports first production of hydrocarbons from Coleman Tribal 3-18-4-2E on Tuesday, March 27, 2012.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 04, 2012		
NAME (PLEASE PRINT) Jenn Mendoza	PHONE NUMBER 720 420-3229	TITLE Regulatory Specialist
SIGNATURE N/A	DATE 3/30/2012	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
2. NAME OF OPERATOR: UTE ENERGY UPSTREAM HOLDINGS LLC		7. UNIT or CA AGREEMENT NAME:			
3. ADDRESS OF OPERATOR: 1875 Lawrence St Ste 200 , Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000			
9. FIELD and POOL or WILDCAT: LELAND BENCH		COUNTY: UINTAH			
STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 3/21/2012 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Please see attached application to commingle producing formations.					
Accepted by the Utah Division of Oil, Gas and Mining Date: June 26, 2012 By: <u>Derek Quist</u>					
NAME (PLEASE PRINT) Lori Browne		PHONE NUMBER 720 420-3246			
SIGNATURE N/A		TITLE Regulatory Specialist			
DATE 5/10/2012					

In accordance with Utah Division of Oil, Gas, and Mining's Rule 649-3-22, Completion Into Two Or More Pools, Ute Energy is submitting this sundry to request commingling approval for the Wasatch and Green River formations based on the following conclusions:

- Oil and associated gas compositions are similar across all formations.
- The respective well is located within a 40-acre unspaced unit
- The pressure profile across the formations is similar and Ute Energy does not anticipate any cross flow.
- Following commingling, production will be considered to be from one pool.
- In the event that allocation by zone or interval is required, Ute Energy would use representative sampling obtained from production logs and allocate on a percentage basis by zone or interval.

A letter, an affidavit(s) of notice, and plat are attached.



UTE ENERGY LLC
1875 Lawrence Street, Suite 200
Denver, CO 80202
Phone: (720) 420-3200
Fax: (720) 420-3201

April 13, 2012

Utah Division of Oil, Gas & Mining
Attention: Dustin Doucet
1594 West North Temple, Suite 1120
Salt Lake City, Utah 84116

RE: Sundry Notices
Coleman Tribal 3-18-4-2E
Uintah County, UT

Dear Mr. Doucet:

Ute Energy has submitted Sundry Notices to commingle production from the Wasatch and Green River formations in the subject well. Pursuant to the Utah OGM regulations, we have enclosed a copy of the Sundry Notice, a plat showing the owners of contiguous leases, as well as an affidavit confirming notice.


If you should have any questions regarding these Sundry Notices, please feel free to contact me at 720-420-3224.


Sincerely,

A handwritten signature in black ink, appearing to read "Ashley Ellison".


Ashley Ellison
Landman

Enclosures





40 Acre Unspaced Unit



Application For Commingling
Coleman Tribal 3-18-4-2E

Land

Jason Henryk - 2/8/12

AFFIDAVIT OF NOTICE

Todd Kalstrom, of lawful age, after having first duly sworn upon his oath, disposes and states:

That he is employed by Ute Energy Upstream Holdings LLC ("Ute") as Vice President of Land and Business Development. Ute has submitted Sundry Notices to commingle production from the Wasatch and Green River formations in the following well within the Randlett Exploration and Development Agreement Area:

Coleman Tribal 3-18-4-2E

NENW Section 18 T4S-R2E

That in compliance with the Utah OGM regulation R649-3-22, I would have provided a copy of the Sundry Notices to the owners of all contiguous oil and gas leases or drilling units overlying the pool, however, Ute is the only such owner, and therefore I have not needed to contact any additional owners.

Date: April 13, 2012

Affiant



Todd Kalstrom

VP of Land and Business Development

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 8

ENTITY ACTION FORM

Operator: Ute Energy Upstream Holdings, LLC Operator Account Number: N 3730
Address: 1875 Lawrence Street, Suite 200
city Denver
state CO zip 80202 Phone Number: (720) 420-3200

Well 1

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304752000	Coleman Tribal 7-18-4-2E	SWNE	18	4S	2E	Uintah
Action Code	Current Entity Number	New Entity Number	Spud Date	Entity Assignment Effective Date		
E	18459	18459	3/5/2012	4/4/2012		
Comments: Completed the Green River-Wasatch						

CONFIDENTIAL

8/20/2012

Well 2

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304751999	Coleman Tribal 4-18-4-2E	NWNW	18	4S	2E	Uintah
Action Code	Current Entity Number	New Entity Number	Spud Date	Entity Assignment Effective Date		
E	18460	18460	2/27/2012	3/28/2012		
Comments: Completed the Green River-Wasatch						

CONFIDENTIAL

8/20/2012

Well 3

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304751998	Coleman Tribal 3-18-4-2E	NENW	18	4S	2E	Uintah
Action Code	Current Entity Number	New Entity Number	Spud Date	Entity Assignment Effective Date		
E	18438	18438	2/23/2012	3/23/2012		
Comments: Completed the Green River-Wasatch						

CONFIDENTIAL

8/20/2012

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Lori Browne

Name (Please Print)

Lori Browne
Signature

Regulatory Specialist

Title

8/8/2012

Date

RECEIVED

AUG 08 2012

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

CONFIDENTIAL

AMENDED REPORT ☐

FORM 8

(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406							
b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe							
2. NAME OF OPERATOR: Ute Energy Upstream Holdings		7. UNIT or CA AGREEMENT NAME NA							
3. ADDRESS OF OPERATOR: 1875 Lawrence Street, S _U CITY Denver STATE CO ZIP 80202		8. WELL NAME and NUMBER: Coleman Tribal 3-18-4-2E ✓							
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: NE/NW 661' FNL & 1974' FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: NE/NW 661' FNL & 1974' FWL AT TOTAL DEPTH: NE/NW 661' FNL & 1974' FWL BHL by HGM		9. API NUMBER: 4304751998							
10. FIELD AND POOL, OR WILDCAT Leland Bench		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 18 4S 2E U							
12. COUNTY Uintah		13. STATE UTAH							
14. DATE SPURRED: 2/23/2012	15. DATE T.D. REACHED: 3/5/2012	16. DATE COMPLETED: 3/23/2012	17. ELEVATIONS (DF, RKB, RT, GL): 5114' GL						
18. TOTAL DEPTH: MD 8,200 TVD 8,195	19. PLUG BACK T.D.: MD 7,658 TVD 7,653 1631	20. IF MULTIPLE COMPLETIONS, HOW MANY? * 4 Stages	21. DEPTH BRIDGE MD PLUG SET: TVD						
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) Triple Combo Directional Survey CBL		23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy)							
24. CASING AND LINER RECORD (Report all strings set in well)									
HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
12-1/4	8-5/8 J-55	24	0	1,116		PREM 675	137	SRFC	
7-7/8	5-1/2 E-80	17	0	7,697		HiFill V 420	254		
						65/35 380	111	154	
25. TUBING RECORD									
SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	
2-7/8	5,547								
26. PRODUCING INTERVALS					27. PERFORATION RECORD				
FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A) Green River	5,647	6,790	5,644	6,786	5,647 7,496	.36	105	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(B) Wasatch	7,103	7,496	7,099	7,492				Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.									
DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL								
5647'-7496'	17442 Bbls Slickwater & Xlinked fluid, 4000 gals 15% HCl, 510571# 20/40 sand								
29. ENCLOSED ATTACHMENTS:									
30. WELL STATUS:									
Flowing									

RECEIVED

JUL 26 2012

DIV. OF OIL, GAS & MINING

31. INITIAL PRODUCTION

INTERVAL A (As shown in item #26)

DATE FIRST PRODUCED: 3/27/2012	TEST DATE: 3/27/2012	HOURS TESTED: 24	TEST PRODUCTION RATES: →	OIL – BBL: 1	GAS – MCF: 0	WATER – BBL: 7	PROD. METHOD: Flowing
CHOKE SIZE: 20/64	TBG. PRESS. 0	CSG. PRESS. 60	API GRAVITY 30.00	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS: Flowing

INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

NA - No Gas present during initial flow & testing period

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Mahogany	4,221
				TGR3	5,110
				Douglas Creek	5,936
				Black Shale	6,469
				Castle Peak	6,627
				Uteland Butte	6,963
				Wasatch	7,103

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Jenn Mendoza

TITLE Regulatory Specialist

SIGNATURE

DATE 6/22/2012

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal materials from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

~Version Information

VERS.	2.0:	CWLS	log	ASCII	Standard	#NAME?	2
WRAP.	NO:	One	line	per	depth	step	

~Well Information Block

#MNEM.U VALUE/NAI DESCRIPTION

#-----	-----	-----					
STRT.F	1110.0000:	START	DEPTH				
STOP.F	8100.0000:	STOP	DEPTH				
STEP.F	0.0000:	STEP	DEPTH				
NULL.	-999.25:	NULL	VALUE				
MDS	.	Operator	Entered:	MAG	DATA	SOURCE	
LOC	.	SURFACE	HOLE	LOCATION :		LOCATION	
FL2	.	SEC.	8 TWP.	4S		RGE.	2E:
FL1	.	SHL	661'	FNL	&	1974'	FEL:
RIG	.	CAPSTAR	316:00:00	RIG	NAME		
CNTY.	UINTAH:	COUNTY	NAME				
LUL	.	ROCK	SPRINGS:	LOGGING	UNITLOC		
FLD	.	LELAND	BENCH:	FIELD	NAME		
WELL.	COLEMAN	TRIBAL	3-18-4-2E:	WELL	NAME		
COMP.	UTE	ENERGY	UPSTREAM	HOLDINGS LLC:		COMPANY	
MMDD.	0.0:	MAG	DATA	DATE			
DATE.	06-Mar-20:	DATE					
SVCO.	Halliburton	SERVICE	CONAME				
IQVR.	R3.4.2:	WLIQ	VERSION				
PROV.	UT:	PROVINCE					
STAT.	UT:	STATE	NAME				
CTRY.	USA:	COUNTRY	NAME				
SON	.	9336264:	JOB	NUMBER			
SECT.	8:00	SECTION					
TOWN.	4S:	TOWNSHIP					
RANG.	2E:	RANGE					
UWI	.	430475199	UNIQUE	WELL	IDENTIFIER		
API	.	430475199	API	NUMBER			
PDAT.	GL:	PERMANENT	DATUM				
DMF	.	KB:	DRILL	MEAS	FROM		
FL3	.	LAT.	40.140608';	LONG.	-109.81441	LOCATION	1
SRVC.	Halliburton	SERVICE	COMPANY				
APD	.ft	12.0000:	DEPTH	ABOVE	PD		
GRDC.deg	0.0000:	GRID	CORRECTION				
MDEC.deg	11.1330:	MAGNETIC	DECL				
AZTC.deg	11.1330:	AZM	TOTAL	CORR			
MDIP.deg	65.9040:	MAGNETIC	DIP				
MFLD.nT	52289.0000:	MAGNETIC	FIELD				
EPD	.ft	5114.0000:	ELEVATION				
EGL	.ft	5114.0000:	GL	ELEV			
GVFD.g	1.0000:	GRAVITY	FIELD				
TVDS.ft	5126.0000:	TVDSS	CORRECTN				

MAGU. 1976121: MAGUTM CHECKSUM
VSC . 1:00 VS TO CLOSURE
~Curve Information Block
#MNEM. UI API CODE Curve Description
#-----
DEPT.F 0 0 0 000: Survey Depth
INC .deg 0 0 0 000: Inclination
AZI .deg 0 0 0 000: Azimuth
DLS .?/100' 0 0 0 000: Dog-Leg Severity
LATNS.ft 0 0 0 000: Latitude North/South
DEPEW.ft 0 0 0 000: Departure East/West
TVD .ft 0 0 0 000: TRUE Vertical
~OTHER INFORMAT SECTION
UT_3_18_4 LOGIQ_TRI 6-Mar-12 5:07 Up @8190.5f

SERVICE
LOGIQ_TRIPLE_DLL

Tool Mnemonic	Tool Number	Name (lbs)	Serial (ft)	Weight Accumulation	Length (ft)	Length
RWCH	RWCH	1	135	6.25	123.06	
ISA	Isolator	Assy.	BRID_1	274	15	108.06
RE	Return	Electrode	CR	57	2.5	105.56
SP	SP	Sub	PROT01	60	3.74	101.82
ISA	Isolator	Assy.	BRID_2	274	15	86.82
BSUB	Barrier	Sub	BS	38	1	85.82
GTET	GTET	11016182	165	8.52	77.3	
IDT	IDT	10916600	150	7.58	69.72	
DSNT	DSNT	10839203	174	9.69	60.03	
SDLT	SDLT**	10733075	433	10.81	49.22	
IQF	IQ	Flex	1	140	5.97	43.25
DLLT	DLLT	P274M120	390	31.63	11.62	
MSFL	MSFL	S433M259	214	10.33	1.29	
TMAX	Temperatu	Sub	1	15	0.96	0.33
BLNS	Bull	Nose	1	5	0.33	0
Total		2524	129.31			
*	=	Overbody Attached				

PARAMETERS

Tool	Name	Mnemonic	Description	Value	Units
------	------	----------	-------------	-------	-------

	TOP								
	Depth	3054.25 ft							
	Depth	4398.75 ft							
	Depth	4681.5 ft							
SHARED	BHT	Bottom	Hole	Temperatu	188 degF				
	Depth	4829.92 ft							
	Depth	4835.75 ft							
SHARED	BS	Bit	Size	7.875 in					
SHARED	UBS	Use	Bit	Size	instead	of	Caliper	for	
SHARED	MDBS	Mud	Base	Water					
SHARED	MDWT	Borehole	Fluid	Weight		9.1 ppg			
SHARED	WAGT	Weighting	Agent	Natural					
SHARED	BSAL	Borehole	salinity	7000 ppm					
SHARED	FSAL	Formation	Salinity	NaCl	0 ppm				
SHARED	KPCT	Percent	K	in	Mud	by	Weight?	0	
SHARED	RMUD	Mud	Resistivity	0.14 ohmm					
SHARED	TRM	Temperatu	of	Mud	64 degF				
SHARED	CSD	Logging	Interval	is	Cased?	No			
SHARED	ICOD	AHV	Casing	OD	5.5 in				
SHARED	ST	Surface	Temperatu	75 degF					
SHARED	TD	Total	Well	Depth	8200 ft				
SHARED	BHT	Bottom	Hole	Temperatu	176 degF				
SHARED	SVTM	Navigation and		Survey	Master	Tool	IDT		
SHARED	AZTM	High	Res	Z	Accelerom	Master	Tool	IDT	
SHARED	TEMM	Temperatu	Master	Tool	NONE				
SHARED	BHSM	Borehole	Size	Master	Tool	NONE			
IDT	WRTI	Survey	Writing	Interval	30 ft				
IDT	SOPT	Smoothing Option		None					

BOTTOM -----

INPUTS, DELAYS AND FILTERS

Mnemonic	Input	Descriptor	Delay	Filter	Length	Filter	Type
	(ft)		(ft)				

IDT

TPUL	Tension	Pull	70.723	NO	
ACCX	Accelerom	X	70.723	NO	
ACCY	Accelerom	Y	70.723	NO	
ACCZ	Accelerom	Z	70.723	NO	
MAGX	magnetom	x	with	unit	70.723 NO
MAGY	Magnetom	Y	with	unit	70.723 NO
MAGZ	magnetom	z	with	unit	70.723 NO
IAMP	Accelerom	Temperatu	70.723	NO	
MTMP	Magnetom	Temperatu	70.723	NO	

OUTPUTS

Mnemonic	Output	Description	Filter	Length	Filter	Type
	(ft)					

IDT

PLTC	Plot	Control	Mask	NO				
MTMP	Magnetom	Temperatu	NO					
IAMP	Accelerom	Temperatu	NO					
ACCX	Accelerom	X	NO					
ACCY	Accelerom	Y	NO					
ACCZ	Accelerom	Z	NO					
MAGX	magnetom	x	with	unit	NO			
MAGY	Magnetom	Y	with	unit	NO			
MAGZ	magnetom	z	with	unit	NO			
BZC	magnetom	with	unit	after	the	correction	NO	
HAZI	Hole	Azimuth	NO					
DEVI	Inclination	NO						
RB	Relative	Bearing	NO					
AZI1	PAD1	Azimuth	NO					
TLFC	Tool	Face	NO					
MAGD	Magnetic	dip	for	directional tool	NO			
GTOT	Total	Gravity	Field	measure	by	directional tool	NO	
BTOT	total	magnetic	field	for	directional tool	NO		
ACCQ	calculated	gravity	field	compared	with	local	gravity	field
MAGQ	Calculated	magnetic	field	compared	with	local	magnetic	fie
	ld							
LOCG	Local	Gravity	Field	NO				
LMAG	Local	magnetic	field	for	directional tool	NO		
PLTC	Plot	Control	Mask	NO				

MTMP	Magnetom	Temperatu	NO				
IAMP	Accelerom	Temperatu	NO				
ACCX	Accelerom	X	NO				
ACCY	Accelerom	Y	NO				
ACCZ	Accelerom	Z	NO				
MAGX	magnetom	x	with	unit	NO		
MAGY	Magnetom	Y	with	unit	NO		
MAGZ	magnetom	z	with	unit	NO		
BZC	magnetom	with	unit	after	the	correction	NO
HAZI	Hole	Azimuth	NO				
DEVI	Inclination	NO					
RB	Relative	Bearing	NO				
AZI1	PAD1	Azimuth	NO				
TLFC	Tool	Face	NO				
MAGD	Magnetic	dip	for	directional	tool	NO	
GTOT	Total	Gravity	Field	measure	by	directional	tool
BTOT	total	magnetic	field	for	directional	tool	NO
ACCQ	calculated	gravity	field	compared	with	local	gravity
MAGQ	Calculated	magnetic	field	compared	with	local	magnetic
	Id						fie
LOCG	Local	Gravity	Field	NO			
LMAG	Local	magnetic	field	for	directional	tool	NO

UT_3_18_4 LOGIQ_TRI 6-Mar-12 7:05 Up

SERVICE
LOGIQ_TRIPLE_DLL

Tool Mnemonic	Tool Number	Name (lbs)	Serial (ft)	Weight Accumulation	Length (ft)	Length
RWCH	RWCH		1	135	6.25	123.06
ISA	Isolator	Assy.	BRID_1	274	15	108.06
RE	Return	Electrode	CR	57	2.5	105.56
SP	SP	Sub	PROTO1	60	3.74	101.82
ISA	Isolator	Assy.	BRID_2	274	15	86.82
BSUB	Barrier	Sub	BS	38	1	85.82
GTET	GTET	11016182		165	8.52	77.3
IDT	IDT	10916600		150	7.58	69.72
DSNT	DSNT	10839203		174	9.69	60.03
SDLT	SDLT**	10733075		433	10.81	49.22
IQF	IQ	Flex		1	140	5.97
						43.25
DLLT	DLLT	P274M120		390	31.63	11.62
MSFL	MSFL	S433M259		214	10.33	1.29
TMAX	Temperatu	Sub		1	15	0.96
						0.33

BLNS	Bull	Nose	1	5	0.33	0
------	------	------	---	---	------	---

Total	2524	129.31
*	=	Overbody Attached

PARAMETERS

Tool	Name	Mnemonic	Description	Value	Units
------	------	----------	-------------	-------	-------

TOP -----

Depth 4835.75 ft -----

Depth 7000 ft -----

Depth 8000 ft -----

SHARED	BS	Bit	Size	7.875 in			
SHARED	UBS	Use	Bit	Size	instead	of	Caliper for
SHARED	MDBS	Mud	Base	Water			
SHARED	MDWT	Borehole	Fluid	Weight	9.1	ppg	
SHARED	WAGT	Weighting	Agent	Natural			
SHARED	BSAL	Borehole	salinity	7000	ppm		
SHARED	FSAL	Formation	Salinity	NaCl	0	ppm	
SHARED	KPCT	Percent	K	in	Mud	by	Weight? 0
SHARED	RMUD	Mud	Resistivity	0.14	ohmm		
SHARED	TRM	Temperatu	of	Mud	64	degF	
SHARED	CSD	Logging	Interval	is	Cased?	No	
SHARED	ICOD	AHV	Casing	OD	5.5	in	
SHARED	ST	Surface	Temperatu	75	degF		
SHARED	TD	Total	Well	Depth	8200	ft	
SHARED	BHT	Bottom	Hole	Temperatu	188	degF	
SHARED	SVTM	Navigation	and	Survey	Master	Tool	IDT
SHARED	AZTM	High	Res	Z	Accelerom	Master	Tool IDT
SHARED	TEMM	Temperatu	Master	Tool	NONE		
SHARED	BHSM	Borehole	Size	Master	Tool	NONE	
IDT	WRTI	Survey	Writing	Interval	30	ft	
IDT	SOPT	Smoothing	Option	None			

BOTTOM -----

INPUTS, DELAYS AND FILTERS

Mnemonic	Input (ft)	Descriptor	Delay (ft)	Filter	Length	Filter	Type
----------	------------	------------	------------	--------	--------	--------	------

IDT

TPUL	Tension	Pull	70.723	NO			
ACCX	Accelerom	X	70.723	NO			
ACCY	Accelerom	Y	70.723	NO			
ACCZ	Accelerom	Z	70.723	NO			
MAGX	magnetom	x	with	unit	70.723	NO	
MAGY	Magnetom	Y	with	unit	70.723	NO	
MAGZ	magnetom	z	with	unit	70.723	NO	
IAMP	Accelerom	Temperatu	70.723	NO			
MTMP	Magnetom	Temperatu	70.723	NO			

OUTPUTS

Mnemonic	Output (ft)	Descriptor	Filter	Length	Filter	Type
----------	-------------	------------	--------	--------	--------	------

IDT

PLTC	Plot	Control	Mask	NO			
MTMP	Magnetom	Temperatu	NO				
IAMP	Accelerom	Temperatu	NO				
ACCX	Accelerom	X	NO				
ACCY	Accelerom	Y	NO				
ACCZ	Accelerom	Z	NO				
MAGX	magnetom	x	with	unit	NO		
MAGY	Magnetom	Y	with	unit	NO		
MAGZ	magnetom	z	with	unit	NO		
BZC	magnetom	with	unit	after	the	correction	NO
HAZI	Hole	Azimuth	NO				
DEVI	Inclination	NO					
RB	Relative	Bearing	NO				
AZI1	PAD1	Azimuth	NO				
TLFC	Tool	Face	NO				
MAGD	Magnetic	dip	for	directional	tool	NO	
GTOT	Total	Gravity	Field	measure	by	directional	tool NO
BTOT	total	magnetic	field	for	directional	tool	NO
ACCQ	calculated	gravity	field	compared	with	local	gravity field
MAGQ	Calculated	magnetic	field	compared	with	local	magnetic fie

	Id							
LOCG	Local	Gravity	Field	NO				
LMAG	Local	magnetic	field	for	directional tool		NO	
PLTC	Plot	Control	Mask	NO				
MTMP	Magnetom	Temperatu	NO					
IAMP	Accelerom	Temperatu	NO					
ACCX	Accelerom	X	NO					
ACCY	Accelerom	Y	NO					
ACCZ	Accelerom	Z	NO					
MAGX	magnetom	x	with	unit	NO			
MAGY	Magnetom	Y	with	unit	NO			
MAGZ	magnetom	z	with	unit	NO			
BZC	magnetom	with	unit	after	the	correction	NO	
HAZI	Hole	Azimuth	NO					
DEVI	Inclination	NO						
RB	Relative	Bearing	NO					
AZI1	PAD1	Azimuth	NO					
TLFC	Tool	Face	NO					
MAGD	Magnetic	dip	for	directional tool	NO			
GTOT	Total	Gravity	Field	measure	by	directional tool		NO
BTOT	total	magnetic	field	for	directional tool	NO		
ACCQ	calculated	gravity	field	compared	with	local	gravity	field
MAGQ	Calculated	magnetic	field	compared	with	local	magnetic	fie
	Id							
LOCG	Local	Gravity	Field	NO				
LMAG	Local	magnetic	field	for	directional tool		NO	
~A	DEPT	INC	AZI	DLS	LATNS	DEPEW	TVD	
	1110	0.6739	189.779	0.0607	-6.433	-1.1088	1109.974	
	1140	0.7184	259.17	2.6444	-6.6422	-1.3234	1139.973	
	1170	0.9559	271.7622	0.997	-6.6698	-1.7583	1169.97	
	1200	0.9512	272.9822	0.0695	-6.6492	-2.2571	1199.965	
	1230	1.1708	274.2481	0.7362	-6.6135	-2.8114	1229.96	
	1260	1.1247	268.3968	0.4196	-6.5991	-3.4114	1259.954	
	1290	1.1556	270.0213	0.1492	-6.6072	-4.0082	1289.948	
	1320	1.1292	270.0665	0.0882	-6.6067	-4.6063	1319.942	
	1350	1.1434	271.9099	0.1307	-6.5964	-5.2011	1349.936	
	1380	1.0638	274.2446	0.3044	-6.5658	-5.7779	1379.931	
	1410	1.1741	271.9991	0.3955	-6.5345	-6.3628	1409.925	
	1440	1.1308	271.9504	0.1444	-6.5137	-6.9659	1439.919	
	1470	1.1736	275.0984	0.2547	-6.4763	-7.5677	1469.913	
	1500	1.0691	273.0005	0.3742	-6.4343	-8.1532	1499.907	
	1530	1.274	273.7177	0.6848	-6.3981	-8.7655	1529.901	
	1560	1.2722	273.0915	0.0468	-6.3585	-9.4309	1559.893	
	1590	1.2288	270.7852	0.2216	-6.3361	-10.0851	1589.886	
	1620	1.3225	267.4641	0.3978	-6.347	-10.7526	1619.879	
	1650	1.1852	267.7584	0.4582	-6.3745	-11.4085	1649.872	
	1680	1.1022	260.1758	0.5749	-6.4358	-12.0029	1679.866	

1710	1.1168	259.2674	0.0763	-6.5395	-12.5744	1709.86
1740	1.1371	256	0.2246	-6.666	-13.1505	1739.854
1770	1.0897	257.0712	0.1725	-6.8018	-13.7173	1769.849
1800	1.0902	256.6445	0.0271	-6.9316	-14.273	1799.843
1830	1.0598	257.8309	0.1256	-7.056	-14.8219	1829.838
1860	1.1135	260.8182	0.2602	-7.161	-15.3809	1859.833
1890	1.1202	257.6456	0.2073	-7.2702	-15.9551	1889.827
1920	1.0704	258.7527	0.1804	-7.3876	-16.5164	1919.821
1950	1.0492	258.4893	0.0725	-7.4971	-17.0604	1949.816
1980	1.137	257.9263	0.2948	-7.6141	-17.6206	1979.811
2010	1.0736	259.2354	0.2273	-7.7289	-18.1877	2009.805
2040	1.1167	256.9439	0.2048	-7.8474	-18.7486	2039.8
2070	1.1251	255.144	0.1206	-7.989	-19.3181	2069.794
2100	1.1321	253.5608	0.1065	-8.1484	-19.887	2099.788
2130	1.1105	247.5253	0.4	-8.3434	-20.4399	2129.783
2160	1.1858	253.8343	0.4902	-8.5409	-21.0067	2159.776
2190	1.1347	252.1838	0.2035	-8.7182	-21.5876	2189.77
2220	1.1178	250.9944	0.0963	-8.9044	-22.1471	2219.764
2250	1.0408	250.5035	0.2582	-9.0906	-22.6806	2249.759
2280	1.1428	252.4238	0.3611	-9.2719	-23.2227	2279.754
2310	1.1249	255.3292	0.2007	-9.4368	-23.7928	2309.748
2340	1.0705	257.1038	0.214	-9.574	-24.3508	2339.742
2370	1.1306	260.2286	0.2831	-9.6867	-24.9157	2369.737
2400	1.1169	259.4609	0.0677	-9.7905	-25.4948	2399.731
2430	1.0351	259.8231	0.2738	-9.8918	-26.049	2429.726
2460	0.9669	262.8478	0.2875	-9.9712	-26.5668	2459.721
2490	0.8552	258.1751	0.4469	-10.0486	-27.0371	2489.717
2520	0.9691	254.413	0.4288	-10.1626	-27.5006	2519.714
2550	0.9527	251.5606	0.1686	-10.3097	-27.9816	2549.709
2580	0.785	255.3124	0.5901	-10.4407	-28.417	2579.706
2610	0.5996	257.0695	0.6219	-10.5279	-28.7688	2609.704
2640	0.5335	250.0105	0.32	-10.6108	-29.053	2639.702
2670	0.4957	237.6429	0.3902	-10.728	-29.2939	2669.701
2700	0.5459	217.4191	0.6314	-10.9109	-29.4903	2699.7
2730	0.5982	199.9759	0.6034	-11.1716	-29.6307	2729.698
2760	0.7084	185.223	0.6674	-11.5035	-29.7011	2759.696
2790	0.8709	175.8973	0.6888	-11.9156	-29.7016	2789.694
2820	0.9644	171.7307	0.3828	-12.3928	-29.649	2819.69
2850	1.0833	166.2668	0.5125	-12.9181	-29.5454	2849.685
2880	1.099	160.8789	0.3459	-13.4655	-29.3838	2879.679
2910	1.2921	158.7052	0.6609	-14.0524	-29.1667	2909.673
2940	1.1898	159.3861	0.3445	-14.6591	-28.9342	2939.666
2970	1.419	152.9375	0.9061	-15.2814	-28.6556	2969.658
3000	1.4557	153.6464	0.1358	-15.9537	-28.3174	2999.649
3030	1.5357	155.4331	0.3086	-16.6607	-27.9811	3029.638
3060	1.5261	158.438	0.2694	-17.3979	-27.6672	3059.628
3090	1.6853	154.6929	0.6353	-18.1682	-27.3318	3089.616

3120	1.6409	159.9375	0.5283	-18.9705	-26.9959	3119.603
3150	1.7678	160.5014	0.4266	-19.8102	-26.6941	3149.59
3180	1.7605	165.2919	0.492	-20.6921	-26.4226	3179.576
3210	1.7771	171.4436	0.6351	-21.5978	-26.2364	3209.562
3240	1.9018	176.7759	0.7055	-22.5548	-26.1392	3239.546
3270	2.0001	178.5367	0.3836	-23.5752	-26.0978	3269.529
3300	1.9648	181.7151	0.3849	-24.6126	-26.0999	3299.511
3330	2.0408	182.2857	0.2621	-25.6604	-26.1366	3329.492
3360	2.2185	184.5008	0.6524	-26.773	-26.2034	3359.472
3390	2.2903	187.0361	0.4097	-27.9468	-26.3224	3389.449
3420	2.2232	189.7278	0.4181	-29.1152	-26.4942	3419.425
3450	2.134	188.8633	0.3169	-30.2407	-26.6786	3449.404
3480	2.0625	188.1648	0.2533	-31.3269	-26.8413	3479.384
3510	2.1866	187.6947	0.4178	-32.4285	-26.9946	3509.363
3540	2.3687	189.8329	0.6699	-33.6065	-27.1771	3539.339
3570	2.6458	197.9323	1.4972	-34.8761	-27.4962	3569.311
3600	3.0663	197.9475	1.4016	-36.2983	-27.9566	3599.273
3630	3.062	202.3308	0.781	-37.8028	-28.5083	3629.23
3660	3.0715	203.0235	0.1275	-39.2836	-29.1271	3659.187
3690	2.9991	200.7228	0.4724	-40.7574	-29.7191	3689.145
3720	3.2104	201.1555	0.7087	-42.2748	-30.3	3719.101
3750	3.05	203.4054	0.6733	-43.7907	-30.9202	3749.056
3780	2.9788	200.9625	0.4895	-45.251	-31.5161	3779.015
3810	2.6962	197.5993	1.0928	-46.6515	-32.0084	3808.978
3840	2.7148	194.9933	0.4146	-48.0104	-32.4055	3838.945
3870	2.711	194.5464	0.0716	-49.3834	-32.7675	3868.911
3900	2.6847	193.9282	0.1309	-50.7521	-33.1148	3898.878
3930	2.5867	192.7527	0.3729	-52.0942	-33.4334	3928.846
3960	2.6677	192.6372	0.2706	-53.4358	-33.7356	3958.815
3990	2.9111	193.6154	0.8266	-54.8574	-34.0676	3988.779
4020	2.9713	194.4153	0.2429	-56.3508	-34.4405	4018.74
4050	2.9694	195.7593	0.2322	-57.8517	-34.8451	4048.699
4080	2.936	194.3847	0.261	-59.3438	-35.247	4078.659
4110	2.8819	193.6967	0.2146	-60.8207	-35.6165	4108.621
4140	2.8445	191.8124	0.3376	-62.282	-35.9474	4138.584
4170	2.7641	192.3937	0.2842	-63.7171	-36.2551	4168.547
4200	2.8275	193.4952	0.277	-65.1431	-36.583	4198.512
4230	3.0747	193.3612	0.8245	-66.6454	-36.9416	4228.472
4260	3.2862	195.0097	0.768	-68.2587	-37.3502	4258.426
4290	3.3265	196.0144	0.2353	-69.9259	-37.813	4288.376
4320	3.1977	195.2569	0.4528	-71.5697	-38.2734	4318.327
4350	2.9682	192.6744	0.894	-73.1348	-38.664	4348.284
4380	2.7549	192.915	0.7121	-74.5953	-38.9955	4378.246
4410	2.8095	191.4793	0.2951	-76.0185	-39.303	4408.211
4440	2.858	192.5469	0.2389	-77.4691	-39.6118	4438.174
4470	2.8197	189.7252	0.483	-78.9265	-39.8989	4468.137
4500	2.8348	190.0514	0.0736	-80.3842	-40.153	4498.101

4530	2.7737	187.3945	0.4787	-81.8345	-40.3759	4528.065
4560	2.7945	184.2619	0.5118	-83.2836	-40.5237	4558.03
4590	2.7632	181.9405	0.3893	-84.7356	-40.6025	4587.994
4620	2.9394	183.4396	0.6377	-86.2261	-40.6732	4617.957
4650	2.803	179.9538	0.7382	-87.7274	-40.7187	4647.919
4680	2.7868	179.7115	0.067	-89.1903	-40.7145	4677.884
4710	2.5752	177.4841	0.7861	-90.5929	-40.6812	4707.851
4740	2.5735	176.8698	0.0921	-91.9387	-40.6149	4737.821
4770	2.6488	177.8667	0.293	-93.3039	-40.5523	4767.79
4800	2.6238	176.8004	0.1835	-94.6823	-40.4882	4797.758
4830	2.6117	176.0539	0.1205	-96.0497	-40.4028	4827.727
4860	2.7231	176.4324	0.3757	-97.4429	-40.3114	4857.694
4890	2.6313	174.618	0.4164	-98.8397	-40.2025	4887.661
4920	2.7073	174.2878	0.2586	-100.23	-40.0674	4917.629
4950	2.4706	175.166	0.8001	-101.58	-39.9424	4947.598
4980	2.4603	174.0835	0.159	-102.864	-39.8215	4977.57
5010	2.402	177.4272	0.5111	-104.133	-39.7269	5007.544
5040	2.3592	178.4537	0.2013	-105.378	-39.682	5037.518
5070	2.3396	179.4229	0.1477	-106.608	-39.6592	5067.492
5100	2.3699	181.1516	0.2574	-107.84	-39.6655	5097.467
5130	2.4205	183.4203	0.3581	-109.093	-39.7158	5127.44
5160	2.5019	184.1479	0.2909	-110.378	-39.8009	5157.413
5190	2.5639	183.9195	0.2093	-111.701	-39.8941	5187.384
5220	2.5009	181.4734	0.417	-113.024	-39.9568	5217.355
5250	2.2438	181.102	0.8584	-114.266	-39.985	5247.329
5280	2.2427	179.7794	0.1726	-115.44	-39.994	5277.306
5310	2.3105	178.2288	0.3054	-116.631	-39.9731	5307.282
5340	2.2645	177.3446	0.1932	-117.828	-39.9269	5337.258
5370	2.3039	177.3426	0.1311	-119.022	-39.8715	5367.234
5400	2.2077	174.7	0.4721	-120.2	-39.7902	5397.211
5430	2.2707	172.229	0.3842	-121.364	-39.6564	5427.188
5460	2.3461	171.6281	0.264	-122.561	-39.4867	5457.164
5490	2.5278	172.8717	0.6308	-123.825	-39.3152	5487.137
5520	2.5426	171.5569	0.2	-125.139	-39.1354	5517.107
5550	2.4468	171.9432	0.3242	-126.432	-38.9479	5547.079
5580	2.4412	171.3363	0.0883	-127.697	-38.7619	5577.051
5610	2.4334	169.1922	0.305	-128.955	-38.5463	5607.024
5640	2.5846	170.7487	0.5526	-130.248	-38.3181	5636.996
5670	2.4855	172.1584	0.3902	-131.56	-38.1206	5666.966
5700	2.5262	172.0635	0.1366	-132.859	-37.9406	5696.938
5730	2.5137	171.4515	0.099	-134.164	-37.7515	5726.909
5760	2.4921	171.6396	0.077	-135.46	-37.5589	5756.88
5790	2.425	169.4079	0.3896	-136.729	-37.3474	5786.853
5820	2.5423	165.301	0.7103	-137.997	-37.0619	5816.824
5850	2.7395	165.0874	0.6581	-139.333	-36.7086	5846.793
5880	2.8706	163.5344	0.5053	-140.746	-36.3112	5876.756
5910	2.8103	160.784	0.4968	-142.161	-35.8562	5906.719

5940	2.5364	159.1794	0.9463	-143.476	-35.3782	5936.687
5970	2.3096	160.0287	0.7653	-144.665	-34.9358	5966.66
6000	2.207	160.3802	0.3454	-145.777	-34.5353	5996.637
6030	2.0994	159.4177	0.3783	-146.835	-34.1482	6026.615
6060	2.1365	160.3258	0.1667	-147.876	-33.7668	6056.595
6090	1.9443	157.8113	0.7064	-148.874	-33.3863	6086.576
6120	1.9248	162.3212	0.5115	-149.826	-33.0411	6116.559
6150	1.93	166.0806	0.4218	-150.796	-32.7666	6146.542
6180	1.9659	164.7509	0.1924	-151.783	-32.5097	6176.524
6210	1.6996	174.9606	1.4012	-152.722	-32.3353	6206.509
6240	1.9643	174.4738	0.884	-153.677	-32.2467	6236.494
6270	2.2326	165.996	1.3653	-154.756	-32.0558	6266.474
6300	1.7206	169.7718	1.7602	-155.766	-31.8344	6296.456
6330	1.7592	154.2999	1.5663	-156.624	-31.5547	6326.442
6360	1.9291	166.7496	1.4469	-157.531	-31.2393	6356.427
6390	2.442	171.1487	1.7976	-158.654	-31.0252	6386.405
6420	2.1525	178.2207	1.349	-159.849	-30.9094	6416.381
6450	2.1662	175.7752	0.3105	-160.977	-30.8501	6446.359
6480	2.1136	166.3427	1.1857	-162.08	-30.6777	6476.339
6510	2.1251	159.2849	0.8703	-163.138	-30.3503	6506.318
6540	2.1311	151.6002	0.9507	-164.149	-29.8883	6536.297
6570	2.1573	152.3313	0.1263	-165.14	-29.3608	6566.276
6600	2.5466	153.5279	1.3076	-166.236	-28.8015	6596.252
6630	2.5792	161.2516	1.1555	-167.472	-28.2875	6626.221
6660	2.3541	155.8912	1.0736	-168.674	-27.8188	6656.193
6690	2.2552	157.6078	0.4021	-169.782	-27.3423	6686.169
6720	2.7059	155.9082	1.5221	-170.974	-26.8284	6716.141
6750	2.1479	154.5068	1.8704	-172.128	-26.2974	6746.114
6780	2.4833	155.5341	1.1265	-173.227	-25.7862	6776.089
6810	2.3908	157.2385	0.3916	-174.395	-25.275	6806.063
6840	2.1473	153.4415	0.9533	-175.475	-24.7816	6836.039
6870	2.3621	158.0291	0.9347	-176.551	-24.299	6866.016
6900	1.9882	161.124	1.3062	-177.617	-23.8993	6895.994
6930	2.3282	159.9626	1.1429	-178.682	-23.5222	6925.973
6960	2.2054	158.7971	0.4373	-179.793	-23.1046	6955.949
6990	2.2949	166.0921	0.9995	-180.914	-22.7515	6985.926
7020	2.3845	157.1896	1.2464	-182.072	-22.3652	7015.901
7050	2.4035	164.2905	0.9901	-183.253	-21.9529	7045.875
7080	2.1699	165.0584	0.7853	-184.407	-21.6361	7075.851
7110	2.0033	166.0993	0.5693	-185.465	-21.3637	7105.832
7140	1.8032	154.2868	1.4644	-186.399	-21.033	7135.815
7170	1.7711	166.1047	1.231	-187.274	-20.7169	7165.8
7200	1.8582	167.3408	0.3183	-188.199	-20.4989	7195.785
7230	1.7441	164.6969	0.4705	-189.114	-20.2718	7225.771
7260	1.8833	165.7465	0.4768	-190.032	-20.03	7255.755
7290	1.9179	165.0946	0.1361	-190.995	-19.7795	7285.739
7320	1.9597	166.0252	0.1745	-191.978	-19.5265	7315.722

7350	2.1677	161.1936	0.9034	-193.013	-19.2197	7345.702
7380	2.1075	164.7345	0.4837	-194.082	-18.8916	7375.682
7410	2.1073	163.8515	0.1082	-195.144	-18.5929	7405.661
7440	2.1352	167.505	0.4602	-196.219	-18.3186	7435.641
7470	2.1745	168.639	0.1931	-197.323	-18.0856	7465.62
7500	2.1393	171.6174	0.3916	-198.435	-17.8918	7495.598
7530	2.2291	170.379	0.3383	-199.564	-17.7127	7525.576
7560	2.1385	172.3667	0.3938	-200.694	-17.5408	7555.555
7590	2.1156	172.7011	0.0867	-201.798	-17.3961	7585.534
7620	2.2256	171.1156	0.4179	-202.923	-17.2358	7615.512
7650	2.1172	171.2751	0.362	-204.046	-17.0618	7645.491
7680	2.165	171.8047	0.1724	-205.155	-16.897	7675.47
7710	2.0476	167.2384	0.6824	-206.238	-16.6978	7705.45
7740	1.6167	174.5513	1.6312	-207.182	-16.5392	7735.434
7770	2.1017	169.336	1.7104	-208.144	-16.3973	7765.419
7800	2.0094	168.2932	0.3319	-209.2	-16.1888	7795.399
7830	1.8937	165.9154	0.4707	-210.196	-15.9614	7825.382
7860	1.8318	163.2216	0.3574	-211.136	-15.7024	7855.366
7890	1.7788	163.4814	0.1787	-212.041	-15.4316	7885.351
7920	1.9365	159.9572	0.6489	-212.964	-15.1255	7915.335
7950	1.8782	160.1467	0.1956	-213.902	-14.7848	7945.318
7980	1.8967	160.7822	0.0932	-214.833	-14.4544	7975.302
8010	2.013	162.9066	0.4565	-215.806	-14.1361	8005.285
8040	2.0035	161.4391	0.1743	-216.807	-13.8143	8035.267
8070	1.9356	164.7303	0.4397	-217.792	-13.514	8065.249
8100	1.5323	166.6135	1.3573	-218.671	-13.2877	8095.235

OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

11/30/2012**FROM: (Old Operator):**N3730- Ute Energy Upstream Holdings, LLC
1875 Lawrence Street, Suite 200
Denver, CO 80212

Phone: 1 (720) 420-3238

TO: (New Operator):N3935- Crescent Point Energy U.S. Corp
555 17th Street, Suite 750
Denver, CO 80202

Phone: 1 (720) 880-3610

CA No.

Unit:

N/A

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 2/1/2013
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 2/1/2013
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/11/2013
- Is the new operator registered in the State of Utah: Business Number: 7838513-0143
- (R649-9-2) Waste Management Plan has been received on: Yes
- Inspections of LA PA state/fee well sites complete on: Not Yet
- Reports current for Production/Disposition & Sundries on: 2/11/2013
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA Not Yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 2/25/2013
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/25/2013
- Bond information entered in RBDMS on: 1/15/2013
- Fee/State wells attached to bond in RBDMS on: 2/26/2013
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 2/1/2013

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: LPM9080275
- Indian well(s) covered by Bond Number: LPM9080275
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number LPM 9080271
- The **FORMER** operator has requested a release of liability from their bond on: Not Yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 2/26/2013

COMMENTS:

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
ULT 13-25-3-1E	25	030S	010E	4304751890		Fee	OW	APD
DEEP CREEK 15-25-3-1E	25	030S	010E	4304751892		Fee	OW	APD
ULT 2-35-3-1E	35	030S	010E	4304751893		Fee	OW	APD
ULT 3-35-3-1E	35	030S	010E	4304751894		Fee	OW	APD
MARSH 11-35-3-1E	35	030S	010E	4304751896		Fee	OW	APD
ULT 4-35-3-1E	35	030S	010E	4304751899		Fee	OW	APD
ULT 9-6-4-2E	06	040S	020E	4304751916		Fee	OW	APD
DEEP CREEK 14-23-3-1E	23	030S	010E	4304751919		Fee	OW	APD
DEEP CREEK 14-24-3-1E	24	030S	010E	4304751921		Fee	OW	APD
DEEP CREEK 15-24-3-1E	24	030S	010E	4304751922		Fee	OW	APD
DEEP CREEK 16-24-3-1E	24	030S	010E	4304751923		Fee	OW	APD
DEEP CREEK 6-25-3-1E	25	030S	010E	4304751926		Fee	OW	APD
MARSH 12-35-3-1E	35	030S	010E	4304751927		Fee	OW	APD
ULT 15-6-4-2E	06	040S	020E	4304751928		Fee	OW	APD
DEEP CREEK 9-25-3-1E	25	030S	010E	4304751929		Fee	OW	APD
DEEP CREEK 8-25-3-1E	25	030S	010E	4304751930		Fee	OW	APD
ULT 8-36-3-1E	36	030S	010E	4304751931		Fee	OW	APD
ULT 11-6-4-2E	06	040S	020E	4304751932		Fee	OW	APD
ULT 11-36-3-1E	36	030S	010E	4304751933		Fee	OW	APD
ULT 13-6-4-2E	06	040S	020E	4304751934		Fee	OW	APD
ULT 1-35-3-1E	35	030S	010E	4304751935		Fee	OW	APD
DEEP CREEK 1-25-3-1E	25	030S	010E	4304752032		Fee	OW	APD
DEEP CREEK 3-25-3-1E	25	030S	010E	4304752033		Fee	OW	APD
DEEP CREEK 10-25-3-1E	25	030S	010E	4304752034		Fee	OW	APD
SENATORE 12-25-3-1E	25	030S	010E	4304752039		Fee	OW	APD
ULT 3-36-3-1E	36	030S	010E	4304752042		Fee	OW	APD
ULT 10-36-3-1E	36	030S	010E	4304752043		Fee	OW	APD
ULT 12-36-3-1E	36	030S	010E	4304752044		Fee	OW	APD
ULT 8-35-3-1E	35	030S	010E	4304752045		Fee	OW	APD
ULT 6-35-3-1E	35	030S	010E	4304752048		Fee	OW	APD
ULT 12-34-3-1E	34	030S	010E	4304752123		Fee	OW	APD
ULT 10-34-3-1E	34	030S	010E	4304752125		Fee	OW	APD
UTE TRIBAL 15-32-3-2E	32	030S	020E	4304752195		Indian	OW	APD
UTE TRIBAL 16-5-4-2E	05	040S	020E	4304752196		Indian	OW	APD
UTE TRIBAL 11-4-4-2E	04	040S	020E	4304752197		Indian	OW	APD
UTE TRIBAL 13-4-4-2E	04	040S	020E	4304752198		Indian	OW	APD
UTE TRIBAL 14-4-4-2E	04	040S	020E	4304752199		Indian	OW	APD
UTE TRIBAL 4-9-4-2E	09	040S	020E	4304752200		Indian	OW	APD
UTE TRIBAL 14-10-4-2E	10	040S	020E	4304752201		Indian	OW	APD
UTE TRIBAL 2-15-4-2E	15	040S	020E	4304752202		Indian	OW	APD
UTE TRIBAL 7-15-4-2E	15	040S	020E	4304752203		Indian	OW	APD
UTE TRIBAL 8-15-4-2E	15	040S	020E	4304752204		Indian	OW	APD
UTE TRIBAL 9-16-4-2E	16	040S	020E	4304752205		Indian	OW	APD
UTE TRIBAL 11-16-4-2E	16	040S	020E	4304752206		Indian	OW	APD
UTE TRIBAL 13-16-4-2E	16	040S	020E	4304752207		Indian	OW	APD
UTE TRIBAL 15-16-4-2E	16	040S	020E	4304752208		Indian	OW	APD
COLEMAN TRIBAL 10-18-4-2E	18	040S	020E	4304752210		Indian	OW	APD
DEEP CREEK TRIBAL 5-17-4-2E	17	040S	020E	4304752211		Indian	OW	APD
COLEMAN TRIBAL 9-17-4-2E	17	040S	020E	4304752212		Indian	OW	APD
COLEMAN TRIBAL 10-17-4-2E	17	040S	020E	4304752213		Indian	OW	APD
COLEMAN TRIBAL 11-17-4-2E	17	040S	020E	4304752214		Indian	OW	APD
COLEMAN TRIBAL 14-17-4-2E	17	040S	020E	4304752215		Indian	OW	APD
COLEMAN TRIBAL 15X-18D-4-2E	18	040S	020E	4304752216		Indian	OW	APD
COLEMAN TRIBAL 16-17-4-2E	17	040S	020E	4304752217		Indian	OW	APD
COLEMAN TRIBAL 16-18-4-2E	18	040S	020E	4304752218		Indian	OW	APD
COLEMAN TRIBAL 13-17-4-2E	17	040S	020E	4304752219		Indian	OW	APD
DEEP CREEK TRIBAL 4-25-3-1E	25	030S	010E	4304752222		Indian	OW	APD
DEEP CREEK TRIBAL 3-5-4-2E	05	040S	020E	4304752223		Indian	OW	APD
DEEP CREEK TRIBAL 5-5-4-2E	05	040S	020E	4304752224		Indian	OW	APD
DEEP CREEK TRIBAL 4-5-4-2E	05	040S	020E	4304752225		Indian	OW	APD
DEEP CREEK TRIBAL 6-5-4-2E	05	040S	020E	4304752226		Indian	OW	APD
DEEP CREEK 9-9-4-2E	09	040S	020E	4304752409		Fee	OW	APD
DEEP CREEK 13-9-4-2E	09	040S	020E	4304752410		Fee	OW	APD
DEEP CREEK 15-9-4-2E	09	040S	020E	4304752411		Fee	OW	APD

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
DEEP CREEK 1-16-4-2E	16	040S	020E	4304752412		Fee	OW	APD
DEEP CREEK 3-16-4-2E	16	040S	020E	4304752413		Fee	OW	APD
DEEP CREEK 7-9-4-2E	09	040S	020E	4304752414		Fee	OW	APD
DEEP CREEK 11-9-4-2E	09	040S	020E	4304752415		Fee	OW	APD
DEEP CREEK 5-16-4-2E	16	040S	020E	4304752416		Fee	OW	APD
ULT 14-5-4-2E	05	040S	020E	4304752417		Fee	OW	APD
DEEP CREEK 7-16-4-2E	16	040S	020E	4304752418		Fee	OW	APD
DEEP CREEK 11-15-4-2E	15	040S	020E	4304752422		Fee	OW	APD
ULT 13-5-4-2E	05	040S	020E	4304752423		Fee	OW	APD
DEEP CREEK 13-15-4-2E	15	040S	020E	4304752424		Fee	OW	APD
DEEP CREEK 15-15-4-2E	15	040S	020E	4304752425		Fee	OW	APD
DEEP CREEK 16-15-4-2E	15	040S	020E	4304752426		Fee	OW	APD
BOWERS 5-6-4-2E	06	040S	020E	4304752427		Fee	OW	APD
BOWERS 6-6-4-2E	06	040S	020E	4304752428		Fee	OW	APD
BOWERS 7-6-4-2E	06	040S	020E	4304752430		Fee	OW	APD
BOWERS 8-6-4-2E	06	040S	020E	4304752431		Fee	OW	APD
DEEP CREEK 8-9-4-2E	09	040S	020E	4304752438		Fee	OW	APD
DEEP CREEK 10-9-4-2E	09	040S	020E	4304752439		Fee	OW	APD
DEEP CREEK 12-9-4-2E	09	040S	020E	4304752440		Fee	OW	APD
DEEP CREEK 14-9-4-2E	09	040S	020E	4304752445		Fee	OW	APD
DEEP CREEK 2-16-4-2E	16	040S	020E	4304752446		Fee	OW	APD
DEEP CREEK 16-9-4-2E	09	040S	020E	4304752447		Fee	OW	APD
DEEP CREEK 4-16-4-2E	16	040S	020E	4304752448		Fee	OW	APD
DEEP CREEK 6-16-4-2E	16	040S	020E	4304752449		Fee	OW	APD
DEEP CREEK 8-16-4-2E	16	040S	020E	4304752450		Fee	OW	APD
DEEP CREEK 12-15-4-2E	15	040S	020E	4304752451		Fee	OW	APD
DEEP CREEK 14-15-4-2E	15	040S	020E	4304752452		Fee	OW	APD
DEEP CREEK 12-32-3-2E	32	030S	020E	4304752453		Fee	OW	APD
DEEP CREEK 14-32-3-2E	32	030S	020E	4304752455		Fee	OW	APD
ULT 9-34-3-1E	34	030S	010E	4304752462		Fee	OW	APD
ULT 11-34-3-1E	34	030S	010E	4304752463		Fee	OW	APD
ULT 13-34-3-1E	34	030S	010E	4304752464		Fee	OW	APD
ULT 14-34-3-1E	34	030S	010E	4304752465		Fee	OW	APD
ULT 15-34-3-1E	34	030S	010E	4304752466		Fee	OW	APD
COLEMAN TRIBAL 2-7-4-2E	07	040S	020E	4304752472		Indian	OW	APD
COLEMAN TRIBAL 4-7-4-2E	07	040S	020E	4304752473		Indian	OW	APD
COLEMAN TRIBAL 6-7-4-2E	07	040S	020E	4304752474		Indian	OW	APD
COLEMAN TRIBAL 8-7-4-2E	07	040S	020E	4304752475		Indian	OW	APD
DEEP CREEK TRIBAL 10-7-4-2E	07	040S	020E	4304752476		Indian	OW	APD
DEEP CREEK TRIBAL 12-7-4-2E	07	040S	020E	4304752477		Indian	OW	APD
DEEP CREEK TRIBAL 14-7-4-2E	07	040S	020E	4304752478		Indian	OW	APD
DEEP CREEK TRIBAL 16-7-4-2E	07	040S	020E	4304752479		Indian	OW	APD
COLEMAN TRIBAL 2-8-4-2E	08	040S	020E	4304752480		Indian	OW	APD
COLEMAN TRIBAL 4-8-4-2E	08	040S	020E	4304752481		Indian	OW	APD
DEEP CREEK TRIBAL 14-8-4-2E	08	040S	020E	4304752482		Indian	OW	APD
DEEP CREEK TRIBAL 12-8-4-2E	08	040S	020E	4304752483		Indian	OW	APD
COLEMAN TRIBAL 6-8-4-2E	08	040S	020E	4304752484		Indian	OW	APD
COLEMAN TRIBAL 8-8-4-2E	08	040S	020E	4304752485		Indian	OW	APD
DEEP CREEK TRIBAL 16-8-4-2E	08	040S	020E	4304752486		Indian	OW	APD
DEEP CREEK TRIBAL 10-8-4-2E	08	040S	020E	4304752487		Indian	OW	APD
GUSHER FED 14-3-6-20E	03	060S	200E	4304752497		Federal	OW	APD
HORSESHOE BEND FED 14-28-6-21E	28	060S	210E	4304752498		Federal	OW	APD
GUSHER FED 9-3-6-20E	03	060S	200E	4304752499		Federal	OW	APD
GUSHER FED 6-25-6-20E	25	060S	200E	4304752500		Federal	OW	APD
GUSHER FED 8-25-6-20E	25	060S	200E	4304752501		Federal	OW	APD
HORSESHOE BEND FED 11-29-6-21E	29	060S	210E	4304752502		Federal	OW	APD
GUSHER FED 1-11-6-20E	11	060S	200E	4304752503		Federal	OW	APD
GUSHER FED 11-22-6-20E	22	060S	200E	4304752504		Federal	OW	APD
GUSHER FED 3-21-6-20E	21	060S	200E	4304752505		Federal	OW	APD
GUSHER FED 16-26-6-20E	26	060S	200E	4304752506		Federal	OW	APD
GUSHER FED 12-15-6-20E	15	060S	200E	4304752507		Federal	OW	APD
GUSHER FED 11-1-6-20E	01	060S	200E	4304752508		Federal	OW	APD
GUSHER FED 1-27-6-20E	27	060S	200E	4304752509		Federal	OW	APD
GUSHER FED 9-27-6-20E	27	060S	200E	4304752510		Federal	OW	APD

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
GUSHER FED 1-28-6-20E	28	060S	200E	4304752511		Federal	OW	APD
WOMACK 7-8-3-1E	08	030S	010E	4304752880		Fee	OW	APD
Kendall 13-17-3-1E	17	030S	010E	4304752881		Fee	OW	APD
WOMACK 11-9-3-1E	09	030S	010E	4304752882		Fee	OW	APD
Kendall 11-17-3-1E	17	030S	010E	4304752883		Fee	OW	APD
WOMACK 13-9-3-1E	09	030S	010E	4304752884		Fee	OW	APD
WOMACK 3-16-3-1E	16	030S	010E	4304752885		Fee	OW	APD
WOMACK 4-16-3-1E	16	030S	010E	4304752886		Fee	OW	APD
WOMACK 5-8-3-1E	08	030S	010E	4304752887		Fee	OW	APD
Womack 4-7-3-1E	07	030S	010E	4304752888		Fee	OW	APD
WOMACK 5-16-3-1E	16	030S	010E	4304752889		Fee	OW	APD
WOMACK 6-16-3-1E	16	030S	010E	4304752890		Fee	OW	APD
Kendall 5-17-3-1E	17	030S	010E	4304752891		Fee	OW	APD
Kendall 5-9-3-1E	09	030S	010E	4304752892		Fee	OW	APD
KENDALL 12-7-3-1E	07	030S	010E	4304752893		Fee	OW	APD
Kendall 11-8-3-1E	08	030S	010E	4304752894		Fee	OW	APD
Kendall 4-17-3-1E	17	030S	010E	4304752895		Fee	OW	APD
Kendall 7-9-3-1E	09	030S	010E	4304752896		Fee	OW	APD
Kendall 13-8-3-1E	08	030S	010E	4304752897		Fee	OW	APD
Kendall 16-8-3-1E	08	030S	010E	4304752898		Fee	OW	APD
Kendall 6-9-3-1E	09	030S	010E	4304752899		Fee	OW	APD
KENDALL 15-7-3-1E	07	030S	010E	4304752900		Fee	OW	APD
KENDALL 9-8-3-1E	08	030S	010E	4304752901		Fee	OW	APD
KENDALL 13-7-3-1E	07	030S	010E	4304752911		Fee	OW	APD
ULT 3-31-3-2E	31	030S	020E	4304752954		Fee	OW	APD
ULT 6-29-3-2E	29	030S	020E	4304752955		Fee	OW	APD
ULT 5-31-3-2E	31	030S	020E	4304752956		Fee	OW	APD
ULT 11-31-3-2E	31	030S	020E	4304752957		Fee	OW	APD
ULT 13-31-3-2E	31	030S	020E	4304752958		Fee	OW	APD
ULT 11-29-3-2E	29	030S	020E	4304752959		Fee	OW	APD
ULT 13-29-3-2E	29	030S	020E	4304752960		Fee	OW	APD
ULT 5-29-3-2E	29	030S	020E	4304752961		Fee	OW	APD
ULT 4-29-3-2E	29	030S	020E	4304752962		Fee	OW	APD
ULT 14-29-3-2E	29	030S	020E	4304752963		Fee	OW	APD
ULT 3-29-3-2E	29	030S	020E	4304752964		Fee	OW	APD
MERRITT 2-18-3-1E	18	030S	010E	4304752966		Fee	OW	APD
MERRITT 3-18-3-1E	18	030S	010E	4304752967		Fee	OW	APD
DEEP CREEK 11-20-3-2	20	030S	020E	4304752968		Fee	OW	APD
DEEP CREEK 14-19-3-2E	19	030S	020E	4304752969		Fee	OW	APD
DEEP CREEK 5-30-3-2E	30	030S	020E	4304752970		Fee	OW	APD
DEEP CREEK 11-30-3-2E	30	030S	020E	4304752971		Fee	OW	APD
DEEP CREEK 1-30-3-2E	30	030S	020E	4304752972		Fee	OW	APD
DEEP CREEK 13-20-3-2E	20	030S	020E	4304752973		Fee	OW	APD
DEEP CREEK 16-29-3-2E	29	030S	020E	4304752974		Fee	OW	APD
DEEP CREEK 15-29-3-2E	29	030S	020E	4304752975		Fee	OW	APD
DEEP CREEK 11-19-3-2E	19	030S	020E	4304752976		Fee	OW	APD
DEEP CREEK 14-20-3-2E	20	030S	020E	4304752977		Fee	OW	APD
DEEP CREEK 12-19-3-2E	19	030S	020E	4304752978		Fee	OW	APD
DEEP CREEK 13-19-3-2E	19	030S	020E	4304752979		Fee	OW	APD
DEEP CREEK 12-20-3-2E	20	030S	020E	4304752980		Fee	OW	APD
DEEP CREEK 1-31-3-2E	31	030S	020E	4304752981		Fee	OW	APD
DEEP CREEK 3-30-3-2E	30	030S	020E	4304752982		Fee	OW	APD
DEEP CREEK 10-29-3-2E	29	030S	020E	4304752983		Fee	OW	APD
DEEP CREEK 7-31-3-2E	31	030S	020E	4304752984		Fee	OW	APD
UTE ENERGY 16-31-3-2E	31	030S	020E	4304752985		Fee	OW	APD
UTE ENERGY 15-31-3-2E	31	030S	020E	4304752986		Fee	OW	APD
GAVITTE 15-23-3-1E	23	030S	010E	4304752987		Fee	OW	APD
KNIGHT 13-30-3-2E	30	030S	020E	4304752988		Fee	OW	APD
KNIGHT 15-30-3-2E	30	030S	020E	4304752989		Fee	OW	APD
MERRITT 7-18-3-1E	18	030S	010E	4304752992		Fee	OW	APD
LAMB 3-15-4-2E	15	040S	020E	4304753014		Fee	OW	APD
LAMB 4-15-4-2E	15	040S	020E	4304753015		Fee	OW	APD
LAMB 5-15-4-2E	15	040S	020E	4304753016		Fee	OW	APD
LAMB 6-15-4-2E	15	040S	020E	4304753017		Fee	OW	APD

Ute Energy Upstream Holding, LLC (N3730) to Crescent Point Energy U.S. Corp (N3935)
Effective 11/30/2012

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
DEEP CREEK 9-15-4-2E	15	040S	020E	4304753018		Fee	OW	APD
DEEP CREEK 10-15-4-2E	15	040S	020E	4304753019		Fee	OW	APD
KENDALL 14-7-3-1E	07	030S	010E	4304753088		Fee	OW	APD
WOMACK 1-7-3-1E	07	030S	010E	4304753089		Fee	OW	APD
KENDALL 15-18-3-1E	18	030S	010E	4304753090		Fee	OW	APD
KENDALL 10-18-3-1E	18	030S	010E	4304753091		Fee	OW	APD
KENDALL 16-18-3-1E	18	030S	010E	4304753092		Fee	OW	APD
WOMACK 2-7-3-1E	07	030S	010E	4304753093		Fee	OW	APD
WOMACK 3-7-3-1E	07	030S	010E	4304753094		Fee	OW	APD
KENDALL 9-18-3-1E	18	030S	010E	4304753095		Fee	OW	APD
KENDALL 8-18-3-1E	18	030S	010E	4304753096		Fee	OW	APD
KENDALL 1-18-3-1E	18	030S	010E	4304753097		Fee	OW	APD
KENDALL 6-17-3-1E	17	030S	010E	4304753098		Fee	OW	APD
KENDALL 3-17-3-1E	17	030S	010E	4304753099		Fee	OW	APD
KENDALL 12-9-3-1E	09	030S	010E	4304753100		Fee	OW	APD
KENDALL 12-17-3-1E	17	030S	010E	4304753101		Fee	OW	APD
WOMACK 1-8-3-1E	08	030S	010E	4304753104		Fee	OW	APD
WOMACK 2-8-3-1E	08	030S	010E	4304753105		Fee	OW	APD
WOMACK 3-8-3-1E	08	030S	010E	4304753106		Fee	OW	APD
WOMACK 4-8-3-1E	08	030S	010E	4304753107		Fee	OW	APD
WOMACK 6-8-3-1E	08	030S	010E	4304753108		Fee	OW	APD
WOMACK 8-8-3-1E	08	030S	010E	4304753109		Fee	OW	APD
KENDALL 10-8-3-1E	08	030S	010E	4304753110		Fee	OW	APD
KENDALL 12-8-3-1E	08	030S	010E	4304753111		Fee	OW	APD
KENDALL 14-8-3-1E	08	030S	010E	4304753112		Fee	OW	APD
KENDALL 2-9-3-1E	09	030S	010E	4304753114		Fee	OW	APD
KENDALL 15-8-3-1E	08	030S	010E	4304753115		Fee	OW	APD
KETTLE 3-10-3-1E	10	030S	010E	4304753116		Fee	OW	APD
KETTLE 6-10-3-1E	10	030S	010E	4304753117		Fee	OW	APD
KETTLE 11-10-3-1E	10	030S	010E	4304753118		Fee	OW	APD
KETTLE 12-10-3-1E	10	030S	010E	4304753119		Fee	OW	APD
KENDALL 14-17-3-1E	17	030S	010E	4304753120		Fee	OW	APD
KENDALL TRIBAL 14-18-3-1E	18	030S	010E	4304753142		Indian	OW	APD
KENDALL TRIBAL 9-13-3-1W	13	030S	010W	4304753143		Indian	OW	APD
KENDALL TRIBAL 1-13-3-1W	13	030S	010W	4304753144		Indian	OW	APD
KENDALL TRIBAL 13-18-3-1E	18	030S	010E	4304753145		Indian	OW	APD
KENDALL TRIBAL 9-7-3-1E	07	030S	010E	4304753146		Indian	OW	APD
KENDALL TRIBAL 10-7-3-1E	07	030S	010E	4304753147		Indian	OW	APD
KENDALL TRIBAL 12-18-3-1E	18	030S	010E	4304753148		Indian	OW	APD
KENDALL TRIBAL 11-18-3-1E	18	030S	010E	4304753149		Indian	OW	APD
KENDALL TRIBAL 5-18-3-1E	18	030S	010E	4304753150		Indian	OW	APD
KENDALL TRIBAL 4-18-3-1E	18	030S	010E	4304753151		Indian	OW	APD
KENDALL TRIBAL 16-7-3-1E	07	030S	010E	4304753152		Indian	OW	APD
KENDALL TRIBAL 11-7-3-1E	07	030S	010E	4304753153		Indian	OW	APD
FEDERAL 12-5-6-20	05	060S	200E	4304750404	18736	Federal	OW	DRL
FEDERAL 12-25-6-20	25	060S	200E	4304751235	18786	Federal	OW	DRL
FEDERAL 10-26-6-20	26	060S	200E	4304751236	18811	Federal	OW	DRL
DEEP CREEK 7-25-3-1E	25	030S	010E	4304751582	18192	Fee	OW	DRL
COLEMAN TRIBAL 5-7-4-2E	07	040S	020E	4304751733	18375	Indian	OW	DRL
ULT 1-36-3-1E	36	030S	010E	4304751751	18236	Fee	OW	DRL
DEEP CREEK 11-25-3-1E	25	030S	010E	4304751889	18805	Fee	OW	DRL
ULT 9-36-3-1E	36	030S	010E	4304751900	18311	Fee	OW	DRL
ULT 13-36-3-1E	36	030S	010E	4304751901	18312	Fee	OW	DRL
ULT 15-36-3-1E	36	030S	010E	4304751902	18298	Fee	OW	DRL
ULT 8-26-3-1E	26	030S	010E	4304751924	18763	Fee	OW	DRL
DEEP CREEK 2-25-3-1E	25	030S	010E	4304751925	18808	Fee	OW	DRL
COLEMAN TRIBAL 1-7-4-2E	07	040S	020E	4304751937	18477	Indian	OW	DRL
COLEMAN TRIBAL 5-8-4-2E	08	040S	020E	4304751946	18503	Indian	OW	DRL
DEEP CREEK TRIBAL 9-8-4-2E	08	040S	020E	4304752007	18501	Indian	OW	DRL
GAVITTE 2-26-3-1E	26	030S	010E	4304752040	18760	Fee	OW	DRL
SZYNDROWSKI 12-27-3-1E	27	030S	010E	4304752116	18812	Fee	OW	DRL
ULT 3-34-3-1E	34	030S	010E	4304752124	99999	Fee	OW	DRL
SZYNDROWSKI 16-28-3-1E	28	030S	010E	4304752126	18758	Fee	OW	DRL
SZYNDROWSKI 10-28-3-1E	28	030S	010E	4304752130	18807	Fee	OW	DRL

Ute Energy Upstream Holding, LLC (N3730) to Crescent Point Energy U.S. Corp (N3935)
Effective 11/30/2012

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
SZYNDROWSKI 7-28-3-1E	28	030S	010E	4304752131	18715	Fee	OW	DRL
UTE TRIBAL 8-30-3-2E	30	030S	020E	4304752193	18641	Indian	OW	DRL
UTE TRIBAL 4-32-3-2E	32	030S	020E	4304752194	18643	Indian	OW	DRL
DEEP CREEK TRIBAL 16-23-3-1E	23	030S	010E	4304752220	18835	Indian	OW	DRL
ULT 7X-36-3-1E	36	030S	010E	4304752293	18697	Fee	OW	DRL
BOWERS 1-6-4-2E	06	040S	020E	4304752419	18871	Fee	OW	DRL
BOWERS 2-6-4-2E	06	040S	020E	4304752420	99999	Fee	OW	DRL
BOWERS 3-6-4-2E	06	040S	020E	4304752421	18872	Fee	OW	DRL
BOWERS 4-6-4-2E	06	040S	020E	4304752432	18714	Fee	OW	DRL
GAVITTE 2-27-3-1E	27	030S	010E	4304752454	18815	Fee	OW	DRL
GAVITTE 1-27-3-1E	27	030S	010E	4304752456	18762	Fee	OW	DRL
SZYNDROWSKI 13-27-3-1E	27	030S	010E	4304752457	99999	Fee	OW	DRL
ULT 2-34-3-1E	34	030S	010E	4304752458	18828	Fee	OW	DRL
ULT 4-34-3-1E	34	030S	010E	4304752459	18837	Fee	OW	DRL
ULT 6-34-3-1E	34	030S	010E	4304752460	18836	Fee	OW	DRL
ULT 8-34-3-1E	34	030S	010E	4304752461	18838	Fee	OW	DRL
HORSESHOE BEND 2	03	070S	210E	4304715800	11628	Federal	OW	P
FED MILLER 1	04	070S	220E	4304730034	2750	Federal	GW	P
BASER DRAW 1-31	31	060S	220E	4304730831	2710	Federal	GW	P
COORS 14-1-D	14	070S	210E	4304731304	11193	Federal	GW	P
FEDERAL 34-2-K	34	060S	210E	4304731467	10550	Federal	OW	P
FEDERAL 33-1-I	33	060S	210E	4304731468	9615	Federal	OW	P
HORSESHOE BEND ST 36-1	36	060S	210E	4304731482	9815	State	GW	P
COTTON CLUB 1	31	060S	210E	4304731643	10380	Federal	OW	P
ANNA BELLE 31-2-J	31	060S	210E	4304731698	10510	Fee	OW	P
BASER DRAW 6-1	06	070S	220E	4304731834	10863	Federal	GW	P
FEDERAL 4-2-F	04	070S	210E	4304731853	10933	Federal	OW	P
COORS FEDERAL 2-10HB	10	070S	210E	4304732009	11255	Federal	GW	P
GOVERNMENT 12-14	14	060S	200E	4304732850	12150	Federal	OW	P
GOSE FEDERAL 3-18	18	060S	210E	4304733691	13244	Federal	OW	P
GUSHER FED 16-14-6-20	14	060S	200E	4304737475	15905	Federal	OW	P
GUSHER FED 6-24-6-20	24	060S	200E	4304737556	17068	Federal	OW	P
FEDERAL 2-25-6-20	25	060S	200E	4304737557	15812	Federal	OW	P
FEDERAL 5-19-6-21	19	060S	210E	4304737559	15813	Federal	OW	P
GUSHER FED 5-13-6-20	13	060S	200E	4304738403	17401	Federal	OW	P
KNIGHT 16-30	30	030S	020E	4304738499	16466	Fee	OW	P
KNIGHT 14-30	30	030S	020E	4304738501	15848	Fee	OW	P
FEDERAL 14-12-6-20	12	060S	200E	4304738998	17404	Federal	OW	P
FEDERAL 2-14-6-20	14	060S	200E	4304738999	17402	Federal	OW	P
FEDERAL 8-23-6-20	23	060S	200E	4304739000	17158	Federal	OW	P
FEDERAL 8-24-6-20	24	060S	200E	4304739076	17403	Federal	OW	P
FEDERAL 14-24-6-20	24	060S	200E	4304739078	17139	Federal	OW	P
FEDERAL 14-19-6-21	19	060S	210E	4304739079	17448	Federal	OW	P
DEEP CREEK 2-31	31	030S	020E	4304740026	16950	Fee	OW	P
DEEP CREEK 8-31	31	030S	020E	4304740032	17053	Fee	OW	P
ULT 12-29	29	030S	020E	4304740039	17010	Fee	OW	P
ELIASON 12-30	30	030S	020E	4304740040	17011	Fee	OW	P
FEDERAL 16-13-6-20	13	060S	200E	4304740487	17433	Federal	OW	P
FEDERAL 2-26-6-20	26	060S	200E	4304750406	17373	Federal	OW	P
FEDERAL 4-9-6-20	09	060S	200E	4304750407	17382	Federal	OW	P
FEDERAL 10-22-6-20	22	060S	200E	4304751227	18737	Federal	OW	P
FEDERAL 2-23-6-20	23	060S	200E	4304751228	18081	Federal	OW	P
FEDERAL 10-23-6-20	23	060S	200E	4304751229	18082	Federal	OW	P
FEDERAL 12-23-6-20	23	060S	200E	4304751230	18756	Federal	OW	P
FEDERAL 14-23-6-20	23	060S	200E	4304751231	18757	Federal	OW	P
FEDERAL 2-24-6-20	24	060S	200E	4304751232	18083	Federal	OW	P
FEDERAL 4-24-6-20	24	060S	200E	4304751233	18062	Federal	OW	P
FEDERAL 4-25-6-20	25	060S	200E	4304751234	18084	Federal	OW	P
FEDERAL 16-23-6-20	23	060S	200E	4304751278	18013	Federal	OW	P
FEDERAL 12-24-6-20	24	060S	200E	4304751279	17997	Federal	OW	P
COLEMAN TRIBAL 2-18-4-2E	18	040S	020E	4304751488	18036	Indian	OW	P
COLEMAN TRIBAL 5-18-4-2E	18	040S	020E	4304751489	18136	Indian	OW	P
COLEMAN TRIBAL 6-18-4-2E	18	040S	020E	4304751490	18137	Indian	OW	P
COLEMAN TRIBAL 8-18-4-2E	18	040S	020E	4304751491	18058	Indian	OW	P

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
COLEMAN TRIBAL 13-18-4-2E	18	040S	020E	4304751492	18059	Indian	OW	P
COLEMAN TRIBAL 14-18-4-2E	18	040S	020E	4304751493	18068	Indian	OW	P
COLEMAN TRIBAL 15-18-4-2E	18	040S	020E	4304751494	18069	Indian	OW	P
COLEMAN TRIBAL 7-8-4-2E	08	040S	020E	4304751496	18074	Indian	OW	P
DEEP CREEK TRIBAL 7-17-4-2E	17	040S	020E	4304751497	18060	Indian	OW	P
UTE TRIBAL 6-32-3-2E	32	030S	020E	4304751555	18094	Indian	OW	P
UTE TRIBAL 1-5-4-2E	05	040S	020E	4304751556	18093	Indian	OW	P
UTE TRIBAL 10-5-4-2E	05	040S	020E	4304751557	18092	Indian	OW	P
UTE TRIBAL 6-9-4-2E	09	040S	020E	4304751558	18080	Indian	OW	P
ULT 10-6-4-2E	06	040S	020E	4304751569	18139	Fee	OW	P
ULT 12-6-4-2E	06	040S	020E	4304751571	18138	Fee	OW	P
ULT 16-6-4-2E	06	040S	020E	4304751573	18140	Fee	OW	P
ULT 11-5-4-2E	05	040S	020E	4304751574	18188	Fee	OW	P
DEEP CREEK 13-32-3-2E	32	030S	020E	4304751575	18412	Fee	OW	P
ULT 5-36-3-1E	36	030S	010E	4304751577	18191	Fee	OW	P
ULT 14-36-3-1E	36	030S	010E	4304751579	18181	Fee	OW	P
ULT 16-36-3-1E	36	030S	010E	4304751580	18180	Fee	OW	P
DEEP CREEK 16-25-3-1E	25	030S	010E	4304751583	18235	Fee	OW	P
ULT 14-25-3-1E	25	030S	010E	4304751584	18182	Fee	OW	P
ULT 5-26-3-1E	26	030S	010E	4304751650	18229	Fee	OW	P
ULT 7-26-3-1E	26	030S	010E	4304751651	18237	Fee	OW	P
ULT 16-26-3-1E	26	030S	010E	4304751652	18231	Fee	OW	P
ULT 14-26-3-1E	26	030S	010E	4304751653	18239	Fee	OW	P
ULT 5-34-3-1E	34	030S	010E	4304751654	18283	Fee	OW	P
ULT 7-34-3-1E	34	030S	010E	4304751655	18284	Fee	OW	P
ULT 16-34-3-1E	34	030S	010E	4304751656	18273	Fee	OW	P
ULT 5-35-3-1E	35	030S	010E	4304751657	18214	Fee	OW	P
MARSH 14-35-3-1E	35	030S	010E	4304751658	18272	Fee	OW	P
SZYNDROWSKI 5-27-3-1E	27	030S	010E	4304751659	18275	Fee	OW	P
ULT 7-35-3-1E	35	030S	010E	4304751660	18222	Fee	OW	P
ULT 6-31-3-2E	31	030S	020E	4304751661	18257	Fee	OW	P
DEEP CREEK 2-30-3-2E	30	030S	020E	4304751662	18276	Fee	OW	P
DEEP CREEK 4-30-3-2E	30	030S	020E	4304751663	18274	Fee	OW	P
DEEP CREEK 11-32-3-2E	32	030S	020E	4304751664	18374	Fee	OW	P
COLEMAN TRIBAL 1-8-4-2E	08	040S	020E	4304751727	18404	Indian	OW	P
COLEMAN TRIBAL 7-7-4-2E	07	040S	020E	4304751728	18398	Indian	OW	P
DEEP CREEK TRIBAL 9-7-4-2E	07	040S	020E	4304751729	18402	Indian	OW	P
COLEMAN TRIBAL 3-8-4-2E	08	040S	020E	4304751730	18399	Indian	OW	P
DEEP CREEK TRIBAL 13-8-4-2E	08	040S	020E	4304751732	18401	Indian	OW	P
DEEP CREEK TRIBAL 15-8-4-2E	08	040S	020E	4304751734	18407	Indian	OW	P
DEEP CREEK TRIBAL 6-17-4-2E	17	040S	020E	4304751735	18406	Indian	OW	P
DEEP CREEK TRIBAL 8-17-4-2E	17	040S	020E	4304751736	18400	Indian	OW	P
COLEMAN TRIBAL 12-17-4-2E	17	040S	020E	4304751737	18405	Indian	OW	P
COLEMAN TRIBAL 15-17-4-2E	17	040S	020E	4304751738	18397	Indian	OW	P
MARSH 13-35-3-1E	35	030S	010E	4304751754	18258	Fee	OW	P
ULT 9-26-3-1E	26	030S	010E	4304751755	18230	Fee	OW	P
ULT 1-34-3-1E	34	030S	010E	4304751756	18238	Fee	OW	P
ULT 6-26-3-1E	26	030S	010E	4304751874	18322	Fee	OW	P
ULT 10-26-3-1E	26	030S	010E	4304751875	18323	Fee	OW	P
ULT 13-26-3-1E	26	030S	010E	4304751887	18325	Fee	OW	P
ULT 15-26-3-1E	26	030S	010E	4304751888	18321	Fee	OW	P
ULT 12-26-3-1E	26	030S	010E	4304751891	18324	Fee	OW	P
ULT 6-36-3-1E	36	030S	010E	4304751897	18296	Fee	OW	P
ULT 2-36-3-1E	36	030S	010E	4304751898	18297	Fee	OW	P
GAVITTE 3-26-3-1E	26	030S	010E	4304751917	18504	Fee	OW	P
GAVITTE 13-23-3-1E	23	030S	010E	4304751918	18545	Fee	OW	P
DEEP CREEK 13-24-3-1E	24	030S	010E	4304751920	18514	Fee	OW	P
COLEMAN TRIBAL 3-18-4-2E	18	040S	020E	4304751998	18438	Indian	OW	P
COLEMAN TRIBAL 4-18-4-2E	18	040S	020E	4304751999	18460	Indian	OW	P
COLEMAN TRIBAL 7-18-4-2E	18	040S	020E	4304752000	18459	Indian	OW	P
COLEMAN TRIBAL 1-18-4-2E	18	040S	020E	4304752001	18435	Indian	OW	P
COLEMAN TRIBAL 3-7-4-2E	07	040S	020E	4304752002	18436	Indian	OW	P
COLEMAN TRIBAL 11-18-4-2E	18	040S	020E	4304752003	18476	Indian	OW	P
COLEMAN TRIBAL 12-18-4-2E	18	040S	020E	4304752004	18458	Indian	OW	P

Ute Energy Upstream Holding, LLC (N3730) to Crescent Point Energy U.S. Corp (N3935)
Effective 11/30/2012

Well Name	SECTION	TWN	RNG	API Number	Entity	Lesase Type	Well Type	Well Status
DEEP CREEK TRIBAL 11-8-4-2E	08	040S	020E	4304752008	18502	Indian	OW	P
DEEP CREEK TRIBAL 11-7-4-2E	07	040S	020E	4304752009	18499	Indian	OW	P
DEEP CREEK TRIBAL 15-7-4-2E	07	040S	020E	4304752010	18498	Indian	OW	P
GAVITTE 4-26-3-1E	26	030S	010E	4304752041	18761	Fee	OW	P
UTE ENERGY 7-27-3-1E	27	030S	010E	4304752117	18497	Fee	OW	P
UTE ENERGY 10-27-3-1E	27	030S	010E	4304752118	18505	Fee	OW	P
UTE ENERGY 11-27-3-1E	27	030S	010E	4304752119	18496	Fee	OW	P
UTE ENERGY 15-27-3-1E	27	030S	010E	4304752120	18515	Fee	OW	P
UTE ENERGY 6-27-3-1E	27	030S	010E	4304752121	18500	Fee	OW	P
UTE ENERGY 14-27-3-1E	27	030S	010E	4304752122	18506	Fee	OW	P
SZYNDROWSKI 15-28-3-1E	28	030S	010E	4304752127	18759	Fee	OW	P
SZYNDROWSKI 9-28-3-1E	28	030S	010E	4304752128	18806	Fee	OW	P
SZYNDROWSKI 8-28-3-1E	28	030S	010E	4304752132	18716	Fee	OW	P
DEEP CREEK TRIBAL 1-26-3-1E	26	030S	010E	4304752221	18713	Indian	OW	P
ULT 7-36-3-1E	36	030S	010E	4304751578	18189	Fee	D	PA
EAST GUSHER UNIT 3	10	060S	200E	4304715590	10341	Federal	OW	S
WOLF GOVT FED 1	05	070S	220E	4304715609	2755	Federal	GW	S
GOVT 4-14	14	060S	200E	4304730155	760	Federal	OW	S
STIRRUP FEDERAL 29-2	29	060S	210E	4304731508	11055	Federal	OW	S
L C K 30-1-H	30	060S	210E	4304731588	10202	Fee	OW	S
FEDERAL 21-1-P	21	060S	210E	4304731647	1316	Federal	GW	S
FEDERAL 4-1-D	04	070S	210E	4304731693	10196	Federal	OW	S
FEDERAL 5-5-H	05	070S	210E	4304731903	11138	Federal	OW	S
GOVERNMENT 10-14	14	060S	200E	4304732709	12009	Federal	OW	S
HORSESHOE BEND FED 11-1	11	070S	210E	4304733833	13126	Federal	GW	S
FEDERAL 6-11-6-20	11	060S	200E	4304737558	15836	Federal	OW	S
FEDERAL 6-30-6-21	30	060S	210E	4304737560	15814	Federal	OW	S
ELIASON 6-30	30	030S	020E	4304738500	16465	Fee	OW	S
FEDERAL 8-13-6-20	13	060S	200E	4304738996	17407	Federal	OW	S
FEDERAL 14-13-6-20	13	060S	200E	4304738997	17176	Federal	OW	S
ULT 4-31	31	030S	020E	4304740017	16985	Fee	OW	S
FEDERAL 8-8-6-20	08	060S	200E	4304750408	17381	Federal	OW	S
FEDERAL 2-17-6-20	17	060S	200E	4304750414	18010	Federal	OW	S
UTE TRIBAL 10-30-3-2E	30	030S	020E	4304751554	18095	Indian	OW	S
ULT 14-6-4-2E	06	040S	020E	4304751572	18171	Fee	OW	S
ULT 14-31-3-2E	31	030S	020E	4304751576	18179	Fee	OW	S
SENATORE 5-25-3-1E	25	030S	010E	4304751581	18190	Fee	OW	S
ULT 12-31-3-2E	31	030S	020E	4304751585	18178	Fee	OW	S
DEEP CREEK TRIBAL 13-7-4-2E	07	040S	020E	4304751746	18403	Indian	OW	S
ULT 4-36-3-1E	36	030S	010E	4304751895	18295	Fee	OW	S
ULT 11-26-3-1E	26	030S	010E	4304752047	18513	Fee	OW	S
E GUSHER 2-1A	03	060S	200E	4304731431	11333	Federal	OW	TA
FEDERAL 11-1-M	11	060S	200E	4304732333	11443	Federal	OW	TA

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
2. NAME OF OPERATOR: Crescent Point Energy U.S. Corp N3935		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See Attachment
3. ADDRESS OF OPERATOR: 555 17th Street, Suite 750 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME: See Attachment
PHONE NUMBER: (720) 880-3610		8. WELL NAME and NUMBER: See Attachment
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attachment		9. API NUMBER: See Attach
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: See Attachment
COUNTY: Uintah		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 11/30/2012	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective 11/30/2012, Crescent Point Energy U.S. Corp took over operations of the referenced wells. The previous owner/operator was:

Ute Energy Upstream Holdings LLC N3730
1875 Lawrence Street, Suite 200
Denver, CO 80212

Effective 11/30/2012, Crescent Point Energy U.S. Corp is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under State Bond Nos. LPM9080271 and LPM 9080272 and BLM Bond No. LPM9080275.

BIA Bond No:

Ute Energy Upstream Holding LLC

Print Name: ANTHONY BALDWIN

Seller Signature:



Title: TREASURER
Date: 1/11/2013

NAME (PLEASE PRINT) Kent Mitchell	TITLE President
SIGNATURE [Signature]	DATE Jan 11/13

(This space for State use only)

APPROVED

FEB 26 2013

DIV. OIL GAS & MINING

BY: Rachel Medina

RECEIVED

FEB 01 2013

Div of Oil, Gas & Mining

Amended well
list rec.

RECEIVED

JAN 15 2013

DIV. OF OIL, GAS & MINING

original recdate

Drilled Wells

API	Well	Qtr/Qtr	Section	T	R	Well Status	Well Type	Mineral Lease
4304715590	East Gusher Unit 3	NWNE	10	6S	20E	Producing Well	Oil Well	State -
4304715800	Horseshoe Bend 2	NWNE	03	7S	21E	Producing Well	Oil Well	Federal -
4304730034	Fed Miller 1	NWSW	04	7S	22E	Producing Well	Gas Well	Federal -
4304730831	Baser Draw 1-31	NWSW	31	6S	22E	Producing Well	Gas Well	Federal -
4304731304	Coors 14-1-D	NWNW	14	7S	21E	Producing Well	Gas Well	Federal -
4304731467	Federal 34-2-K	NESW	34	6S	21E	Producing Well	Oil Well	Federal -
4304731468	Federal 33-1-I	NESE	33	6S	21E	Producing Well	Oil Well	Federal -
4304731482	Horseshoe Bend St 36-1	SESE	36	6S	21E	Producing Well	Gas Well	State -
4304731588	L C K 30-1-H	SENE	30	6S	21E	Producing Well	Oil Well	FEE -
4304731626	Stirrup State 32-2	SENE	32	6S	21E	Producing Well	Oil Well	State -
4304731643	Cotton Club 1	NENE	31	6S	21E	Producing Well	Oil Well	Federal -
4304731698	Anna Belle 31-2-J	NWSE	31	6S	21E	Producing Well	Oil Well	FEE -
4304731834	Baser Draw 6-1	NWNW	06	7S	22E	Producing Well	Gas Well	Federal -
4304731853	Federal 4-2-F	SENE	04	7S	21E	Producing Well	Oil Well	Federal -
4304732009	Coors Federal 2-10HB	SWNE	10	7S	21E	Producing Well	Gas Well	Federal -
4304732850	Government 12-14	NWSW	14	6S	20E	Producing Well	Oil Well	Federal -
4304733691	Gose Federal 3-18	SWSW	18	6S	21E	Producing Well	Oil Well	Federal -
4304737475	Gusher Fed 16-14-6-20	SESE	14	6S	20E	Producing Well	Oil Well	Federal -
4304737556	Gusher Fed 6-24-6-20	SENE	24	6S	20E	Producing Well	Oil Well	Federal -
4304737557	Federal 2-25-6-20	NWNE	25	6S	20E	Producing Well	Oil Well	Federal -
4304737558	Federal 6-11-6-20	SENE	11	6S	20E	Producing Well	Oil Well	Federal -
4304737559	Federal 5-19-6-21	SWNW	19	6S	21E	Producing Well	Oil Well	Federal -
4304737560	Federal 6-30-6-21	SENE	30	6S	21E	Producing Well	Oil Well	Federal -
4304738400	Huber Fed 26-24	SENE	26	5S	19E	Producing Well	Oil Well	Federal -
4304738403	Gusher Fed 5-13-6-20	SWNW	13	6S	20E	Producing Well	Oil Well	Federal -
4304738996	Federal 8-13-6-20	SENE	13	6S	20E	Producing Well	Oil Well	Federal -
4304738997	Federal 14-13-6-20	SESW	13	6S	20E	Producing Well	Oil Well	Federal -
4304738998	Federal 14-12-6-20	SESW	12	6S	20E	Producing Well	Oil Well	Federal -
4304738999	Federal 2-14-6-20	NWNE	14	6S	20E	Producing Well	Oil Well	Federal -
4304739000	Federal 8-23-6-20	SENE	23	6S	20E	Producing Well	Oil Well	Federal -
4304739076	Federal 8-24-6-20	SENE	24	6S	20E	Producing Well	Oil Well	Federal -
4304739078	Federal 14-24-6-20	SESW	24	6S	20E	Producing Well	Oil Well	Federal -
4304739079	Federal 14-19-6-21	SESW	19	6S	21E	Producing Well	Oil Well	Federal -
4304740487	Federal 16-13-6-20	SESE	13	6S	20E	Producing Well	Oil Well	Federal -
4304750406	Federal 2-26-6-20	NWNE	26	6S	20E	Producing Well	Oil Well	Federal -
4304750407	Federal 4-9-6-20	NWNW	09	6S	20E	Producing Well	Oil Well	Federal -
4304750408	Federal 8-8-6-20	SENE	08	6S	20E	Producing Well	Oil Well	Federal -
4304750414	Federal 2-17-6-20	NWNE	17	6S	20E	Producing Well	Oil Well	Federal -
4304751228	Federal 2-23-6-20	NWNE	23	6S	20E	Producing Well	Oil Well	Federal -
4304751229	Federal 10-23-6-20	NWSE	23	6S	20E	Producing Well	Oil Well	Federal -
4304751232	Federal 2-24-6-20	NWNE	24	6S	20E	Producing Well	Oil Well	Federal -
4304751233	Federal 4-24-6-20	NWNW	24	6S	20E	Producing Well	Oil Well	Federal -
4304751234	Federal 4-25-6-20	NWNW	25	6S	20E	Producing Well	Oil Well	Federal -

4304751278	Federal 16-23-6-20	SESE	23	6S	20E	Producing Well	Oil Well	Federal -
4304751279	Federal 12-24-6-20	NWSW	24	6S	20E	Producing Well	Oil Well	Federal -
4304738499	Knight 16-30	SE SE	30	3S	2E	Producing Well	Oil Well	FEE -
4304738500	Eliason 6-30	SE NW	30	3S	2E	Producing Well	Oil Well	FEE -
4304738501	Knight 14-30	SE SW	30	3S	2E	Producing Well	Oil Well	FEE -
4304740017	ULT 4-31	NW NW	31	3S	2E	Producing Well	Oil Well	FEE -
4304740026	Deep Creek 2-31	NW NE	31	3S	2E	Producing Well	Oil Well	FEE -
4304740032	Deep Creek 8-31	SE NE	31	3S	2E	Producing Well	Oil Well	FEE -
4304740039	ULT 12-29	NW SW	29	3S	2E	Producing Well	Oil Well	FEE -
4304740040	Eliason 12-30	NW SW	30	3S	2E	Producing Well	Oil Well	FEE -
4304752003	Coleman Tribal 11-18-4-2E	NE SW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751488	Coleman Tribal 2-18-4-2E	NW NE	18	4S	2E	Producing Well	Oil Well	BIA -
4304751491	Coleman Tribal 8-18-4-2E	SE NE	18	4S	2E	Producing Well	Oil Well	BIA -
4304751497	Deep Creek Tribal 7-17-4-2E	SW NE	17	4S	2E	Producing Well	Oil Well	BIA -
4304751492	Coleman Tribal 13-18-4-2E	SW SW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751493	Coleman Tribal 14-18-4-2E	SE SW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751494	Coleman Tribal 15-18-4-2E	SW SE	18	4S	2E	Producing Well	Oil Well	BIA -
4304751496	Coleman Tribal 7-8-4-2E	SW NE	8	4S	2E	Producing Well	Oil Well	BIA -
4304751558	Ute Tribal 6-9-4-2E	SE NW	9	4S	2E	Producing Well	Oil Well	BIA -
4304751557	Ute Tribal 10-5-4-2E	NW SE	5	4S	2E	Producing Well	Oil Well	BIA -
4304751556	Ute Tribal 1-5-4-2E	NE NE	5	4S	2E	Producing Well	Oil Well	BIA -
4304751555	Ute Tribal 6-32-3-2E	SE NW	32	4S	2E	Producing Well	Oil Well	BIA -
4304751554	Ute Tribal 10-30-3-2E	NW SE	30	3S	2E	Producing Well	Oil Well	BIA -
4304751489	Coleman Tribal 5-18-4-2E	SW NW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751490	Coleman Tribal 6-18-4-2E	SE NW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751571	ULT 12-6-4-2E	NW SW	6	4S	2E	Producing Well	Oil Well	FEE -
4304751569	ULT 10-6-4-2E	NW SE	6	4S	2E	Producing Well	Oil Well	FEE -
4304751573	ULT 16-6-4-2E	SE SE	6	4S	2E	Producing Well	Oil Well	FEE -
4304751572	ULT 14-6-4-2E	SE SW	6	4S	2E	Producing Well	Oil Well	FEE -
4304751576	ULT 14-31-3-2E	SE SW	31	3S	2E	Producing Well	Oil Well	FEE -
4304751577	ULT 5-36-3-1E	SW NW	36	3S	1E	Producing Well	Oil Well	FEE -
4304751580	ULT 16-36-3-1E	SE SE	36	3S	1E	Producing Well	Oil Well	FEE -
4304751585	ULT 12-31-3-2E	NW SW	31	3S	2E	Producing Well	Oil Well	FEE -
4304751579	ULT 14-36-3-1E	SE SW	36	3S	1E	Producing Well	Oil Well	FEE -
4304751584	ULT 14-25-3-1E	SE SW	25	3S	1E	Producing Well	Oil Well	FEE -
4304751574	ULT 11-5-4-2E	NE SW	5	4S	2E	Producing Well	Oil Well	FEE -
4304751583	Deep Creek 16-25-3-1E	SE SE	25	3S	1E	Producing Well	Oil Well	FEE -
4304751652	ULT 16-26-3-1E	SE SE	26	3S	1E	Producing Well	Oil Well	FEE -
4304751581	Senatore 5-25-3-1E	SW NW	25	3S	1E	Producing Well	Oil Well	FEE -
4304751658	Marsh 14-35-3-1E	SE SW	35	3S	1E	Producing Well	Oil Well	FEE -
4304751755	ULT 9-26-3-1E	NE SE	26	3S	1E	Producing Well	Oil Well	FEE -
4304751651	ULT 7-26-3-1E	SW NE	26	3S	1E	Producing Well	Oil Well	FEE -
4304751659	Szyndrowski 5-27-3-1E	SW NW	27	3S	1E	Producing Well	Oil Well	FEE -
4304751653	ULT 14-26-3-1E	SE SW	26	3S	1E	Producing Well	Oil Well	FEE -
4304751733	Coleman Tribal 5-7-4-2E	SW NW	7	4S	2E	Producing Well	Oil Well	BIA -
4304751657	ULT 5-35-3-1E	SW NW	35	3S	1E	Producing Well	Oil Well	FEE -

4304751660	ULT 7-35-3-1E	SW NE	35	3S	1E	Producing Well	Oil Well	FEE - 96
4304751728	Coleman Tribal 7-7-4-2E	SW NE	7	4S	2E	Producing Well	Oil Well	BIA -
4304751895	ULT 4-36-3-1E	NW NW	36	3S	1E	Producing Well	Oil Well	FEE -
4304751729	Deep Creek Tribal 9-7-4-2E	NE SE	7	4S	2E	Producing Well	Oil Well	BIA -
4304751746	Deep Creek Tribal 13-7-4-2E	SW SW	7	4S	2E	Producing Well	Oil Well	BIA -
4304751998	Coleman Tribal 3-18-4-2E	NE NW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751730	Coleman Tribal 3-8-4-2E	NE NW	8	4S	2E	Producing Well	Oil Well	BIA -
4304752001	Coleman Tribal 1-18-4-2E	NE NE	18	4S	2E	Producing Well	Oil Well	BIA -
4304752004	Coleman Tribal 12-18-4-2E	NW SW	18	4S	2E	Producing Well	Oil Well	BIA -
4304751999	Coleman Tribal 4-18-4-2E	NW NW	18	4S	2E	Producing Well	Oil Well	BIA -
4304752000	Coleman Tribal 7-18-4-2E	SW NE	18	4S	2E	Producing Well	Oil Well	BIA - 100
4304751727	Coleman Tribal 1-8-4-2E	NE NE	8	4S	2E	Producing Well	Oil Well	BIA -
4304751732	Deep Creek Tribal 13-8-4-2E	SW SW	8	4S	2E	Producing Well	Oil Well	BIA -
4304751740-51737	Coleman Tribal 12-17-4-2E	(Lot 6) NW SW	17	4S	2E	Producing Well	Oil Well	BIA -
4304752002	Coleman Tribal 3-7-4-2E	NE NW	7	4S	2E	Producing Well	Oil Well	BIA -
4304751734	Deep Creek Tribal 15-8-4-2E	SW SE	8	4S	2E	Producing Well	Oil Well	BIA -
4304751738	Coleman Tribal 15-17-4-2E	SW SE	17	4S	2E	Producing Well	Oil Well	BIA -
4304751735	Deep Creek Tribal 6-17-4-2E	SE NW	17	4S	2E	Producing Well	Oil Well	BIA -
4304751736	Deep Creek Tribal 8-17-4-2E	SE NE	17	4S	2E	Producing Well	Oil Well	BIA -
4304752047	ULT 11-26-3-1E	NE SW	26	3S	1E	Producing Well	Oil Well	FEE -
4304751575	Deep Creek 13-32-3-2E	SW SW	32	3S	2E	Producing Well	Oil Well	FEE -
4304751664	Deep Creek 11-32-3-2E	NE SW	32	3S	2E	Producing Well	Oil Well	FEE -
4304752119	Ute Energy 11-27-3-1E	NE SW	27	3S	1E	Producing Well	Oil Well	FEE -
4304752120	Ute Energy 15-27-3-1E	SW SE	27	3S	1E	Producing Well	Oil Well	FEE -
4304752118	Ute Energy 10-27-3-1E	NW SE	27	3S	1E	Producing Well	Oil Well	FEE -
4304752122	Ute Energy 14-27-3-1E	SE SW	27	3S	1E	Producing Well	Oil Well	FEE -
4304751654	ULT 5-34-3-1E	SW NW	34	3S	1E	Producing Well	Oil Well	FEE -
4304751655	ULT 7-34-3-1E	SW NE	34	3S	1E	Producing Well	Oil Well	FEE -
4304751656	ULT 16-34-3-1E	SE SE	34	3S	1E	Producing Well	Oil Well	FEE -
4304751898	ULT 2-36-3-1E	NW NE	36	3S	1E	Producing Well	Oil Well	FEE -
4304751650	ULT 5-26-3-1E	SW NW	26	3S	1E	Producing Well	Oil Well	FEE - 24
4304751754	Marsh 13-35-3-1E	SW SW	35	3S	1E	Producing Well	Oil Well	FEE -
4304751897	ULT 6-36-3-1E	SE NW	36	3S	1E	Producing Well	Oil Well	FEE -
4304751891	ULT 12-26-3-1E	NW SW	26	3S	1E	Producing Well	Oil Well	FEE -
4304751887	ULT 13-26-3-1E	SW SW	26	3S	1E	Producing Well	Oil Well	FEE -
4304751875	ULT 10-26-3-1E	NW SE	26	3S	1E	Producing Well	Oil Well	FEE -
4304751918	Gavitte 13-23-3-1E	SW SW	23	3S	1E	Producing Well	Oil Well	FEE -
4304751662	Deep Creek 2-30-3-2E	NW NE	30	3S	2E	Producing Well	Oil Well	FEE -
4304751917	Gavitte 3-26-3-1E	NE NW	26	3S	1E	Producing Well	Oil Well	FEE -
4304751661	ULT 6-31-3-2E	SE NW	31	3S	2E	Producing Well	Oil Well	FEE -
4304751663	Deep Creek 4-30-3-2E	NW NW	30	3S	2E	Producing Well	Oil Well	FEE - 130
4304752121	Ute Energy 6-27-3-1E	SE NW	27	3S	1E	Producing Well	Oil Well	FEE -
4304752117	Ute Energy 7-27-3-1E	SW NE	27	3S	1E	Producing Well	Oil Well	FEE -
4304751920	Deep Creek 13-24-3-1E	SW SW	24	3S	1E	Producing Well	Oil Well	FEE -
4304751756	ULT 1-34-3-1E	NE NE	34	3S	1E	Producing Well	Oil Well	FEE -
4304751888	ULT 15-26-3-1E	SW SE	26	3S	1E	Producing Well	Oil Well	FEE - 25

4304751874	ULT 6-26-3-1E	SE NW	26	3S	1E	Producing Well	Oil Well	FEE	-
4304752194	Ute Tribal 4-32-3-2E	NW NW	32	3S	2E	Producing Well	Oil Well	BIA	-
4304752193	Ute Tribal 8-30-3-2E	SE NE	30	3S	2E	Producing Well	Oil Well	BIA	-
4304752221	Deep Creek Tribal 1-26-3-1E	NE NE	26	3S	1E	Producing Well	Oil Well	BIA	-
4304752009	Deep Creek Tribal 11-7-4-2E	NE SW	7	4S	2E	Producing Well	Oil Well	BIA	140
4304752008	Deep Creek Tribal 11-8-4-2E	NE SW	8	4S	2E	Producing Well	Oil Well	BIA	-
4304752010	Deep Creek Tribal 15-7-4-2E	SW SE	7	4S	2E	Producing Well	Oil Well	BIA	-
4304752041	Gavitte 4-26-3-1E	NW NW	26	3S	1E	Producing Well	Oil Well	FEE	-
4304752132	Szyndrowski 8-28-3-1E	SE NE	28	3S	1E	Producing Well	Oil Well	FEE	-
4304752128	Szyndrowski 9-28-3-1E	NE SE	28	3S	1E	Producing Well	Oil Well	FEE	-
4304752127	Szyndrowski 15-28-3-1E	SW SE	28	3S	1E	Producing Well	Oil Well	FEE	-
4304738932	Ouray Valley Fed 3-41	SW SW	3	6S	19E	Producing Well	Oil Well	Federal	-
4304751227	Federal 10-22-6-20	NW SE	22	6S	20E	Producing Well	Oil Well	Federal	-
4304751230	Federal 12-23-6-20	NW SW	23	6S	20E	Producing Well	Oil Well	Federal	-
4304751231	Federal 14-23-6-20	SE SW	23	6S	20E	Producing Well	Oil Well	Federal	150
4304751235	Federal 12-25-6-20	NW SW	25	6S	20E	Producing Well	Oil Well	Federal	-
4304752432	Bowers 4-6-4-2E	(Lot 4) NW NW	6	4S	2E	Producing Well	Oil Well	FEE	-
4304752131	Szyndrowski 7-28-3-1E	SW NE	28	3S	1E	Producing Well	Oil Well	FEE	-
4304752293	ULT 7X-36-3-1E	SW NE	36	3S	1E	Producing Well	Oil Well	FEE	-
4304750404	Federal 12-5-6-20	NW SW	5	6S	20E	Producing Well	Oil Well	Federal	-
4304752116	Szyndrowski 12-27-3-1E	NW SW	27	3S	1E	Producing Well	Oil Well	FEE	-
4304751236	Federal 10-26-6-20	NW SE	26	6S	20E	Producing Well	Oil Well	Federal	-
4304752126	Szyndrowski 16-28-3-1E	SE SE	28	3S	1E	Producing Well	Oil Well	FEE	-
4304752040	Gavitte 2-26-3-1E	NW NE	26	3S	1E	Producing Well	Oil Well	FEE	-
4304751889	Deep Creek 11-25-3-1E	NE SW	25	3S	1E	Producing Well	Oil Well	FEE	160
4304751924	ULT 8-26-3-1E	SE NE	26	3S	1E	Producing Well	Oil Well	FEE	-
4304751925	Deep Creek 2-25-3-1E	NW NE	25	3S	1E	Producing Well	Oil Well	FEE	-
4304752456	Gavitte 1-27-3-1E	NE NE	27	3S	1E	Producing Well	Oil Well	FEE	-
4304752454	Gavitte 2-27-3-1E	NW NE	27	3S	1E	Producing Well	Oil Well	FEE	-
4304752457	Szyndrowski 13-27-3-1E	SW SW	0	3S	1E	Producing Well	Oil Well	FEE	-
4304751937	Coleman Tribal 1-7-4-2E	NE NE	7	4S	2E	Drilled/WOC	Oil Well	BIA	165
4304751946	Coleman Tribal 5-8-4-2E	SW NW	8	4S	2E	Drilled/WOC	Oil Well	BIA	-
4304752007	Deep Creek Tribal 9-8-4-2E	NE SE	8	4S	2E	Drilled/WOC	Oil Well	BIA	-
4304751582	Deep Creek 7-25-3-1E	SW NE	25	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304751751	ULT 1-36-3-1E	NE NE	36	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304752130	Szyndrowski 10-28-3-1E	NW SE	28	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304751901	ULT 13-36-3-1E	SW SW	36	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304751902	ULT 15-36-3-1E	SW SE	36	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304751900	ULT 9-36-3-1E	NE SE	36	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304752458	ULT 2-34-3-1E	NE SW	34	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304752220	Deep Creek Tribal 16-23-3-1E	SE SE	23	3S	1E	Drilled/WOC	Oil Well	BIA	-
4304752459	ULT 4-34-3-1E	NW NW	34	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304752460	ULT 6-34-3-1E	SE NW	34	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304752461	ULT 8-34-3-1E	SE NE	34	3S	1E	Drilled/WOC	Oil Well	FEE	-
4304739644	Ouray Valley Federal 1-42-6-19	SE SW	1	6S	19E	Drilled/WOC	Oil Well	Federal	-
4304739643	Ouray Valley Federal 1-22-6-19	SE NW	1	6S	19E	Drilling	Oil Well	Federal	-

4304752419	Bowers 1-6-4-2E	(Lot 1) NE NE	6	4S	2E	Spud, not yet drilled	Oil Well	FEE
4304752420	Bowers 2-6-4-2E	(Lot 2) NW NE	6	4S	2E	Spud, not yet drilled	Oil Well	FEE
4304752421	Bowers 3-6-4-2E	(Lot 3) NE NW	6	4S	2E	Spud, not yet drilled	Oil Well	FEE
4304732784	Stirrup St 32-6	NENE	32	6S	21E	Active	Water Injection	State
4304731431	E Gusher 2-1A	SWSW	03	6S	20E	Temporarily -Abandoned	Oil Well	Federal
4304732333	Federal 11-1-M	SWSW	11	6S	20E	Temporarily -Abandoned	Oil Well	Federal
4304739641	Ouray Vly St 36-11-5-19	NWNW	36	5S	19E	Shut-In	Oil Well	State
4304733833	Horseshoe Bend Fed 11-1	NWNE	11	7S	21E	Shut-In	Gas Well	Federal
4304731903	Federal 5-5-H	SENE	05	7S	21E	Shut-In	Oil Well	Federal
4304732709	Government 10-14	NWSE	14	6S	20E	Shut-In	Oil Well	Federal
4304731647	Federal 21-I-P	SESE	21	6S	21E	Shut-In	Gas Well	Federal
4304731693	Federal 4-1-D	NWNW	04	7S	21E	Shut-In	Oil Well	Federal
4304731634	Stirrup Federal 29-3	SESE	29	6S	21E	Shut-In	Oil Well	Federal
4304731623	Federal 33-4-D	NWNW	33	6S	21E	Shut-In	Oil Well	Federal
4304731508	Stirrup Federal 29-2	NWSE	29	6S	21E	Shut-In	Oil Well	Federal
4304730155	Govt 4-14	NWNW	14	6S	20E	Shut-In	Oil Well	Federal
4304715609	Wolf Govt Fed 1	NENE	05	7S	22E	Shut-In	Gas Well	Federal
4304751578	ULT 7-36-3-1E	SW NE	36	3S	1E	P&A	Oil Well	FEE

APD APPROVED; NOT SPUDED

API	Well	Qtr/Qtr	Section	T	R	Well Status	Well Type	Mineral Lease
4304752214	Coleman Tribal 11-17-4-2E	NE SW	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752211	Deep Creek Tribal 5-17-4-2E	(Lot 5) SW NW	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752212	Coleman Tribal 9-17-4-2E	NE SE	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752213	Coleman Tribal 10-17-4-2E	NW SE	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752219	Coleman Tribal 13-17-4-2E	SW SW	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752215	Coleman Tribal 14-17-4-2E	SE SW	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752217	Coleman Tribal 16-17-4-2E	SE SE	17	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752210	Coleman Tribal 10-18-4-2E	NW SE	18	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752223	Deep Creek Tribal 3-5-4-2E	NE NW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752222	Deep Creek Tribal 4-25-3-1E	NW NW	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752225	Deep Creek Tribal 4-5-4-2E	(Lot 4) NW NW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752224	Deep Creek Tribal 5-5-4-2E	SW NW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752226	Deep Creek Tribal 6-5-4-2E	SE NW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752218	Coleman Tribal 16-18-4-2E	SW SE	18	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752033	Deep Creek 3-25-3-1E	NE NW	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752039	Senatore 12-25-3-1E	NW SW	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752412	Deep Creek 1-16-4-2E	NE NE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752410	Deep Creek 13-9-4-2E	SW SW	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752411	Deep Creek 15-9-4-2E	SW SE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752413	Deep Creek 3-16-4-2E	NE NW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752409	Deep Creek 9-9-4-2E	NE SE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752427	Bowers 5-6-4-2E	(Lot 5) SW NW	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752428	Bowers 6-6-4-2E	SE NW	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752430	Bowers 7-6-4-2E	SW NE	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE

4304752431	Bowers 8-6-4-2E	SE NE	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752422	Deep Creek 11-15-4-2E	NE SW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752424	Deep Creek 13-15-4-2E	SW SW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752425	Deep Creek 15-15-4-2E	SW SE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752426	Deep Creek 16-15-4-2E	SE SE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752416	Deep Creek 5-16-4-2E	SW NW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752418	Deep Creek 7-16-4-2E	SW NE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752414	Deep Creek 7-9-4-2E	SW NE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752415	Deep Creek 11-9-4-2E	NE SW	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752423	ULT 13-5-4-2E	SW SW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752417	ULT 14-5-4-2E	SE SW	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752123	ULT 12-34-3-1E	NW SW	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752124	ULT 3-34-3-1E	NE NW	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752125	ULT 10-34-3-1E	NW SE	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752043	ULT 10-36-3-1E	NW SE	36	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752044	ULT 12-36-3-1E	NW SW	36	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752042	ULT 3-36-3-1E	NE NW	36	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752048	ULT 6-35-3-1E	SE NW	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752045	ULT 8-35-3-1E	SE NE	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752030	Deep Creek 10-25-3-1E	NW SE	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752032	Deep Creek 1-25-3-1E	NE NE	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751919	Deep Creek 14-23-3-1E	SE SW	23	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751921	Deep Creek 14-24-3-1E	SE SW	24	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751922	Deep Creek 15-24-3-1E	SW SE	24	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751923	Deep Creek 16-24-3-1E	SE SE	24	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751926	Deep Creek 6-25-3-1E	SE NW	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751930	Deep Creek 8-25-3-1E	SE NE	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751894	ULT 3-35-3-1E	NE NW	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751896	Marsh 11-35-3-1E	NE SW	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751893	ULT 2-35-3-1E	NW NE	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751899	ULT 4-35-3-1E	NW NW	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751892	Deep Creek 15-25-3-1E	SW SE	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751929	Deep Creek 9-25-3-1E	NE SE	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751933	ULT 11-36-3-1E	NE SW	36	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751932	ULT 11-6-4-2E	NE SW	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751890	ULT 13-25-3-1E	SW SW	25	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751934	ULT 13-6-4-2E	SW SW	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751928	ULT 15-6-4-2E	SW SE	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751931	ULT 8-36-3-1E	SE NE	36	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751916	ULT 9-6-4-2E	NE SE	6	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751927	Marsh 12-35-3-1E	NW SW	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304751935	ULT 1-35-3-1E	NE NE	35	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752451	Deep Creek 12-15-4-2E	NW SW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752453	Deep Creek 12-32-3-2E	NW SW	32	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752452	Deep Creek 14-15-4-2E	SE SW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752455	Deep Creek 14-32-3-2E	SE SW	32	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE

4304752445	Deep Creek 14-9-4-2E	SE SW	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752447	Deep Creek 16-9-4-2E	SE SE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752446	Deep Creek 2-16-4-2E	NW NE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752448	Deep Creek 4-16-4-2E	NW NW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752449	Deep Creek 6-16-4-2E	SE NW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752450	Deep Creek 8-16-4-2E	SE NE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752438	Deep Creek 8-9-4-2E	SE NE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752440	Deep Creek 12-9-4-2E	NW SW	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752206	Ute Tribal 11-16-4-2E	NE SW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752197	Ute Tribal 11-4-4-2E	NE SW	4	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752207	Ute Tribal 13-16-4-2E	SW SW	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752198	Ute Tribal 13-4-4-2E	SW SW	4	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752201	Ute Tribal 14-10-4-2E	SE SW	10	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752199	Ute Tribal 14-4-4-2E	SE SW	4	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752208	Ute Tribal 15-16-4-2E	SW SE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752195	Ute Tribal 15-32-3-2E	SW SE	32	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752196	Ute Tribal 16-5-4-2E	SE SE	5	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752202	Ute Tribal 2-15-4-2E	NW NE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752200	Ute Tribal 4-9-4-2E	Lot 1 NW NW	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752203	Ute Tribal 7-15-4-2E	SW NE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752204	Ute Tribal 8-15-4-2E	SE NE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752463	ULT 11-34-3-1E	NE SW	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752464	ULT 13-34-3-1E	SW SW	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752465	ULT 14-34-3-1E	SE SW	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752466	ULT 15-34-3-1E	SW SE	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752462	ULT 9-34-3-1E	NE SE	34	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752205	Ute Tribal 9-16-4-2E	NE SE	16	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752439	Deep Creek 10-9-4-2E	NW SE	9	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752216	Coleman Tribal 15X-18D-4-2E	SW SE	18	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752888	Womack 4-7-3-1E	NW NW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752893	Kendall 12-7-3-1E	NW SW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752911	Kendall 13-7-3-1E	SW SW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752900	Kendall 15-7-3-1E	SW SE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752887	Womack 5-8-3-1E	SW NW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752880	Womack 7-8-3-1E	SW NE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752901	Kendall 9-8-3-1E	NE SE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752894	Kendall 11-8-3-1E	NE SW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752897	Kendall 13-8-3-1E	SW SW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752898	Kendall 16-8-3-1E	SE SE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752892	Kendall 5-9-3-1E	SW NW	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752899	Kendall 6-9-3-1E	SE NW	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752896	Kendall 7-9-3-1E	SW NE	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752882	Womack 11-9-3-1E	NE SW	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752884	Womack 13-9-3-1E	SW SW	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752885	Womack 3-16-3-1E	NE NW	16	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752886	Womack 4-16-3-1E	NW NW	16	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE

4304752889	Womack 5-16-3-1E	SW NW	16	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752890	Womack 6-16-3-1E	SE NW	16	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752895	Kendall 4-17-3-1E	NW NW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752891	Kendall 5-17-3-1E	SW NW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752883	Kendall 11-17-3-1E	NE SW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752881	Kendall 13-17-3-1E	SW SW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752966	Merritt 2-18-3-1E	NW NE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752967	Merritt 3-18-3-1E	NE NW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752992	Merritt 7-18-3-1E	SW NE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752508	Gusher Fed 11-1-6-20E	NE SW	1	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752503	Gusher Fed 1-11-6-20E	NE NE	11	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752504	Gusher Fed 11-22-6-20E	NE SW	22	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752507	Gusher Fed 12-15-6-20E	NW SW	15	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752509	Gusher Fed 1-27-6-20E	NE NE	27	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752511	Gusher Fed 1-28-6-20E	NE NE	28	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752497	Gusher Fed 14-3-6-20E	SE SW	3	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752506	Gusher Fed 16-26-6-20E	SE SE	26	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752505	Gusher Fed 3-21-6-20E	NE NW	21	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752500	Gusher Fed 6-25-6-20E	SE NW	25	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752501	Gusher Fed 8-25-6-20E	SE NE	25	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752510	Gusher Fed 9-27-6-20E	NE SE	27	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752499	Gusher Fed 9-3-6-20E	NW SE	3	6S	20E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752502	Horseshoe Bend Fed 11-29-6-21E	NE SW	29	6S	21E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752498	Horseshoe Bend Fed 14-28-6-21E	SE SW	28	6S	21E	Approved Permit (APD); not yet spudded	Oil Well	Federal
4304752472	Coleman Tribal 2-7-4-2E	NW NE	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752473	Coleman Tribal 4-7-4-2E	NW NW	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752474	Coleman Tribal 6-7-4-2E	SE NW	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752475	Coleman Tribal 8-7-4-2E	SE NE	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752480	Coleman Tribal 2-8-4-2E	NW NE	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752481	Coleman Tribal 4-8-4-2E	NW NW	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752484	Coleman Tribal 6-8-4-2E	SE NW	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752485	Coleman Tribal 8-8-4-2E	SE NE	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752483	Deep Creek Tribal 12-8-4-2E	NW SW	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752476	Deep Creek Tribal 10-7-4-2E	NW SE	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752477	Deep Creek Tribal 12-7-4-2E	NW SW	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752478	Deep Creek Tribal 14-7-4-2E	SE SW	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752479	Deep Creek Tribal 16-7-4-2E	SE SE	7	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752487	Deep Creek Tribal 10-8-4-2E	NW SE	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752482	Deep Creek Tribal 14-8-4-2E	SE SW	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752486	Deep Creek Tribal 16-8-4-2E	SE SE	8	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304752975	Deep Creek 11-19-3-2E	NE SW	19	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752978	Deep Creek 12-19-3-2E	Lot 3 (NW SW)	19	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752979	Deep Creek 13-19-3-2E	Lot 4 (SW SW)	19	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752969	Deep Creek 14-19-3-2E	SE SW	19	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752968	Deep Creek 11-20-3-2E	NE SW	20	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752973	Deep Creek 13-20-3-2E	SW SW	20	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE

4304752987	Gavitt 15-23-3-1E	SW SE	23	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752964	ULT 3-29-3-2E	NE NW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752962	ULT 4-29-3-2E	NW NW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752961	ULT 5-29-3-2E	SW NW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752955	ULT 6-29-3-2E	NE NW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752983	Deep Creek 10-29-3-2E	NW SE	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752959	ULT 11-29-3-2E	NE SW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752960	ULT 13-29-3-2E	SW SW	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752963	ULT 14-29-3-2E	Lot 2 (SE SW)	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752975	Deep Creek 15-29-3-2E	SW SE	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752974	Deep Creek 16-29-3-2E	SE SE	29	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752972	Deep Creek 1-30-3-2E -	NE NE	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752970	Deep Creek 5-30-3-2E	Lot 2 (SW NW)	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752971	Deep Creek 11-30-3-2E	NE SW	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752988	Knight 13-30-3-2E	Lot 4 (SW SW)	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752989	Knight 15-30-3-2E	SW SE	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752981	Deep Creek 1-31-3-2E	NE NE	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752954	ULT 3-31-3-2E	NE NW	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752956	ULT 5-31-3-2E	Lot 2 (SW NW)	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752984	Deep Creek 7-31-3-2E	SW NE	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752957	ULT 11-31-3-2E	NE SW	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752958	ULT 13-31-3-2E	Lot 4 (SW SW)	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752986	Ute Energy 15-31-3-2E	SW SE	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752985	Ute Energy 16-31-3-2E	SE SE	31	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752980	Deep Creek 12-20-3-2E	NW SW	20	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752977	Deep Creek 14-20-3-2E	SE SW	20	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304752982	Deep Creek 3-30-3-2E	NE NW	30	3S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753018	Deep Creek 9-15-4-2E	NE SE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753019	Deep Creek 10-15-4-2E	NW SE	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753014	Lamb 3-15-4-2E	NE NW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753015	Lamb 4-15-4-2E	NW NW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753016	Lamb 5-15-4-2E	SW NW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753017	Lamb 6-15-4-2E	SE NW	15	4S	2E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753089	Womack 1-7-3-1E	NE NE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753093	Womack 2-7-3-1E	NW NE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753094	Womack 3-7-3-1E	NE NW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753088	Kendall 14-7-3-1E	SE SW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753104	Womack 1-8-3-1E	NE NE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753105	Womack 2-8-3-1E	NW NE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753106	Womack 3-8-3-1E	NE NW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753107	Womack 4-8-3-1E	NW NW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753108	Womack 6-8-3-1E	SE NW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753109	Womack 8-8-3-1E	SE NE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753110	Kendall 10-8-3-1E	NW SE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753111	Kendall 12-8-3-1E	NW SW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753112	Kendall 14-8-3-1E	SE SW	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE

4304753115	Kendall 15-8-3-1E	SW SE	8	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753114	Kendall 2-9-3-1E	NW NE	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753100	Kendall 12-9-3-1E	NW SW	9	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753116	Kettle 3-10-3-1E	NE NW	10	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753117	Kettle 6-10-3-1E	SE NW	10	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753118	Kettle 11-10-3-1E	NE SW	10	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753119	Kettle 12-10-3-1E	NW SW	10	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753099	Kendall 3-17-3-1E	NE NW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753098	Kendall 6-17-3-1E	SE NW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753101	Kendall 12-17-3-1E	NW SW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753120	Kendall 14-17-3-1E	NE SW	17	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753097	Kendall 1-18-3-1E	NE NE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753096	Kendall 8-18-3-1E	SE NE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753095	Kendall 9-18-3-1E	NE SE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753091	Kendall 10-18-3-1E	NW SE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753090	Kendall 15-18-3-1E	SW SE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753092	Kendall 16-18-3-1E	SE SE	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	FEE
4304753146	Kendall Tribal 9-7-3-1E	NE SE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753147	Kendall Tribal 10-7-3-1E	NW SE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753153	Kendall Tribal 11-7-3-1E	NE SW	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753152	Kendall Tribal 16-7-3-1E	SE SE	7	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753151	Kendall Tribal 4-18-3-1E	NW NW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753150	Kendall Tribal 5-18-3-1E	SW NW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753149	Kendall Tribal 11-18-3-1E	NE SW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753148	Kendall Tribal 12-18-3-1E	NW SW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753145	Kendall Tribal 13-18-3-1E	SW SW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753142	Kendall Tribal 14-18-3-1E	SE SW	18	3S	1E	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753144	Kendall Tribal 1-13-3-1W	NE NE	13	3S	1W	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753143	Kendall Tribal 9-13-3-1W	NE SE	13	3S	1W	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753144	Kendall Tribal 1-13-3-1W	NE NE	13	3S	1W	Approved Permit (APD); not yet spudded	Oil Well	BIA
4304753143	Kendall Tribal 9-13-3-1W	NE SE	13	3S	1W	Approved Permit (APD); not yet spudded	Oil Well	BIA

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
2. NAME OF OPERATOR: CRESCENT POINT ENERGY U.S. CORP		7. UNIT or CA AGREEMENT NAME:			
3. ADDRESS OF OPERATOR: 555 17th Street, Suite 750 , Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000			
9. FIELD and POOL or WILDCAT: LELAND BENCH		COUNTY: UINTAH			
STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 10/1/2014 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Crescent Point Energy US Corp respectfully requests permission to recomplete COLEMAN TRIBAL 3-18-4-2E. Please see attached perf and frac design. Following recompletion operations, no bridge plug or anything else will be present in wellbore. Recompletion is scheduled for October 1st, 2014. Thank you.					
<div style="text-align: right;"> Accepted by the Utah Division of Oil, Gas and Mining September 17, 2014 Date: _____ By: <u>Derek Quist</u> </div>					
NAME (PLEASE PRINT) Emily Kate DeGrasse		PHONE NUMBER 720 880-3644			
SIGNATURE N/A		TITLE Regulatory & Government Affairs Analyst			
DATE 9/16/2014					

Stage 1 (L. Castle Peak/Uteland Butte)

Fluid	Sand	Pad	Sand Average	Net Pay
56,350	99000	15%	1.76	33
Pad	Fluid	Sand	% Sand	
	8500			
0.5	19800	9900	10%	2.1
1	4950	4950	5%	2.2
2	9900	19800	20%	2.3
4	7425	29700	30%	2.3
6	5775	34650	35%	2.2
	56350	99000	100%	

Stage 2 (3 Point/Black Shale)

Fluid	Sand	Pad	Sand Average	Net Pay
56,350	99000	15%	1.76	33
Pad	Fluid	Sand	% Sand	
	8500			
0.5	19800	9900	10%	2.1
1	4950	4950	5%	2.2
2	9900	19800	20%	2.3
4	7425	29700	30%	2.3
6	5775	34650	35%	2.2
	56350	99000	100%	

Stage 3 (Douglas Creek)

Fluid	Sand	Pad	Sand Average	Net Pay
34,150	60000	15%	1.76	20
Pad	Fluid	Sand	% Sand	
	5150			
0.5	12000	6000	10%	2.1
1	3000	3000	5%	2.2
2	6000	12000	20%	2.3
4	4500	18000	30%	2.3
6	3500	21000	35%	2.2
	34150	60000	100%	

Stage 4 (Green 3/Green 2)

Fluid	Sand	Pad	Sand Average	Net Pay
12,000	21000	15%	1.75	7
Pad	Fluid	Sand	% Sand	
	1850			
0.5	4200	2100	10%	2.1
1	1050	1050	5%	2.2
2	2100	4200	20%	2.3
4	1575	6300	30%	2.3
6	1225	7350	35%	2.1
	12000	21000	100%	

Total Fluid	158,850 gals	
Total Sand	3,782.14 bbls	10.22 400 Bbl Tanks
	279,000 lbs	
Slickwater	79800 gals	5.4 400 Bbl Tanks
Gelled fluid	79050 gals	5.4 400 Bbl Tanks
Acid tanks	6,500 gals	
	154.76 bbls	0.42 400 Bbl Lined Acid Tar

Well Name: 3-18-4-2E

Location: Section 18, T4S, R2E

Date: 9/15/2014

Casing:	ID:	Drift:	Burst:
5-1/2", 17#, L-80, LTC	4.892"	4.767"	7,440 psi
Tubing:	ID:	Tensile:	Burst:
2-7/8", 6.4#, L-80, EUE	2.441"	144,960 lbs.	10,570 psi

Volumes:		
Casing:	Tubing:	Csg/Tbg Annulus:
0.0232 bbl/ft	0.00579 bbl/ft	0.0152 bbl/ft

Stage	Zone	Top	Bottom	Gun Size	Holes	Total Holes	Proppant	Comments	Volume	Plug Depth
Stage 1	L. Castle Peak	6871	6,872'	1'	3		30/50 Sand	35 BPM	6,872	
Stage 1	L. Castle Peak	6891	6,892'	1'	3		30/50 Sand	182' of Interval		
Stage 1	L. Castle Peak	6905	6,906'	1'	3		30/50 Sand	33' of Net Pay		
Stage 1	L. Castle Peak	6915	6,916'	1'	3		30/50 Sand			
Stage 1	L. Castle Peak	6929	6,930'	1'	3		30/50 Sand			
Stage 1	Uteland Butte	7023	7,024'	1'	3		30/50 Sand			
Stage 1	Uteland Butte	7037	7,038'	1'	3		30/50 Sand			
Stage 1	Uteland Butte	7052	7,053'	1'	3	24	30/50 Sand			7,083'
Stage 2	3 Point	6304	6,305'	1'	3		20/40 Sand	35 BPM	6,379	
Stage 2	3 Point	6341	6,342'	1'	3		20/40 Sand	243' of Interval		
Stage 2	Black Shale	6472	6,473'	1'	3		20/40 Sand	33' of Net Pay		
Stage 2	Black Shale	6483	6,484'	1'	3		20/40 Sand			
Stage 2	Black Shale	6500	6,502'	2'	6		20/40 Sand			
Stage 2	Black Shale	6521	6,522'	1'	3		20/40 Sand			
Stage 2	Black Shale	6546	6,547'	1'	3	24	20/40 Sand			6,577'
Stage 3	Douglas Creek	5936	5,938'	2'	6		20/40 Sand	25 BPM	5,817	
Stage 3	Douglas Creek	5950	5,951'	1'	3		20/40 Sand	34' of Interval		
Stage 3	Douglas Creek	5967	5,970'	3'	9	18	20/40 Sand	20' of Net Pay		6,000'
Stage 4	Green 3	5555	5,556'	1'	3		20/40 Sand	25 BPM	5,457	
Stage 4	Green 3	5579	5,581'	2'	6		20/40 Sand	45' of Interval		
Stage 4	Green 3	5585	5,586'	1'	3		20/40 Sand	6' of Net Pay		
Stage 4	Green 2	5598	5,600'	2'	6	18	20/40 Sand			5,630'




Downhole Well Profile

Well Name: Coleman Tribal 3-18-4-2E

UWI/API 43-047-519980000	Surface Legal Location 43-047-519980000	License # 14-20-H62-6406	State/Province Utah	Well Configuration Type Vertical	CGU
Original KB Elevation (ft) 5,126.00	KB-Tubing Head Distance (ft)	PBTD (All) (ftKB)	Total Depth All (TVD) (ftKB)	Minor Area Rockies	Depletable Unit

Type							
Des	Make	Model	WP (psi)	Service	WP Top (psi)	Top Ring Gasket	Bore Min (in)



Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Top Thread	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	ST&C	1,116.0
Production	5 1/2	17.00	E-80	LT&C	7,697.0

Perforations

Date	Top (ftKB)	Btm (ftKB)	Zone
3/23/2012	5,647.0	5,811.0	Garden Gulch 5&6
3/23/2012	6,617.0	6,790.0	Upper Castle Peak
3/22/2012	7,103.0	7,233.0	2nd Wasatch
3/21/2012	7,269.0	7,496.0	1st Wasatch

Tubing Strings

Tubing Description	Run Date	String Length (ft)		Set Depth (ftKB)			
Tubing	4/4/2012	7,585.67		7,597.7			
Item Des	Jts	Make	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Tubing Hanger	1		T&C Upset	2 7/8	6.50	L-80	0.77
Tubing	23 2		T&C Upset	2 7/8	6.50	L-80	7,459 .50
Anchor/catcher	1		T&C Upset	2 7/8	6.50	L-80	2.73
Tubing	1		T&C Upset	2 7/8	6.50	L-80	32.14
Pump Seating Nipple	1		T&C Upset	2 7/8	6.50	L-80	1.10
Tubing Pup Joint	1			2 7/8			4.10
De-sander	1			2 7/8			18.33
Tubing	2		T&C Upset	2 7/8	6.50	L-80	64.65
Valve	1			2 7/8			0.85
Collar	1			2 7/8			1.00
Bull Plug	1			2 7/8			0.50

Rod Strings

Rod Description	Run Date	String Length (ft)			Set Depth (ftKB)		
TENARIS D RODS	5/13/2014	7,475.00			7,471.0		
Item Des	Jts	Make	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Polished Rod	1	Norris	Sprayloy	1 1/2			26.00
Pony Rod		Tenaris	Alloy	1		D	6.00
Pony Rod		Tenaris	Alloy	1		D	8.00
Pony Rod		Tenaris	Alloy	1		D	8.00
Sucker Rod	66	Tenaris	Alloy	1		D	1,650.00
Sucker Rod	89	Tenaris	Alloy	7/8		D	2,225.00
Sucker Rod	12 1	Tenaris	Alloy	3/4		D	3,025.00
Sucker Rod	20	Tenaris	Alloy	1		D	500.00
Rod Insert Pump	1	John Crane	1.25" Insert RHBC	2			27.00

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MININGAMENDED REPORT ☐ FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG						5. LEASE DESIGNATION AND SERIAL NUMBER:			
						6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____						7. UNIT or CA AGREEMENT NAME			
b. TYPE OF WORK: NEW WELL <input type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____						8. WELL NAME and NUMBER:			
2. NAME OF OPERATOR:						9. API NUMBER:			
3. ADDRESS OF OPERATOR: CITY _____ STATE _____ ZIP _____					PHONE NUMBER:	10 FIELD AND POOL, OR WILDCAT			
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: AT TOP PRODUCING INTERVAL REPORTED BELOW: AT TOTAL DEPTH:						11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			
						12. COUNTY		13. STATE	
								UTAH	
14. DATE SPUDDED:		15. DATE T.D. REACHED:		16. DATE COMPLETED: ABANDONED <input type="checkbox"/> READY TO PRODUCE <input type="checkbox"/>		17. ELEVATIONS (DF, RKB, RT, GL):			
18. TOTAL DEPTH: MD _____ TVD _____		19. PLUG BACK T.D.: MD _____ TVD _____		20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD _____ PLUG SET: TVD _____			
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)					23. WAS WELL CORED? NO <input type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input type="checkbox"/> (Submit copy)				
24. CASING AND LINER RECORD (Report all strings set in well)									
HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
25. TUBING RECORD									
SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	
26. PRODUCING INTERVALS					27. PERFORATION RECORD				
FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(B)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.									
DEPTH INTERVAL		AMOUNT AND TYPE OF MATERIAL							
29. ENCLOSED ATTACHMENTS:								30. WELL STATUS:	
<input type="checkbox"/> ELECTRICAL/MECHANICAL LOGS				<input type="checkbox"/> GEOLOGIC REPORT		<input type="checkbox"/> DST REPORT		<input type="checkbox"/> DIRECTIONAL SURVEY	
<input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION				<input type="checkbox"/> CORE ANALYSIS		<input type="checkbox"/> OTHER: _____			

31. INITIAL PRODUCTION**INTERVAL A (As shown in item #26)**

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)**33. SUMMARY OF POROUS ZONES (Include Aquifers):**

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) _____ TITLE _____

SIGNATURE _____ DATE _____

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940




MAG DEC.: 11.133°
INTERVAL: 1110' - 8100'
API: 43047519980000
HALLIBURTON DOES NOT GUARANTEE THE ACCURACY OF ANY INTERPRETATION OF THE LOG DATA. CONVERSION OF LOG DATA TO PHYSICAL ROCK PARAMETERS OR RECOMMENDATIONS WHICH MAY BE GIVEN BY HALLIBURTON PERSONNEL OR WHICH APPEAR ON THE LOG OR IN ANY OTHER FORM. ANY USER OF SUCH DATA, INTERPRETATIONS, CONVERSIONS, OR RECOMMENDATIONS AGREES THAT HALLIBURTON IS NOT RESPONSIBLE EXCEPT WHERE DUE TO GROSS NEGLIGENCE OR WILLFUL MISCONDUCT, FOR ANY LOSS, DAMAGES, OR EXPENSES RESULTING FROM THE USE THEREOF.
HALLIBURTON

TVD SURVEY REPORT

Hole Position Calculation Method:	Minimum Curvature	Tie in Data	Depth:	0.00	ft
Magnetic Declination:	11.133 deg		TVD:	0.00	ft
			Inclination:	0.00	deg
			Azimuth:	0.00	deg
			N/S Departure:	0.00	ft
			EW Departure:	0.00	ft


TVD CROSS SECTION LOOKING NORTH


The diagram shows a cross-section looking north. The horizontal axis represents distance from the wellhead (W) to the east (E), ranging from -45.0 to 45.0 feet. The vertical axis represents depth, starting at 0.00 feet at the surface and increasing downwards. A single data point is plotted at a distance of 0.00 feet and a depth of 1500.0 feet. A diagonal line connects the origin (0,0) to this point.



(ft)	(deg)	Depth (ft)	(deg)	(ft)	(ft)
1110.00	0.67	1109.97	189.78	-6.43	-1.11
1140.00	0.72	1139.97	259.17	-6.64	-1.32
1170.00	0.96	1169.97	271.76	-6.67	-1.76
1200.00	0.95	1199.97	272.98	-6.65	-2.26
1230.00	1.17	1229.96	274.25	-6.61	-2.81
1260.00	1.12	1259.95	268.40	-6.60	-3.41
1290.00	1.16	1289.95	270.02	-6.61	-4.01
1320.00	1.13	1319.94	270.07	-6.61	-4.61
1350.00	1.14	1349.94	271.91	-6.60	-5.20
1380.00	1.06	1379.93	274.24	-6.57	-5.78
1410.00	1.17	1409.93	272.00	-6.53	-6.36
1440.00	1.13	1439.92	271.95	-6.51	-6.97
1470.00	1.17	1469.91	275.10	-6.48	-7.57
1500.00	1.17	1499.91	273.00	-6.43	-8.15
1530.00	1.27	1529.90	273.72	-6.40	-8.77
1560.00	1.27	1559.89	273.09	-6.36	-9.43
1590.00	1.23	1589.89	270.79	-6.34	-10.09
1620.00	1.32	1619.88	267.46	-6.35	-10.75
1650.00	1.19	1649.87	267.76	-6.37	-11.41
1680.00	1.10	1679.87	260.18	-6.44	-12.00
1710.00	1.12	1709.86	259.27	-6.54	-12.57
1740.00	1.14	1739.85	256.00	-6.67	-13.15
1770.00	1.09	1769.85	257.07	-6.80	-13.72
1800.00	1.09	1799.84	256.64	-6.93	-14.27
1830.00	1.06	1829.84	257.83	-7.06	-14.82
1860.00	1.11	1859.83	260.82	-7.16	-15.38
1890.00	1.12	1889.83	257.65	-7.27	-15.96
1920.00	1.07	1919.82	258.75	-7.39	-16.52
1950.00	1.05	1949.82	258.49	-7.50	-17.08
1980.00	1.14	1979.81	257.93	-7.61	-17.62
2010.00	1.07	2009.81	259.24	-7.73	-18.19
2040.00	1.12	2039.80	256.94	-7.85	-18.75
2070.00	1.13	2069.79	255.14	-7.99	-19.32
2100.00	1.13	2099.79	253.56	-8.15	-19.89
2130.00	1.11	2129.78	247.53	-8.34	-20.44
2160.00	1.19	2159.78	253.83	-8.54	-21.01
2190.00	1.13	2189.77	252.18	-8.72	-21.59
2220.00	1.12	2219.76	250.99	-8.90	-22.15
2250.00	1.04	2249.76	250.50	-9.09	-22.68
2280.00	1.14	2279.75	252.42	-9.27	-23.22
2310.00	1.12	2309.75	255.33	-9.44	-23.79
2340.00	1.07	2339.74	257.10	-9.57	-24.35
2370.00	1.13	2369.74	260.23	-9.69	-24.92
2400.00	1.12	2399.73	259.46	-9.79	-25.49
2430.00	1.04	2429.73	259.82	-9.89	-26.05
2460.00	0.97	2459.72	262.85	-9.97	-26.57
2490.00	0.86	2489.72	258.18	-10.05	-27.04
2520.00	0.97	2519.71	254.41	-10.16	-27.50
2550.00	0.95	2549.71	251.56	-10.31	-27.98
2580.00	0.78	2579.71	255.31	-10.44	-28.42
2610.00	0.60	2609.70	257.07	-10.53	-28.77
2640.00	0.53	2639.70	250.01	-10.61	-29.05
2670.00	0.50	2669.70	237.64	-10.73	-29.29
2700.00	0.55	2699.70	217.42	-10.91	-29.49
2730.00	0.60	2729.70	199.98	-11.17	-29.63
2760.00	0.71	2759.70	185.22	-11.50	-29.70
2790.00	0.87	2789.69	175.90	-11.92	-29.70
2820.00	0.96	2819.69	171.73	-12.39	-29.65
2850.00	1.08	2849.68	166.27	-12.92	-29.55
2880.00	1.10	2879.68	160.88	-13.47	-29.38
2910.00	1.29	2909.67	158.71	-14.05	-29.17
2940.00	1.19	2939.67	159.39	-14.66	-28.93
2970.00	1.42	2969.66	152.94	-15.26	-28.66
3000.00	1.46	2999.65	153.65	-15.95	-28.32
3030.00	1.54	3029.64	155.43	-16.66	-27.98
3060.00	1.53	3059.63	158.44	-17.40	-27.67
3090.00	1.69	3089.62	154.69	-18.17	-27.33
3120.00	1.64	3119.60	159.94	-18.97	-27.00
3150.00	1.77	3149.59	160.50	-19.81	-26.69
3180.00	1.76	3179.58	165.29	-20.69	-26.42
3210.00	1.78	3209.56	171.44	-21.60	-26.24
3240.00	1.90	3239.55	176.78	-22.55	-26.10
3270.00	2.00	3269.53	178.54	-23.58	-26.14
3300.00	1.96	3299.51	181.72	-24.61	-26.10
3330.00	2.04	3329.49	182.29	-25.66	-26.14
3360.00	2.22	3359.47	184.50	-26.77	-26.20
3390.00	2.29	3389.45	187.04	-27.95	-26.32
3420.00	2.22	3419.43	189.73	-29.12	-26.49
3450.00	2.13	3449.40	188.86	-30.24	-26.68
3480.00	2.06	3479.38	188.16	-31.33	-26.84
3510.00	2.19	3509.36	187.69	-32.43	-26.99
3540.00	2.37	3539.34	186.83	-33.61	-27.18
3570.00	2.65	3569.31	197.93	-34.88	-27.50
3600.00	3.07	3599.27	197.95	-36.30	-27.96
3630.00	3.06	3629.23	202.33	-37.80	-28.51
3660.00	3.07	3659.19	203.02	-39.28	-29.13
3690.00	3.00	3689.15	200.72	-40.76	-29.72
3720.00	3.21	3719.10	201.16	-42.27	-30.30
3750.00	3.05	3749.06	203.41	-43.79	-30.92
3780.00	2.98	3779.01	200.96	-45.25	-31.52
3810.00	2.70	3808.98	197.60	-46.65	-32.01
3840.00	2.71	3838.94	194.99	-48.01	-32.41
3870.00	2.71	3868.91	194.55	-49.38	-32.77
3900.00	2.68	3898.88	193.93	-50.75	-33.11
3930.00	2.59	3928.85	192.75	-52.09	-33.43
3960.00	2.67	3958.81	192.64	-53.44	-33.74
3990.00	2.91	3988.78	193.62	-54.86	-34.07
4020.00	2.97	4018.74	194.42	-56.35	-34.44
4050.00	2.97	4048.70	195.76	-57.85	-34.85
4080.00	2.94	4078.66	194.38	-59.34	-35.25
4110.00	2.88	4108.62	193.70	-60.82	-35.62
4140.00	2.84	4138.58	191.81	-62.28	-35.95
4170.00	2.76	4168.55	192.39	-63.72	-36.26
4200.00	2.83	4198.51	193.50	-65.14	-36.58
4230.00	3.07	4228.47	193.36	-66.65	-36.94
4260.00	3.29	4258.43	195.01	-68.26	-37.35
4290.00	3.33	4288.38	196.01	-69.93	-37.81
4320.00	3.20	4318.33	195.26	-71.57	-38.27
4350.00	2.97	4348.28	192.67	-73.13	-38.66
4380.00	2.75	4378.25	192.92	-74.60	-39.00
4410.00	2.81	4408.21	191.48	-76.02	-39.30
4440.00	2.86	4438.17	192.55	-77.47	-39.61
4470.00	2.82	4468.14	189.73	-78.93	-39.90
4500.00	2.83	4498.10	190.05	-80.38	-40.15
4530.00	2.77	4528.06	187.39	-81.83	-40.38
4560.00	2.79	4558.03	184.26	-83.28	-40.52
4590.00	2.76	4587.99	181.94	-84.74	-40.60
4620.00	2.94	4617.96	183.44	-86.23	-40.67
4650.00	2.80	4647.92	179.95	-87.73	-40.72
4680.00	2.79	4677.88	179.71	-89.19	-40.71
4710.00	2.58	4707.85	177.48	-90.59	-40.69
4740.00	2.57	4737.82	176.87	-91.94	-40.61
4770.00	2.65	4767.79	177.87	-93.30	-40.55
4800.00	2.62	4797.76	176.80	-94.68	-40.49
4830.00	2.61	4827.73	176.05	-96.05	-40.40
4860.00	2.72	4857.69	176.43	-97.44	-40.31
4890.00	2.63	4887.66	174.62	-98.84	-40.20
4920.00	2.71	4917.63	174.29	-100.23	-40.07
4950.00	2.47	4947.60	175.17	-101.58	-39.94
4980.00	2.46	4977.57	174.08	-102.86	-39.82
5010.00	2.40	5007.54	177.43	-104.13	-39.73
5040.00	2.36	5037.52	178.45	-105.38	-39.68
5070.00	2.34	5067.49	179.42	-106.61	-39.66
5100.00	2.37	5097.47	181.15	-107.84	-39.67
5130.00	2.42	5127.44	183.42	-109.09	-39.72
5160.00	2.50	5157.41	184.15	-110.38	-39.80
5190.00	2.56	5187.38	183.92	-111.70	-39.89
5220.00	2.50	5217.35	181.47	-113.02	-39.96
5250.00	2.24	5247.33	181.10	-114.27	-39.98
5280.00	2.24	5277.31	179.78	-115.44	-39.99
5310.00	2.31	5307.28	178.23	-116.63	-39.97
5340.00	2.26	5337.26	177.34	-117.83	-39.93
5370.00	2.30	5367.23	177.34	-119.02	-39.87
5400.00	2.21	5397.21	174.70	-120.20	-39.79
5430.00	2.27	5427.19	172.23	-121.36	-39.66
5460.00	2.35	5457.16	171.63	-122.56	-39.49
5490.00	2.53	5487.14	172.87	-123.82	-39.32
5520.00	2.54	5517.11	171.56	-125.14	-39.14
5550.00	2.45	5547.08	171.94	-126.43	-38.95
5580.00	2.44	5577.05	171.34	-127.70	-38.76
5610.00	2.43	5607.02	169.19	-128.95	-38.55
5640.00	2.58	5637.00	170.75	-130.25	-38.32
5670.00	2.49	5666.97	172.16	-131.56	-38.12
5700.00	2.53	5696.94	172.06	-132.86	-37.94
5730.00	2.51	5726.91	171.45	-134.16	-37.75
5760.00	2.49	5756.88	171.64	-135.46	-37.56
5790.00	2.42	5786.85	169.41	-136.73	-37.35
5820.00	2.54	5816.82	165.30	-138.00	-37.08
5850.00	2.74	5846.79	165.09	-139.33	-36.71
5880.00	2.87	5876.76	163.53	-140.75	-36.31
5910.00	2.81	5906.72	160.78	-142.16	-35.86
5940.00	2.54	5936.69	159.18	-143.48	-35.38
5970.00	2.31	5966.66	160.03	-144.66	-34.94
6000.00	2.21	5996.64	160.36	-145.78	-34.54
6030.00	2.10	6026.62	159.42	-146.84	-34.15
6060.00	2.14	6056.60	160.33	-147.88	-33.77
6090.00	1.94	6086.58	157.81	-148.87	-33.39
6120.00	1.92	6116.56	162.32	-149.83	-33.04
6150.00	1.93	6146.54	166.08	-150.80	-32.77
6180.00	1.97	6176.52	164.75	-151.78	-32.51
6210.00	1.70	6206.51	174.96	-152.72	-32.34
6240.00	1.96	6236.49	174.47	-153.68	-32.25
6270.00	2.23	6266.47	166.00	-154.76	-32.06
6300.00	1.72	6296.46	169.77	-155.77	-31.83
6330.00	1.76	6326.44	154.30	-156.82	-31.55
6360.00	1.93	6356.43	166.75	-157.53	-31.24
6390.00	2.44	6386.40	171.15	-158.65	-31.03
6420.00	2.15	6416.38	178.22	-159.85	-30.91
6450.00	2.17	6446.36	175.78	-160.98	-30.85
6480.00	2.11	6476.34	166.34	-162.08	-30.68
6510.00	2.13	6506.32	159.28	-163.14	-30.35
6540.00	2.13	6536.30	1		

COMPANY	UTE ENERGY UPSTREAM HOLDINGS LLC		
WELL	COLEMAN TRIBAL 3-18-4-2E		
FIELD	LELAND BENCH		
COUNTY	UINTAH	STATE	UT

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6406			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
2. NAME OF OPERATOR: CRESCENT POINT ENERGY U.S. CORP		7. UNIT or CA AGREEMENT NAME:			
3. ADDRESS OF OPERATOR: 555 17th Street, Suite 750, Denver, CO, 80202		8. WELL NAME and NUMBER: COLEMAN TRIBAL 3-18-4-2E			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0661 FNL 1974 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 18 Township: 04.0S Range: 02.0E Meridian: U		9. API NUMBER: 43047519980000			
PHONE NUMBER: 720 880-3621 Ext		9. FIELD and POOL or WILDCAT: LELAND BENCH			
COUNTY: UINTAH		STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 5/1/2015 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. <p>Crescent Point Energy requests approval for installation of a buried 6" water gathering line within the approved pipeline ROW corridor for the Coleman Tribal 3-18-4-2E. The proposed pipeline would interconnect with existing and proposed pipeline infrastructure associated with Crescent Point's waterflood pilot program and will be placed adjacent to the existing gathering/injection pipeline. The pipeline corridor crosses entirely private surface (Salradus LLC / Coleman Brothers LTD).</p> <p>Construction, maintenance and site reclamation would be consistent with the approved APD. A threatened and endangered plant survey was conducted by Grasslands Consulting. No T&E species were documented.</p> <p>A copy of the report was submitted to the agencies on January 23, 2015. A copy of the report cover page has been provided for reference. Cultural and paleontological clearance surveys are still valid.</p>					
<p>Accepted by the Utah Division of Oil, Gas and Mining</p> <p>Date: April 13, 2015 By: </p>					
NAME (PLEASE PRINT) Lauren MacMillan	PHONE NUMBER 303 382-6787	TITLE Regulatory Specialist			
SIGNATURE N/A	DATE 4/6/2015				



APPROXIMATE TOTAL PIPELINE DISTANCE = 70' (4.2 RODS) +/-

LEGEND:

PROPOSED ACCESS ROAD
 EXISTING PIPELINE
 PROPOSED PIPELINE



UTE ENERGY

COLEMAN TRIBAL #3-18-4-2E
SECTION 18, T4S, R2E, U.S.B.&M.
661' FNL 1974' FWL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

11 05 10
 MONTH DAY YEAR

SCALE: 1" = 2000'

DRAWN BY: J.J.

REV: S.F. 09-01-11

D
TOPO



Grasslands Consulting, Inc.

611 Corporate Circle, Unit H, Golden, CO 80401

(303) 759-5377 Office (303) 759-5324 Fax

SPECIAL STATUS PLANT SPECIES REPORT

Report Number: CP-376

Report Date: January 23, 2015

Operator: Crescent Point Energy U.S. Corp.

Operator Contact: Lori Browne (lbrowne@crescentpointenergy.com; 720-880-3631)

Proposed Project: T4S R2E Water Flood Pipeline Network

Location: Sections 7, 8, 17, and 18 of Township 4 South, Range 2 East, Uintah County, Utah

Survey Species: *Sclerocactus* spp. (*Sclerocactus wetlandicus* and *Sclerocactus brevispinus*)

Survey Dates and Observers:

Year	Survey Type	Survey Dates	Grasslands Consulting, Inc. Biologists
2014	Full Intensity	May 6, 8, 31	Ryan Leet, Mike Wilder and Technicians
		June 1, 2, 3, 5, 24	Ryan Leet, Mike Wilder, Kevin Shields and Technicians
		July 2, 3, 21, 22, 23, 24, 25, 26	Dan Barlow, Kevin Shields, Ryan Leet, Jordan Smith, Dan Greene, and Technicians
		August 15, 31	Kyle Flesness, Maddie Kleppinger, and Technicians
		October 25	Jordan Smith and Technicians
		November 9	Leeland Murray and Technicians
	Spot Check	July 25	Mike Wilder and Technicians
		October 18	Kevin Shields and Technicians
2013	Full Intensity	October 5, 6	Dan Hamilton, Mike Wilder, and Technicians

MEMORANDUM of SURFACE USE AGREEMENT

Todd Kalstrom is the Vice President of Land for Ute Energy LLC and Ute Energy Upstream Holdings LLC, authorized to do business in Utah (hereinafter referred to as "Ute Energy"). Ute Energy owns, operates and manages oil and gas interests in Uintah and Duchesne Counties, Utah.

WHEREAS, a certain Surface Use Agreement ("Agreement") dated effective October 25th, 2010 and recorded at Entry 2011000074 of the Uintah County records in the state of Utah and covering the N/2 of Section 7 and the N/2 of Section 8 of Township 4 South, Range 2 East, USM, has been entered into by and between Coleman Bros. LTD, whose address is c/o Joseph Coleman, 393 E. Center Street, Heber City, UT 84032 ("Owner") and Ute Energy, whose address is 1875 Lawrence Street, Suite 200, Denver, CO 80202 ("Operator")

WHEREAS, a second certain Surface Use Agreement ("Second Agreement") dated effective October 25th, 2010 and recorded at Entry 2011000075 of the Uintah County records in the state of Utah and covering all of Section 18 of Township 4 South, Range 2 East, USM, has been entered into by and between Coleman Bros. LTD, whose address is c/o Joseph Coleman, 393 E. Center Street, Heber City, UT 84032 ("Owner") and Ute Energy, whose address is 1875 Lawrence Street, Suite 200, Denver, CO 80202 ("Operator"),

WHEREAS, Owner and Operator wish to replace that certain Agreement and Second Agreement with a new Surface Use Agreement and Grant of Easements ("New Agreement") dated effective October 25th, 2010 and covering all of the following lands (the "Property") situated in Uintah County, Utah:

Township 4 South, Range 2 East, USM	Entry 2011003009	
Section 7: N/2	BOOK 1231 Page 4-5	\$14.00
Section 8: N/2	26-APR-11	03:54
Section 17: S/2	RANDY SIMMONS	
Section 18: All	RECORDER, UTAH COUNTY, UTAH	
	UTE ENERGY LLC ATTN FELICIA GATES-M	
Township 3 South, Range 1 East, USM	TX 789 FT DUCHESNE, UT 84026	
Section 33: All	Rec By: DEBRA ROOKS	, DEPUTY

WHEREAS, under the New Agreement and for an agreed upon monetary consideration, Ute Energy may construct the necessary well site pads for drilling, completion, re-completion, reworking, re-entry, production, maintenance and operation of wells ("Well Pads") on the Property. Ute Energy, its agents, employees, assigns, contractors and subcontractors, may enter upon and use the Well Pads for the purposes of drilling, completing, producing, maintaining, and operating Wells to produce oil, gas and associated hydrocarbons produced from the Property, including the construction and use of frac pits, tank batteries, water disposal pits, production equipment, compressor sites and other facilities used to produce and market the oil, gas and associated hydrocarbons.


WHEREAS, under the New Agreement Ute Energy has the right to non-exclusive access easements ("Road Easements") on the Property for ingress and egress by Ute Energy and its employees, contractors, sub-contractors, agents, and business invitees as needed to conduct oil and gas operations.

WHEREAS, under the New Agreement Owner grants to Ute Energy, its employees, contractors, sub-contractors, agents and business invitees non-exclusive pipeline easements to construct, maintain, inspect, operate and repair a pipeline or pipelines, pigging facilities and related appurtenances for the transportation of oil, gas, petroleum products, water and any other substances recovered during oil and gas production.

WHEREAS, this New Agreement shall run with the land and be binding upon and inure to the benefit of the parties and their respective heirs, successors and assigns.

THEREFORE, Ute Energy is granted access to the surface estate and the New Agreement constitutes a valid and binding surface use agreement as required under Utah Admin. Code Rule R649-3-34(7).

This Memorandum is executed this 25th day of April, 2011.



Todd Kalstrom
Vice President of Land

Entry 2011003009
Book 1231 Page 5

ACKNOWLEDGMENT

STATE OF COLORADO) } ss
COUNTY OF DENVER)

The foregoing instrument was acknowledged before me by Todd Kalstrom, Vice President of Land for Ute Energy LLC and Ute Energy Upstream Holdings LLC this 25th day of April, 2011.



Notary Public

H. Margaret Sillstrop
Notary